






# Element 13 Aluminum Columns



Round



Square  
Fluted




Square  
Plain


Standard Upgrade



Beige



Linen



White



Slate



Taupe



Black




Brown







## Element 13 Aluminum Round FLUTED Columns with Capitals & Bases

 MAR-21







Standard Colors

-  <= Beige
-  <= Gloss White
-  <= Taupe



Upcharge Colors add 5%

-  <= Linen
-  <= Black Matt
-  <= Slate
-  <= Brown Matt

All Prices are  
FOB Factory

Email us for a  
Written Quote  
Specify Model &  
Quantity

### 8 Feet (2.438 meters)

Diameter 6" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0806F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		218.42	152.89
Load Bearing Plate				32.20	22.54
IPAL0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		236.94	165.84
IPAL0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		329.56	230.69
Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0808F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		276.96	193.87
Load Bearing Plate				30.38	21.26
IPAL0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		294.44	206.09
IPAL0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		384.97	267.38
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0810F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		380.22	266.16
Load Bearing Plate				30.38	21.26
IPAL0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		432.73	302.91
IPAL0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		485.08	339.55
Diameter 12" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0812F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		641.00	448.70
Load Bearing Plate				30.38	21.26
IPAL0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		693.54	485.46
IPAL0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		372.93	261.05

### 9 Feet (2.743 meters)

Diameter 6" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0906F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		232.23	162.56
Load Bearing Plate				30.38	21.26
IPAL0906F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		249.68	174.77
IPAL0906F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		336.92	235.84
Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0908F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		308.37	215.86
Load Bearing Plate				30.38	21.26
IPAL0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		325.82	228.07
IPAL0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		413.38	289.36
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0910F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		413.06	289.14
Load Bearing Plate				30.38	21.26
IPAL0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		465.56	325.90
IPAL0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		518.97	362.65
Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST	Each
IPAL0912F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		700.04	490.01
Load Bearing Plate				30.38	21.26
IPAL0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		752.52	526.76
IPAL0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		804.86	563.40

**Element 13 Aluminum Round FLUTED Columns with Capitals & Bases**



**MAR-21**

**10 Feet (3.048 meters)**

Diameter 6" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1006F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		253.64	177.55
Load Bearing Plate				30.38	21.26
IPAL1006F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		274.09	189.76
IPAL1006F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		358.49	250.94
Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1008F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		334.24	231.85
Load Bearing Plate				30.38	21.26
IPAL1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		348.66	244.06
IPAL1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		436.22	305.35
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1010F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		453.98	317.79
Load Bearing Plate				30.38	21.26
IPAL1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		506.49	354.54
IPAL1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		558.99	391.30
Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1012F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		764.26	534.98
Load Bearing Plate				30.38	21.26
IPAL1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		846.76	571.73
IPAL1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		869.27	608.49

**12 Feet (3.657 meters)**

Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1208F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		394.02	275.82
Load Bearing Plate				30.38	21.26
IPAL1208F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		411.47	288.03
IPAL1208F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		499.03	349.32
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1210F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		527.75	369.42
Load Bearing Plate				30.38	21.26
IPAL1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		580.25	406.18
IPAL1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		632.60	442.82
Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1212F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		886.08	620.26
Load Bearing Plate				30.38	21.26
IPAL1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		938.58	657.01
IPAL1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		991.09	693.76
Diameter 15" Non Tapered		Loads up to 33,000 lbs (14.96mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1215F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1275.35	892.74
Load Bearing Plate				30.38	21.26
IPAL1215F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1380.35	966.25
IPAL1215F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1505.03	1053.52

**16 Feet (4.876 meters)**

Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1612F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		1436.94	795.14
Load Bearing Plate				30.38	21.26
IPAL1612F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1488.42	831.89
IPAL1612F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1240.76	868.54
Diameter 15" Non Tapered		Loads up to 33,000 lbs (14.96mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1615F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1564.84	1095.38
Load Bearing Plate				30.38	21.26
IPAL1615F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1669.85	1168.89
IPAL1615F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1789.64	1252.73
Diameter 18" Non Tapered		Loads up to 38,000 lbs (17.23mtons)	<a href="#">click for Drawing</a>	<b>LIST</b>	<b>Each</b>
IPAL1618F-TCTB	Whole	Top & Bottom Diameter 18" (45.72cm), Inside 16-1/2" (41.9cm)		2391.94	1674.33
Load Bearing Plate				30.38	21.26
IPAL1618F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2496.92	1747.84
IPAL1618F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2706.78	1894.74

**Element 13 Aluminum Round FLUTED Columns with Capitals & Bases**



**MAR-21**

**18 Feet (5.486 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL1815F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		4738.85	1217.19
Load Bearing Plate				30.38	21.26
IPAL1815F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1843.86	1290.70
IPAL1815F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2172.24	1520.55

Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL1818F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		2578.77	1805.14
Load Bearing Plate				30.38	21.26
IPAL1818F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2683.62	1878.53
IPAL1818F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3461.74	2213.20

Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL1824F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		4827.28	3379.09
Load Bearing Plate				30.38	21.26
IPAL1824F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5037.14	3526.00
IPAL1824F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5247.00	3672.90

**20 Feet (6.096 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2015F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1946.33	1362.43
Load Bearing Plate				30.38	21.26
IPAL2015F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2051.18	1435.83
IPAL2015F-TCTB-PIL	Split for 1/2 Column	for Wedged		2397.14	1678.00

Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2018F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		2952.33	2066.63
Load Bearing Plate				30.38	21.26
IPAL2018F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3057.18	2140.03
IPAL2018F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3572.87	2501.01

Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2024F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		4942.76	3459.93
Load Bearing Plate				30.38	21.26
IPAL2024F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5152.62	3606.83
IPAL2024F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5362.48	3753.73

**24 Feet (7.315 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2415F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		2491.88	1534.32
Load Bearing Plate				30.38	21.26
IPAL2415F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2296.73	1607.71
IPAL2415F-TCTB-PIL	Split for 1/2 Column	for Wedged		2668.74	1868.09

Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2418F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		3288.64	2302.03
Load Bearing Plate				30.38	21.26
IPAL2418F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3393.46	2375.43
IPAL2418F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3942.78	2759.95


  

Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST	Each
IPAL2424F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		5427.83	3799.48
Load Bearing Plate				30.38	21.26
IPAL2424F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5637.69	3946.38
IPAL2424F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5847.55	4093.29


## Element 13 Aluminum Square Smooth Columns with Capitals & Bases




MAR-21




Standard Colors




Upcharge Colors add 5%




<= Beige




<= Gloss White




<= Taupe




<= Linen



<= Slate



<= Black Matt



<= Brown Matt

### 8 Feet (2.438 meters)

5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0806S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		364.84	255.39
Load Bearing Plate				29.19	20.43
IPTSQ0806S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		380.70	266.49
IPTSQ0806S-AL-PIL	Split for 1/2 Column	Each Half		230.04	161.00
7-1/2" x 7-1/2" (19cm)		Loads up to 20,000lbs (9.07 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0808S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		493.96	345.77
Load Bearing Plate				38.23	26.76
IPTSQ0808S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		509.82	356.87
IPTSQ0808S-AL-PIL	Split for 1/2 Column	Each Half		294.57	206.20
9" x 9" (18.4cm)		Loads up to 15,000lbs (6.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0809S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		587.23	411.06
Load Bearing Plate				41.24	28.87
IPTSQ0809S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		603.09	422.16
IPTSQ0809S-AL-PIL	Split for 1/2 Column	Each Half		341.20	238.84

### 9 Feet (2.743 meters)

5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0906S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		393.74	275.60
Load Bearing Plate				29.19	20.43
IPTSQ0906S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		409.57	286.70
IPTSQ0906S-AL-PIL	Split for 1/2 Column	Each Half		244.44	171.11
7-1/2" x 7-1/2" (19cm)		Loads up to 20,000lbs (9.07 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0908S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		534.25	373.97
Load Bearing Plate				38.23	26.76
IPTSQ0908S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		550.11	385.08
IPTSQ0908S-AL-PIL	Split for 1/2 Column	Each Half		314.74	220.30
9" x 9" (18.4cm)		Loads up to 15,000lbs (6.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0909S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		636.72	445.70
Load Bearing Plate				41.24	28.87
IPTSQ0909S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		652.58	456.81
IPTSQ0909S-AL-PIL	Split for 1/2 Column	Each Half		365.95	256.16

### 10 Feet (3.048 meters)

5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1006S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		422.58	295.80
Load Bearing Plate				29.19	20.43
IPTSQ1006S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		438.44	306.91
IPTSQ1006S-AL-PIL	Split for 1/2 Column	Each Half		258.88	181.21
7-1/2" x 7-1/2" (19cm)		Loads up to 20,000lbs (9.07 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1008S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		574.38	402.07
Load Bearing Plate				38.23	26.76
IPTSQ1008S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		590.24	413.17
IPTSQ1008S-AL-PIL	Split for 1/2 Column	Each Half		334.86	234.40
9" x 9" (18.4cm)		Loads up to 15,000lbs (6.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1009S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		686.05	480.24
Load Bearing Plate				41.24	28.87
IPTSQ1009S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		701.92	491.34
IPTSQ1009S-AL-PIL	Split for 1/2 Column	Each Half		390.69	273.49




## 12 Feet (3.657 meters)



MAR-21


5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1206S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		496.60	347.55
Load Bearing Plate				29.19	20.43
IPTSQ1206S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		642.36	358.65
IPTSQ1206S-AL-PIL	Split for 1/2 Column			295.84	207.08
7-1/2" x 7-1/2" (19cm)		Loads up to 20,000lbs (9.07 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1208S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		650.36	455.25
Load Bearing Plate				38.23	26.76
IPTSQ1208S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		666.23	466.36
IPTSQ1208S-AL-PIL	Split for 1/2 Column			372.77	260.94
9" x 9" (18.4cm)		Loads up to 15,000lbs (6.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1209S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		782.97	548.08
Load Bearing Plate				41.24	28.87
IPTSQ1209S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		807.72	565.40
IPTSQ1209S-AL-PIL	Split for 1/2 Column			451.92	316.35

## Aluminum Square Tuscan Fluted Columns with Capitals & Bases



Standard Colors

- <= Beige
- <= Gloss White
- <= Taupe



Upcharge Colors add 5%

- <= Linen
- <= Slate
- <= Black Matt
- <= Brown Matt

## 8 Feet (2.438 meters)

3" x 3" (7.62 x 7.62c)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0803F-AL	Whole	Top & Bottom Cap / Base call		405.64	73.95
Load Bearing Plate				29.19	20.43
4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0804F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		187.81	131.47
Load Bearing Plate				42.30	29.61
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0806F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		255.86	179.10
Load Bearing Plate				41.24	28.87
IPTSQ0806F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		273.31	191.32
IPTSQ0806F-AL-PIL	Split for 1/2 Column			180.36	126.25
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0808F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		361.03	252.72
Load Bearing Plate				41.24	28.87
IPTSQ0808F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		378.48	264.94
IPTSQ0808F-AL-PIL	Split for 1/2 Column			233.02	163.11
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0810F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		568.54	397.96
Load Bearing Plate				41.24	28.87
IPTSQ0810F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		621.02	434.71
IPTSQ0810F-AL-PIL	Split for 1/2 Column			336.76	235.73
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0812F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		892.27	624.59
Load Bearing Plate				41.24	28.87
IPTSQ0812F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		944.77	661.34
IPTSQ0812F-AL-PIL	Split for 1/2 Column			498.56	348.99



### 9 Feet (2.73 meters)

3" x 3" (7.62 x 7.62c)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0903F-AL	Whole	Top & Bottom Cap / Base call		118.97	83.28
Load Bearing Plate				29.19	20.43
4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0904F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		208.59	146.01
Load Bearing Plate				41.24	28.87
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0906F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		297.74	208.42
Load Bearing Plate				41.24	28.87
IPTSQ0906F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		315.19	220.63
IPTSQ0906F-AL-PIL	Split for 1/2 Column			204.30	140.91
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0908F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		406.56	284.59
Load Bearing Plate				41.24	28.87
IPTSQ0908F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		424.00	296.80
IPTSQ0908F-AL-PIL	Split for 1/2 Column			255.70	178.99
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0910F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		677.04	473.91
Load Bearing Plate				41.24	28.87
IPTSQ0910F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		729.36	510.55
IPTSQ0910F-AL-PIL	Split for 1/2 Column			391.04	273.71
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ0912F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		982.24	687.54
Load Bearing Plate				41.24	28.87
IPTSQ0912F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1034.74	724.30
IPTSQ0912F-AL-PIL	Split for 1/2 Column			543.61	380.53

### 10 Feet (3.048 meters)

4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1004F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		228.90	160.23
Load Bearing Plate				41.24	28.87
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1006F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		323.12	226.18
Load Bearing Plate				41.24	28.87
IPTSQ1006F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		340.57	238.40
IPTSQ1006F-AL-PIL	Split for 1/2 Column			213.99	149.79
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1008F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		497.70	373.28
Load Bearing Plate				45.50	34.13
IPTSQ1008F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		516.95	387.71
IPTSQ1008F-AL-PIL	Split for 1/2 Column			306.78	230.08
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1010F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		708.26	495.78
Load Bearing Plate				41.24	28.87
IPTSQ1010F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		760.64	532.42
IPTSQ1010F-AL-PIL	Split for 1/2 Column			406.56	284.59
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1012F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1071.67	750.17
Load Bearing Plate				41.24	28.87
IPTSQ1012F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1124.18	786.92
IPTSQ1012F-AL-PIL	Split for 1/2 Column			588.34	411.84

**12 Feet (3.657 meters)**

7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1208F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		568.54	397.96
Load Bearing Plate				44.24	28.87
IPTSQ1208F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		624.02	434.71
IPTSQ1208F-AL-PIL	Split for 1/2 Column			336.76	235.73
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1210F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		823.26	576.28
Load Bearing Plate				44.24	28.87
IPTSQ1210F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		875.77	613.04
IPTSQ1210F-AL-PIL	Split for 1/2 Column			464.14	324.90
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1212F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1272.04	890.41
Load Bearing Plate				44.24	28.87
IPTSQ1212F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1324.52	927.16
IPTSQ1212F-AL-PIL	Split for 1/2 Column			688.43	481.90

**16 Feet (4.876 meters)**

11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST	Each
IPTSQ1612F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1659.38	1161.56
Load Bearing Plate				44.24	28.87
IPTSQ1612F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1744.88	1198.32
IPTSQ1612F-AL-PIL	Split for 1/2 Column			882.44	617.48