



Imperial Productions®




Roman Corinthian Columns

5 Feet to 10 Feet Load Bearing and Decorative



Roman Corinthian is a classical style
Denoted by Acanthus Leaves. They are
thought to be derived by the proportions of
a person carrying a basket of acanthus leaves
Shafts can be smooth or Fluted
The appropriate base is the Attic Style



SPLIT OPTIONS

ImperialProductions®



IPPC0508S-ABRC	Load Bearing 63-1/2"		
FRP-PolyComp™	List	Each	50 +
Whole	972.51	729.39	583.51
Split for Post Wrap	1067.98	800.99	640.79
Whole Painted White	1154.73	866.04	692.84
Split Painted White	1250.19	937.64	750.12
Split Wraps Round Steel Post 3-1/2"			

ITEM 5-1





Total Height IPPC0508S-ABRC
63-1/2" (161cm)

Load Bearing to
10,000lbs (4.5359 mtons)

Top of Shaft
O/D 6-1/8" (15.5cm)
I/D 5-3/8" (13.65cm)

Bottom of Shaft
O/D 7-5/8" (19.36cm)

Attic Base - Hollow
Height 4-5/8" (11.74cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0608S-ABRC	Load Bearing 75-1/2"		
FRP-PolyComp™	List	Each	50 +
Whole	999.26	749.44	599.55
Split for Post Wrap	1094.72	821.04	656.83
Whole Painted White	1217.87	913.41	730.72
Split Painted White	1313.34	985.01	788.00
Split Wraps Round Steel Post 3-1/2"			

ITEM 6-1





Total Height IPPC0608S-ABRC
75-1/2" (192cm)

Load Bearing to
10,000lbs (4.5359 mtons)

Top of Shaft
O/D 6-1/8" (15.5cm)
I/D 5-3/8" (13.65cm)

Bottom of Shaft
O/D 7-5/8" (19.36cm)

Attic Base - Hollow
Height 4-5/8" (11.74cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0610S-ABRC	Load Bearing 78"		
FRP-PolyComp™	List	Each	50 +
Whole	1403.29	1052.47	841.97
Split for Post Wrap	1523.04	1142.28	913.82
Whole Painted White	1699.30	1274.47	1019.58
Split Painted White	1819.02	1364.26	1091.41
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"			

ITEM 6-2





Total Height IPPC0610S-ABRC
78" (198cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 8" (20.3cm)
I/D 7-1/4" (18.4 cm)

Bottom of Shaft
O/D 9-5/8" (24.4 cm)

Attic Base - Hollow
Height 5-5/8" (14.28cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0612S-ABRC	Load Bearing 79"		
FRP-PolyComp™	List	Each	50 +
Whole	1836.61	1377.45	1101.96
Split for Post Wrap	1961.07	1470.81	1176.64
Whole Painted White	2231.89	1673.92	1339.13
Split Painted White	2356.35	1767.27	1413.81
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 6-3





Total Height IPPC0612S-ABRC
79" (200cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 9-3/8" (23.8cm)
I/D 8-5/8" (21.9cm)

Bottom of Shaft
O/D 11-1/2" (29.2 cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC0808S-ABRC	Load Bearing 99-1/2"			
	FRP-PolyComp™	List	Each	50 +
Whole	1026.03	769.52	615.62	
Split for Post Wrap	1139.28	854.46	683.57	
Whole Painted White	1317.52	988.14	790.51	
Split Painted White	1430.83	1073.12	858.50	
Split Wraps Round Steel Post 3-1/2"				

ITEM 8-1





Total Height IPPC0808S-ABRC
99-1/2" (253cm)

Load Bearing to
10,000lbs (4.5359 mtons)

Top of Shaft
O/D 6-1/8" (15.5cm)
I/D 5-3/8" (13.65cm)

Bottom of Shaft
O/D 7-5/8" (19.36cm)

Attic Base - Hollow
Height 4-5/8" (11.74cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0810S-ABRC	Load Bearing 102"			
	FRP-PolyComp™	List	Each	50 +
Whole	1423.88	1067.91	854.33	
Split for Post Wrap	1581.67	1186.25	949.00	
Whole Painted White	1818.50	1363.88	1091.10	
Split Painted White	1976.26	1482.20	1185.76	
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"				

ITEM 8-2





Total Height IPPC0810S-ABRC
102" (259cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 8" (20.3cm)
I/D 7-1/4" (18.4 cm)

Bottom of Shaft
O/D 9-5/8" (24.4 cm)

Attic Base - Hollow
Height 5-5/8" (14.28cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0812S-ABRC	Load Bearing 103"			
	FRP-PolyComp™	List	Each	50 +
Whole	1896.29	1422.22	1137.78	
Split for Post Wrap	2029.86	1522.39	1217.91	
Whole Painted White	2423.31	1817.48	1453.98	
Split Painted White	2556.84	1917.63	1534.10	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

ITEM 8-3





Total Height IPPC0812S-ABRC
103" (261.6cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 9-3/8" (23.8cm)
I/D 8-5/8" (21.9cm)

Bottom of Shaft
O/D 11-1/2" (29.2cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0814S-ABRC	Load Bearing 105-3/8"			
	FRP-PolyComp™	List	Each	6 +
Whole	3223.62	2417.72	1934.17	
Split for Post Wrap	3371.31	2528.48	2022.79	
Whole Painted White	3842.24	2881.68	2305.34	
Split Painted White	3989.96	2992.47	2393.97	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 8-4





Total Height IPPC0814S-ABRC
105-3/8" (267.65cm)

Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC0816S-ABRC	Load Bearing 104-3/4"			
	FRP-PolyComp™	List	Each	6 +
Whole	3570.40	2677.80	2142.24	
Split for Post Wrap	4824.25	3618.19	2894.55	
Whole Painted White	5150.26	3862.69	3090.16	
Split Painted White	5546.11	4159.58	3327.67	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 8-5



Total Height IPPC0816S-ABRC
104-3/4" (266cm)

Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0818S-ABRC	Load Bearing 104-3/4"			
	FRP-PolyComp™	List	Each	6 +
Whole	7231.20	5423.40	4338.72	
Split for Post Wrap	7725.52	5794.14	4635.31	
Whole Painted White	8058.59	6043.95	4835.16	
Split Painted White	8552.94	6414.71	5131.77	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 8-6



Total Height IPPC0818S-ABRC
104-1/4" 268.74cm

Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0908S-ABRC	Load Bearing 111-1/2"			
	FRP-PolyComp™	List	Each	6 +
Whole	1071.38	803.53	642.83	
Split for Post Wrap	1195.48	896.61	717.29	
Whole Painted White	1396.64	1047.48	837.98	
Split Painted White	1520.75	1140.56	912.45	
Split Wraps Round Steel Post 3-1/2"				

ITEM 9-1



Total Height IPPC0908S-ABRC
111-1/2" (283cm)

Load Bearing to
10,000lbs (4.5359 mtons)

Top of Shaft
O/D 6-1/8" (15.5cm)
I/D 5-3/8" (13.65cm)

Bottom of Shaft
O/D 7-5/8" (19.36cm)

Attic Base - Hollow
Height 4-5/8" (11.74cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC0910S-ABRC	Load Bearing 114"			
	FRP-PolyComp™	List	Each	50 +
Whole	1477.45	1108.09	886.47	
Split for Post Wrap	1624.77	1218.57	974.86	
Whole Painted White	1908.25	1431.19	1144.95	
Split Painted White	2055.57	1541.68	1233.34	
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"				

ITEM 9-2



Total Height IPPC0910S-ABRC
114" (289cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 8" (20.3cm)
I/D 7-1/4" (18.4 cm)

Bottom of Shaft
O/D 9-5/8" (24.4 cm)

Attic Base - Hollow
Height 5-5/8" (14.28cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC0912S-ABRC	Load Bearing 9 Feet 7"			ITEM 9-3
	FRP-PolyComp™	List	Each	
Whole	1960.16	1470.12	1176.09	
Split for Post Wrap	2112.17	1584.13	1267.30	
Whole Painted White	2517.94	1888.46	1510.77	
Split Painted White	2669.95	2002.46	1601.97	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC0912S-ABRC
115" (292cm)

Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-1/2" (24.13cm)
I/D 8-3/4" (22.2cm)

Bottom of Shaft
O/D 11-1/2" (29.2cm)

Attic Base - Hollow
Height 12" (30.4cm)



IPPC0914S-ABRC	Load Bearing 9 Feet 9-3/8"			ITEM 9-4
	FRP-PolyComp™	List	Each	
Whole	3284.08	2463.06	1970.45	
Split for Post Wrap	3442.78	2582.09	2065.67	
Whole Painted White	3957.58	2968.19	2374.55	
Split Painted White	4116.31	3087.23	2469.79	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC0914S-ABRC
117-3/8" (298cm)

Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



IPPC0916S-ABRC	Load Bearing 9 Ft- 8-3/8"			ITEM 9-5
	FRP-PolyComp™	List	Each	
Whole	3756.75	2817.56	2254.05	
Split for Post Wrap	5020.39	3765.29	3012.23	
Whole Painted White	5399.25	4049.44	3239.55	
Split Painted White	5804.86	4353.64	3482.91	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC0916S-ABRC
116-3/4" (296cm)

Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)



IPPC0918S-ABRC	Load Bearing 116"			ITEM 9-6
	FRP-PolyComp™	List	Each	
Whole	7357.01	5517.76	4414.20	
Split for Post Wrap	7860.97	5895.73	4716.58	
Whole Painted White	8254.85	6191.13	4952.91	
Split Painted White	8759.12	6569.34	5255.47	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC0918S-ABRC
116"
296cm

Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)





IPPC1008S-ABRC	Load Bearing 10FT 3-1/2"		
FRP-PolyComp™	List	Each	6 +
Whole	1102.24	826.68	661.35
Split for Post Wrap	1237.89	928.42	742.74
Whole Painted White	1450.85	1088.14	870.51
Split Painted White	1586.56	1189.92	951.93
Split Wraps Round Steel Post 3-1/2"			

ITEM 10-1





Total Height IPPC1008S-ABRC
123-1/2" (314cm)

Load Bearing to
10,000lbs (4.5359 mtons)

Top of Shaft
O/D 6-1/8" (15.5cm)
I/D 5-3/8" (13.65cm)

Bottom of Shaft
O/D 7-5/8" (19.36cm)

Attic Base - Hollow
Height 4-5/8" (11.74cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC01010S-ABRC	Load Bearing 126"		
FRP-PolyComp™	List	Each	50 +
Whole	1526.87	1145.15	916.12
Split for Post Wrap	1686.86	1265.14	1012.11
Whole Painted White	1993.88	1495.41	1196.33
Split Painted White	2153.84	1615.38	1292.30
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"			

ITEM 10-2





Total Height IPPC01010S-ABRC
126" (320cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 8" (20.3cm)
I/D 7-1/4" (18.4 cm)

Bottom of Shaft
O/D 9-5/8" (24.4 cm)

Attic Base - Hollow
Height 5-5/8" (14.28cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1012S-ABRC	Load Bearing 127"		
FRP-PolyComp™	List	Each	6 +
Whole	2026.02	1519.52	1215.61
Split for Post Wrap	2190.79	1643.09	1314.47
Whole Painted White	2645.79	1984.34	1587.47
Split Painted White	2810.49	2107.87	1686.30
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 10-3





Total Height IPPC1012S-ABRC
127" (322.5cm)

Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-1/2" (24.13cm)
I/D 8-3/4" (22.2cm)

Bottom of Shaft
O/D 11-1/2" (29.2cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1014S-ABRC	Load Bearing 10 Feet 9-3/8"		
FRP-PolyComp™	List	Each	6 +
Whole	3347.20	2510.40	2008.32
Split for Post Wrap	3517.23	2637.92	2110.34
Whole Painted White	4075.59	3056.69	2445.35
Split Painted White	4245.64	3184.23	2547.38
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 10-4





Total Height IPPC1014S-ABRC
129-3/8" (328cm)

Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



Brochure/Order Form

Custom RomanCorinthian







IPPC1016S-ABRC	Load Bearing 128-3/4"			
	FRP-PolyComp™	List	Each	6 +
Whole	3943.14	2957.35	2365.88	
Split for Post Wrap	5351.43	4013.57	3210.86	
Whole Painted White	5648.30	4236.22	3388.98	
Split Painted White	6198.59	4648.94	3719.16	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 10-5



Total Height IPPC1016S-ABRC
128-3/4" (327cm)
Load Bearing to
20,000lbs (9.017mtons)
Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)
Bottom of Shaft
O/D 15-3/4" (40cm)
Attic Base - Hollow
Height 8-3/4" (22.2cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC1018S-ABRC	Load Bearing 10 Feet 8"			
	FRP-PolyComp™	List	Each	6 +
Whole	7482.76	5612.07	4489.66	
Split for Post Wrap	7999.42	5999.57	4799.65	
Whole Painted White	8451.07	6338.30	5070.64	
Split Painted White	8967.76	6725.82	5380.66	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 10-6




Total Height IPPC1018S-ABRC
128"
326cm
Load Bearing to
20,000lbs (9.017mtons)
Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)
Bottom of Shaft
O/D 17-1/4" (43.8cm)
Attic Base - Hollow
Height 10-1/4" (26cm)



Brochure/Order Form

Custom RomanCorinthian



24 HARDWOODS (Hollow with Load Options)

Hardwoods are a Green Choice

Exterior Woods: Pine, Western Red Cedar, White Oak

Interior Woods:

Poplar, Bass, Red Oak, Maple, SapMaple, Ash
Cherry, African Mahogany, Walnut, Yellow Birch

Benefits

Total Customization to the Micro Inch
Solid Capitals and Bases



[Watch Youtube Video](#)

PolyComp & FiberComp™ (Load Bearing)

FiberComp™ is made from 75% calcium carbonate

25% Fiberglass Resins

Capitals & Bases EconPolymer™ - not primed

All Whole Columns are Load Bearing

Always consult with your structural engineer for application

Benefits

Insect, Rot and Water Resistant

Minimal Thermal Transfer to avoid spider cracks

Optional Split for Post Wrap, Cut to Height or Corner Cuts



[Watch Youtube Video](#)

ArchPolymer™ a Decorative Faux Wood

ArchPolymer™ is high density Polyurethane

Lite weight - easy to cut and install for post wrap

Perfect for Theatres, Store Fixtures, Gardens

Not Load Bearing

Benefits

Insect, Rot and Water Resistant

Minimal Thermal Transfer to avoid spider cracks



[Watch Youtube Video](#)

StoneMold™ & Zeament™ Décor Post Wrap

Architectural Artificial Stone Composite Interior Use only

made from Alpha Gypsum Cement with pigment

Not Load Bearing


Columns split with a reveal at the seam

SM: 12 Finishes

ZM: 11 Finishes



[Watch Youtube Video](#)



Post Wrap Chart

4 x 4 Square Wood Dressed

Dressed to 3-1/2" x 3-1/2" (8.8 x 8.8cm)

A) Inside Minimum Top of Shaft 5" (12.7cm)

6 x 6 Square Wood Dressed

Dressed 5-1/2" x 5-1/2" (13.9 x 13.9cm)

A) Minimum Inside Top of Shaft
7-3/4" (19.68cm)

4 x 4 Square Steel Post

A) Inside Minimum Top of Shaft
5-3/4" (14.6cm)

6 x 6 Square Steel Post

A) Inside Minimum Inside Top of Shaft
8-5/8" (21.9cm)

8 x 8 Square Wood Dressed

Dressed 7-1/2" x 7-1/2" (19 x 19cm)


A) Inside Minimum 11-1/2" (29.21cm)



Do not measure too tight as you need to take into account manufacturing tolerances that can be up to 1/4" (.63cm) minimum Dressed sizes as per AWC Properties of Structural Lumber S4S (www.AWC.org)

We Sell Steel Posts Galvanized or Primed

Specify Heights, Round or Square Top & Bottom Plates



Post Wrap:

- * Pressure Treated Wood Posts 4x4, 6x6
- * I-Beams
- * Round Metal
- * Square Metal

Design Tip:

Consider a post wrap. This gets the framing inspection complete then follow up with the decorative finished column cover once the inspector signs off.



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto / New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

FG-TUS-NTAP
JUL-2021



Imperial Productions® Request for Quote

Download, Fill-in & Email to sales@imperialproductions.com

Name / Company: _____

Phone _____ Email _____

Billing Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Ship to Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Product Code: _____

Quantity: _____

Notes: _____



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto / New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved