

Jan-19

Martin Richards Design™
COLLECTION

Imperial Tuscan Columns



Fiberglass
FiberComp™
PolyComp™

Round - Smooth & Fluted
Square - Smooth

- Fluted
- Raised Panel
- Recessed Panel

Bungalow Square

- Smooth
- Raised Panel
- Recessed Panel



Tapered & Non Tapered
Decorative
Load Bearing



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

copyright 2016 MRDCI All Rights Reserved

Table of Contents

1 - Title Page

2 - Table of Contents

Imperial PolyComp™

28 - PolyComp™ Title

Imperial Fiberglass / FiberComp™

a) Smooth Round Columns

3 - Sub Title Page

4 - Smooth 5 to 8 Feet

5 - Smooth 8 to 9 Feet

6 - Smooth 9 to 10 Feet

7 - Smooth 10 to 12 Feet

8 - Smooth 12 Feet

9 - Smooth 12 to 16 Feet

10 - Smooth 16 to 18 Feet

11 - Smooth 20 to 22 Feet

12 - Smooth 22, 24, 26 Feet

13 - Smooth 28, 30 Feet

14 - Custom Form Non Tapered

15 - Custom Form Tapered

a) Smooth Round Columns

29 - Smooth 5 to 8 Feet

30 - Smooth 9 to 10 Feet

31 - Smooth 10 to 12 Feet

32 - Smooth 14 to 16 Feet

33 - Smooth 18, 20, 22, 24 Feet

b) Fluted Round Columns

34 - Fluted 8, 9, 10, 12 Feet

c) Square Columns

35 - Smooth 8, 9, 10, 12 Feet

36 - Raised Panel 8, 9, 10, 12 Feet

37 - Bungalow Raised Panel

b) Fluted Round Columns

16 - Sub Title Page

17 - Fluted 5 to 8 Feet

18 - Fluted 8 to 9 Feet

19 - Fluted 9 to 10 Feet

20 - Fluted 12 to 14 Feet

c) Square Columns

21 - Sub Title Page

22 - Square 8 to 9 Feet

23 - Square 9 to 10 Feet

24 - Square 12 to 14 Feet

25 - Square 16 to 18 Feet

26 - Square 18 to 20 Feet

27 - Square 22 to 24 Feet



Jan-19

Martin Richards Design™

COLLECTION


Imperial Tuscan Smooth Round Columns



Fiberglass
FiberComp™

Round
Smooth (Plain)

Tapered or Non Tapered
Split or Whole



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

Page 3

copyright 2016 MRDCI All Rights Reserved

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

5 Feet (1.524 meters) FiberComp™

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	
IPTUS0508S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		313.14	187.88
IPTUS0508S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		452.24	271.34
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0508S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		452.24	271.34
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0510S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		398.29	238.97
IPTUS0510S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		537.39	322.43
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0510S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		537.39	322.43
	Cut Shaft to Height	Specify Total Height		48.75	29.25

6 Feet (1.828 meters) FiberComp™

Diameter 7-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0608S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		349.05	209.43
IPTUS0608S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		488.15	292.89
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0608S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		488.15	292.89
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0610S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		431.93	259.16
IPTUS0610S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		571.03	342.62
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0610S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		571.03	342.62
	Cut Shaft to Height	Specify Total Height		48.75	29.25

8 Feet (2.438 meters) FiberComp™

Diameter 5-11/16" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0806S-TCTB	Whole	Bottom Diameter 5-11/16" (14.6cm) Top Shaft 4" (10cm)		344.50	206.70
IPTUS0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		483.60	290.16
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		483.60	290.16
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0808S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		375.86	225.52
IPTUS0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		514.96	308.98
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		514.96	308.98
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0808SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		447.69	268.61
IPTUS0808SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		586.79	352.07
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0808SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		586.79	352.07
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0810S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		469.95	281.97
IPTUS0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		609.05	365.43
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		609.05	365.43
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0810SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		563.55	338.13
IPTUS0810SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		702.65	421.59
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0810SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		702.65	421.59
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0812S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		649.03	389.42
IPTUS0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		786.50	471.90
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		786.50	471.90
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

8 Feet (2.438 meters) ... continued

Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS0812SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	705.09	423.05
IPTUS0812SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	844.19	506.51
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0812SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	844.19	506.51
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 13-5/8" Tapered	FiberComp Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS0814S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	1409.69	845.81
IPTUS0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1548.79	929.27
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1548.79	929.27
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 13-5/8" NonTapered	Fiberglass Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST	
IPTUS0814SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8" (34.6cm)	1706.74	1024.04
IPTUS0814SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1745.74	1047.44
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0814SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1745.74	1047.44
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 15-1/2" Tapered	FiberComp Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST	
IPTUS0816S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)	1699.43	1019.66
IPTUS0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1924.98	1154.99
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1924.98	1154.99
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 15-1/2" NonTapered	Fiberglass Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST	
IPTUS0816SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)	2177.01	1306.21
IPTUS0816SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2302.46	1381.48
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0816SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2302.46	1381.48
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 17-1/2" NonTapered	Fiberglass Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST	
IPTUS0818SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)	3276.98	1966.19
IPTUS0818SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3402.43	2041.46
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0818SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3402.43	2041.46
	Cut Shaft to Height	Specify Total Height	48.75	29.25

9 Feet (2.743 meters) FiberComp™

Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST	
IPTUS0908S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)	416.16	249.70
IPTUS0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	555.26	333.16
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	555.26	333.16
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 7-5/8" Non-Tapered	Loads to 10,000lbs (4.53metric tons)	click for Drawing	LIST	
IPTUS0908SNT-TCTB	Whole	Top & Bottom Diameter 7-5/8" (19.3cm)	474.99	284.99
IPTUS0908SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	614.09	368.45
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0908SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	614.09	368.45
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS0910S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top 7-1/2" (19cm)	519.19	311.51
IPTUS0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	658.29	394.97
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	658.29	394.97
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS0910SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)	618.15	370.89
IPTUS0910SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	757.25	454.35
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS0910SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	757.25	454.35
	Cut Shaft to Height	Specify Total Height	48.75	29.25

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

9 Feet (2.743 meters) Continued...

Diameter 12" Tapered		FiberComp Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS0912S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top 9-1/4" (23.4cm)		716.44	429.68
	Split for Wrap	Split Shaft, Cap & Base		855.24	513.14
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0912S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		855.24	513.14
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-3/4" NonTapered		FiberComp Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS0912SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		770.58	462.35
	Split for Wrap	Split Shaft, Cap & Base		909.68	545.81
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0912SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		909.68	545.81
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered		FiberComp Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS0914S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		1476.80	886.08
	Split for Wrap	Split Shaft, Cap & Base		1615.90	969.54
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0914S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1615.90	969.54
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" NonTapered		Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS0914SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1878.34	1127.00
	Split for Wrap	Split Shaft, Cap & Base		1917.34	1150.40
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0914SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1917.34	1150.40
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" Tapered		FiberComp Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS0916S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		1699.43	1019.66
	Split for Wrap	Split Shaft, Cap & Base		2093.49	1256.09
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0916S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2093.49	1256.09
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" NonTapered		Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS0916SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)		2396.88	1438.13
	Split for Wrap	Split Shaft, Cap & Base		2522.33	1513.40
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0916SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2522.33	1513.40
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/2" NonTapered		Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS0918SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		3618.74	2171.23
	Split for Wrap	Split Shaft, Cap & Base		3744.16	2246.50
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0918SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3744.16	2246.50
	Cut Shaft to Height	Specify Total Height		48.75	29.25

10 Feet (3.048 meters)

Diameter 7-5/8" Tapered		FiberComp Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST	
IPTUS1008S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		451.94	271.15
	Split for Wrap	Split Shaft, Cap & Base		591.04	354.61
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1008S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		591.04	354.61
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-3/4" NonTapered		FiberComp Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST	
IPTUS1008SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		514.96	308.98
	Split for Wrap	Split Shaft, Cap & Base		654.06	392.44
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1008SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		654.06	392.44
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered		FiberComp Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS1010S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm), Top Shaft 7-1/2" (19cm)		559.49	335.69
	Split for Wrap	Split Shaft, Cap & Base		698.59	419.15
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1010S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		698.59	419.15
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

10 Feet (3.048 meters) Continued

Diameter 9-3/4" NonTapered	FiberComp Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS1010SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)	672.75	403.65
IPTUS1010SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	811.85	487.11
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1010SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	811.85	487.11
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 11-5/8" Tapered	FiberComp Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1012S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)	797.71	478.63
IPTUS1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	936.81	562.09
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	936.81	562.09
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1012SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	797.71	478.63
IPTUS1012SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	936.81	562.09
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1012SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	936.81	562.09
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 13-5/8" Tapered	FiberComp Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1014S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	1543.91	926.35
IPTUS1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1683.01	1009.81
	Split Kit	Reassembly Kit	95.81	57.49
IPTUS1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1683.01	1009.81
	Cut Shaft to Height	Specify Total Height	39.00	23.40
Diameter 13-5/8" NonTapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1014SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8" (34.6cm)	2050.10	1230.06
IPTUS1014SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2089.10	1253.46
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1014SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2089.10	1253.46
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 15-1/2" Tapered	FiberComp Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1016S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top 13-7/8" (35.2cm)	2036.29	1221.77
IPTUS1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2261.84	1357.10
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2261.84	1357.10
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 15-1/2" NonTapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1016SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39cm)	2616.74	1570.04
IPTUS1016SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2742.19	1645.31
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1016SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2742.19	1645.31
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 17-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1018S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)	4117.26	2470.36
IPTUS1018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	4242.71	2545.63
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	4242.71	2545.63
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 17-1/2" NonTapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST	
IPTUS1018SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)	3948.91	2369.35
IPTUS1018SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	4074.36	2444.62
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1018SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	4074.36	2444.62
	Cut Shaft to Height	Specify Total Height	48.75	29.25

12 Feet (3.657 meters)

Diameter 7-3/4" NonTapered	FiberComp Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST	
IPTUS1208SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)	599.30	359.58
IPTUS1208SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	806.00	483.60
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1208SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	806.00	483.60
	Cut Shaft to Height	Specify Total Height	48.75	29.25

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

12 Feet (3.657 meters) continued

Diameter 9-5/8" Tapered	FiberComp Loads to 14,000lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS1210S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		760.83	456.50
IPTUS1210S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		967.53	580.52
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		967.53	580.52
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-3/4" NonTapered	FiberComp Loads to 14,000lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS1210SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		781.95	469.17
IPTUS1210SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		988.65	593.19
	Split Kit	Reassembly Kit		40.46	24.28
IPTUS1210SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		988.65	593.19
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-5/8" Tapered	FiberComp Loads to 18,000lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS1212S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		1029.28	617.57
IPTUS1212S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1235.98	741.59
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1235.98	741.59
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS1212SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1274.49	764.69
IPTUS1212SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1481.19	888.71
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1212SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1481.19	888.71
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	FiberComp Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1214S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		1767.84	1060.70
IPTUS1214S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1974.54	1184.72
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1974.54	1184.72
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" Tapered	FiberComp Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1216S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		2358.53	1415.12
IPTUS1216S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2651.68	1591.01
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2651.68	1591.01
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" NonTapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1216SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)		3056.46	1833.88
IPTUS1216SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3181.91	1909.15
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1216SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3181.91	1909.15
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1218S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4475.25	2685.15
IPTUS1218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4600.70	2760.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4600.70	2760.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/2" NonTapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1218SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		4620.69	2772.41
IPTUS1218SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4746.14	2847.68
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1218SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4746.14	2847.68
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 19-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1220S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		4745.33	2847.20
IPTUS1220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4940.98	2964.59
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4940.98	2964.59
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter, 21-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1222S-TCTB	Whole	Bottom Diameter 21-1/2" (54.4cm) Top Shaft 18-1/2" (46.9cm)		5780.61	3468.37
IPTUS1222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5976.26	3585.76
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5976.26	3585.76
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

12 Feet (3.657 meters) Fiberglass Continued...

Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1224S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 50.8cm)		6327.75	3796.65
IPTUS1224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6523.40	3914.04
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6523.40	3914.04
	Cut Shaft to Height	Specify Total Height		48.75	29.25

14 Feet (4.267 meters)

Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000lbs (8.16 metric tons)		click for Drawing	LIST	LIST
IPTUS1412SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1459.25	875.55
IPTUS1412SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1665.95	999.57
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1412SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1665.95	999.57
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	LIST
IPTUS1414S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		2506.24	1503.74
IPTUS1414S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2545.24	1527.14
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2545.24	1527.14
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	LIST
IPTUS1416S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		2977.98	1786.79
IPTUS1416S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2977.98	1786.79
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2977.98	1786.79
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	LIST
IPTUS1418S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4699.04	2819.41
IPTUS1418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4824.46	2894.68
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4824.46	2894.68
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 19-1/2" Tapered	Fiberglass Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	LIST
IPTUS1420S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		5324.64	3194.78
IPTUS1420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5520.29	3312.17
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5520.29	3312.17
	Cut Shaft to Height	Specify Total Height		48.75	29.25

16 Feet (4.876 meters) Fiberglass

Diameter 13-5/8" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1614S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		2998.45	1799.07
IPTUS1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3037.45	1822.47
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3037.45	1822.47
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1616S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		3803.96	2282.38
IPTUS1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3929.44	2357.65
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3929.44	2357.65
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1618S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4922.78	2953.67
IPTUS1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5048.23	3028.94
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5149.63	3089.78
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1620S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		5903.79	3542.27
IPTUS1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6099.44	3659.66
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6099.44	3659.66
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

16 Feet (4.876 meters) Fiberglass continued...

Diameter 21-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1622S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		7181.53	4308.92
IPTUS1622S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7377.18	4426.31
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1622S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7377.18	4426.31
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1624S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		7384.16	4430.50
IPTUS1624S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7579.81	4547.89
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1624S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7579.81	4547.89
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1630S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		12079.93	7247.96
IPTUS1630S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12275.58	7365.35
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS1630S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12275.58	7365.35
	Cut Shaft to Height	Specify Total Height		39.00	23.40

18 Feet (5.486 meters) Fiberglass

Diameter 15-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1816S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-3/4" (34.9cm)		4236.24	2541.73
IPTUS1816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4361.66	2617.00
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS1816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4361.66	2617.00
	Cut Shaft to Height	Specify Total Height		39.00	23.40
Diameter 17-1/4" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1818S-TCTB	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		5024.18	3014.51
IPTUS1818S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5149.63	3089.78
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS1818S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5149.63	3089.78
	Cut Shaft to Height	Specify Total Height		39.00	23.40
Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1820S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		6578.00	3946.80
IPTUS1820S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6773.65	4064.19
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1820S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6773.65	4064.19
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 21-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1822S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		7531.74	4519.03
IPTUS1822S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7727.36	4636.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1822S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7727.36	4636.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1824S-TCTB	Whole	Bottom Diameter 23-3/4" (60.3cm) Top Shaft 19-3/4" (50cm)		8279.24	4967.53
IPTUS1824S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8474.86	5084.92
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1824S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8474.86	5084.92
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS1830S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		13439.89	8063.93
IPTUS1830S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		13635.54	8181.32
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1830S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		13635.54	8181.32
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

20 Feet (6.096 meters) Fiberglass

Diameter 15-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2016S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-3/4" (34.9cm)		4730.70	2838.42
IPTUS2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4856.15	2913.69
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4856.15	2913.69
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 17-1/4" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2018S-TCTB	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		5918.25	3550.95
IPTUS2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6043.70	3626.22
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6043.70	3626.22
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 19-3/4" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2020S-TCTB	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		6578.00	3946.80
IPTUS2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6773.65	4064.19
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6773.65	4064.19
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 21-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2022S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		8030.91	4818.55
IPTUS2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8226.56	4935.94
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8226.56	4935.94
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2024S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		9621.79	5773.07
IPTUS2024S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9817.44	5890.46
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS2024S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9817.44	5890.46
	Cut Shaft to Height	Specify Total Height		39.00	23.40
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2030S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		15006.23	9003.74
IPTUS2030S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		15201.88	9121.13
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS2030S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		15201.88	9121.13
	Cut Shaft to Height	Specify Total Height		39.00	23.40
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2036S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		17679.35	10607.61
IPTUS2036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		17875.00	10725.00
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		17875.00	10725.00
	Cut Shaft to Height	Specify Total Height		48.75	29.25

22 Feet (6.705 meters)

Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2220S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.1cm)		6713.53	4028.12
IPTUS2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6909.18	4145.51
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6909.18	4145.51
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 21-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2222S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		8530.11	5118.07
IPTUS2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9050.76	5430.46
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9050.76	5430.46
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2224S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		10740.60	6444.36
IPTUS2224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		10936.25	6561.75
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		10936.25	6561.75
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

22 Feet (6.705 meters) Fiberglass continued...

Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2230S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		16901.28	9540.77
IPTUS2230S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		16096.93	9658.16
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2230S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		16096.93	9658.16
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2236S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		19100.90	11460.54
IPTUS2236S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		19296.55	11577.93
	Split Kit	Reassembly Kit		95.81	57.49
IPTUS2236S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		19296.55	11577.93
	Cut Shaft to Height	Specify Total Height		39.00	23.40

24 Feet (7.315 meters) Fiberglass

Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2420S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.1cm)		7150.33	4290.20
IPTUS2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7345.98	4407.59
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7345.98	4407.59
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 21-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2422S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		9358.54	5615.12
IPTUS2422S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9554.19	5732.51
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2422S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9554.19	5732.51
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2424S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		11635.65	6981.39
IPTUS2424S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		11831.30	7098.78
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2424S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		11831.30	7098.78
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2430S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		15901.28	9540.77
IPTUS2430S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		16096.93	9658.16
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2430S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		16096.93	9658.16
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2436S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		20119.45	12071.67
IPTUS2436S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		20315.10	12189.06
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2436S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		20315.10	12189.06
	Cut Shaft to Height	Specify Total Height		48.75	29.25

26 Feet (7.924 meters) Fiberglass

Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2624S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		12083.18	7249.91
IPTUS2624S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12278.83	7367.30
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2624S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12278.83	7367.30
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2630S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		16978.65	10187.19
IPTUS2630S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		17174.30	10304.58
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2630S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		17174.30	10304.58
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2636S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		21507.53	12904.52
IPTUS2636S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		21703.18	13021.91
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2636S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		21703.18	13021.91
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Round Tuscan SMOOTH Columns with Capitals & Bases



JAN-19

28 Feet (8.534 meters) Fiberglass

Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2830S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		18055.70	10833.42
IPTUS2830S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		18251.35	10950.81
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2830S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		18251.35	10950.81
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS2836S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		22895.11	13737.07
IPTUS2836S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		23090.76	13854.46
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS2836S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		23090.76	13854.46
	Cut Shaft to Height	Specify Total Height		48.75	29.25

30 Feet (9.144 meters) Fiberglass

Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS3036S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		24283.51	14570.11
IPTUS3036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		24479.16	14687.50
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS3036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		24479.16	14687.50
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight to your Jobsite or Warehouse





Tuscan Smooth Non Tapered Custom Size Form Fiberglass

Martin Richards Design
COLLECTION



<=
Astragal
Fit Here

Utilize Standard Capital



SHAFT NON-TAPERED
Top & Bottom Diameter

Astragal

Yes or No

Shaft Height:



Utilize Standard Base

made in 3 Parts

Total Height all Parts:_____

How many Whole Columns_____

Split for Inside Corner # _____

Split for Wall Wrap # _____

Split for Outside Corner #_____

Split for Engaged Pilaster
What Percentage Cut

in Half

or _____ %



Split for inside Corner



Split for Wall Wrap



Split for Wall Wrap



Engaged



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto Canada


email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Nov 2018



Tuscan Smooth Tapered Custom Size Form Fiberglass

Martin Richards Design
COLLECTION



A)
Utilize Standard Capital



SHAFT
B= Top Diameter:

C = Astragal
Diameter:
Height:

Enthasis Tapered
Taper Stops 2/3rds down shaft
or Distance:

E) Shaft Height:

D = Bottom of Shaft
Diameter:



Utilize Standard Base

made in 3 Parts

Total Height all Parts: _____

How many Whole Columns _____

Split for Inside Corner # _____

Split for Wall Wrap # _____

Split for Outside Corner # _____

Split for Engaged Pilaster
What Percentage Cut

in Half

or _____ %



Split for inside Corner



Split for Wall Wrap



Split for Wall Wrap



Engaged



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto Canada

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Nov 2018

Jan-19

Martin Richards Design™
COLLECTION

Imperial Tuscan Fluted Round Columns Fiberglass, FiberComp™



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished

Columns
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

Page 16

copyright 2016 MRDCI All Rights Reserved

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



JAN-19

5 Feet (1.524 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		438.26	262.96
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		577.36	346.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		577.36	346.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		529.91	317.95
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		669.01	401.41
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		669.01	401.41
	Cut Shaft to Height	Specify Total Height		48.75	29.25

6 Feet (1.828 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		465.56	279.34
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		604.66	362.80
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		604.66	362.80
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		576.71	346.03
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		715.81	429.49
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		715.81	429.49
	Cut Shaft to Height	Specify Total Height		48.75	29.25

8 Feet (2.438 meters)

Diameter 5-11/16" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" (14.6cm) Top Shaft 4" (10cm)		465.40	279.24
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		604.50	362.70
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		604.50	362.70
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		496.60	297.96
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		635.70	381.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		635.70	381.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		595.56	357.34
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		734.66	440.80
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		734.66	440.80
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		744.64	446.78
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		883.74	530.24
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		883.74	530.24
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		744.64	446.78
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		883.74	530.24
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		883.74	530.24
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		769.76	461.86
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		908.86	545.32
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		908.86	545.32
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



JAN-19

8 Feet (2.438 meters) ... continued

Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0812FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		920.43	552.26
IPTUS0812FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1059.53	635.72
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0812FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1059.53	635.72
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0814F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1700.40	1020.24
IPTUS0814F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1839.50	1103.70
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0814F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1839.50	1103.70
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 15-1/2" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS0816F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2040.84	1224.50
IPTUS0816F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2266.39	1359.83
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0816F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2266.39	1359.83
	Cut Shaft to Height	Specify Total Height		48.75	29.25

9 Feet (2.743 meters)

Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)		click for Drawing	LIST	
IPTUS0908F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		527.96	316.78
IPTUS0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		667.06	400.24
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		667.06	400.24
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS0908FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		659.13	395.48
IPTUS0908FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		803.80	482.28
	Split Kit	Reassembly Kit		124.55	74.73
IPTUS0908FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		803.80	482.28
	Cut Shaft to Height	Specify Total Height		50.70	30.42
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0910F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		821.08	492.65
IPTUS0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		960.18	576.11
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		960.18	576.11
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS0910FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		821.08	492.65
IPTUS0910FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		960.18	576.11
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0910FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		960.18	576.11
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST	
IPTUS0912F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		827.94	496.76
IPTUS0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		967.04	580.22
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		967.04	580.22
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0912FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1012.12	607.27
IPTUS0912FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1151.22	690.73
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0912FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1151.22	690.73
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS0914F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1783.44	1070.06
IPTUS0914F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1922.54	1153.52
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0914F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1922.54	1153.52
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



JAN-19

9 Feet (2.743 meters) Continued...

Diameter 15-1/2" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2251.44	1350.86
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2476.99	1486.19
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2476.99	1486.19
	Cut Shaft to Height	Specify Total Height		48.75	29.25

10 Feet (3.048 meters)

Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)		click for Drawing	LIST	
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		577.20	346.32
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		716.30	429.78
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		716.30	429.78
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		689.75	413.85
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		828.85	497.31
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		828.85	497.31
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		897.52	538.51
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1036.62	621.97
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1036.62	621.97
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST	
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		897.52	538.51
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1036.62	621.97
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1036.62	621.97
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST	
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		895.05	537.03
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1034.15	620.49
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1034.15	620.49
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1312.19	787.31
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1451.29	870.77
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1451.29	870.77
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1867.29	1120.37
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2006.39	1203.83
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2006.39	1203.83
	Cut Shaft to Height	Specify Total Height		48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		2461.88	1477.13
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2687.43	1612.46
	Split Kit	Reassembly Kit		119.76	71.86
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2687.43	1612.46
	Cut Shaft to Height	Specify Total Height		48.75	29.25

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



JAN-19

12 Feet (3.657 meters)

Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST	
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)	807.82	484.69
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1014.52	608.71
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1014.52	608.71
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)	1050.40	630.24
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1257.10	754.26
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1257.10	754.26
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST	
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)	1050.40	630.24
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1257.10	754.26
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1257.10	754.26
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)	click for Drawing	LIST	
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)	1163.66	698.20
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1370.36	822.22
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1370.36	822.22
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	1717.59	1030.56
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1924.29	1154.58
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1924.29	1154.58
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	2146.95	1288.17
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2353.65	1412.19
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2353.65	1412.19
	Cut Shaft to Height	Specify Total Height	48.75	29.25
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	2864.71	1718.83
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3157.86	1894.72
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3157.86	1894.72
	Cut Shaft to Height	Specify Total Height	48.75	29.25

14 Feet (4.267 meters)

Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	1976.26	1185.76
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2182.96	1309.78
	Split Kit	Reassembly Kit	119.76	71.86
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2182.96	1309.78
	Cut Shaft to Height	Specify Total Height	48.75	29.25

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight

Jan-19

Martin Richards Design™
COLLECTION


Imperial Tuscan Square Columns Fiberglass, Fiber-Comp™



* Photo Above of Custom Square Column

Smooth, Fluted
Tapered &
Non-Tapered
with Capitals
& Bases

Split Options



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585
email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Page 21

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19

8 Feet (2.438 meters)

5-1/2" x 5-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0806S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		483.28	289.97
IPTUSQ0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		630.18	378.11
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		630.18	378.11
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
7-1/2" x 7-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0808S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		580.45	348.27
IPTUSQ0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		727.35	436.41
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		727.35	436.41
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
9-1/2" x 9-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0810S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		729.46	437.68
IPTUSQ0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		876.36	525.82
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		876.36	525.82
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0812S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1029.28	617.57
IPTUSQ0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1176.18	705.71
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1176.18	705.71
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		1676.03	1005.62
IPTUSQ0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1822.93	1093.76
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1822.93	1093.76
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2147.60	1288.56
IPTUSQ0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2388.75	1433.25
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2388.75	1433.25
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

9 Feet (2.743 meters)

5-1/2" x 5-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0906S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		532.51	319.51
IPTUSQ0906S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		679.41	407.65
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0906S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		679.41	407.65
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
7-1/2" x 7-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0908S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		641.96	384.64
IPTUSQ0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		787.96	472.78
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		787.96	472.78
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
9-1/2" x 9-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0910S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		801.13	480.68
IPTUSQ0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		948.03	568.82
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		948.03	568.82
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19

9 Feet (2.743 meters) continued...

11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0912S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1132.14	679.28
IPTUSQ0912S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1279.04	767.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0912S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1279.04	767.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0914S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		1838.36	1103.02
IPTUSQ0914S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1985.26	1191.16
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0914S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1985.26	1191.16
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ0916S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2363.08	1417.85
IPTUSQ0916S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2604.23	1562.54
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ0916S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2604.23	1562.54
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

10 Feet (3.048 meters)

5-1/2" x 5-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1006S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		572.81	343.69
IPTUSQ1006S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		719.71	431.83
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1006S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		719.71	431.83
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
7-1/2" x 7-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1008S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		702.16	421.30
IPTUSQ1008S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		849.06	509.44
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1008S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		849.06	509.44
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
9-1/2" x 9-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1010S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		872.79	523.67
IPTUSQ1010S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1019.69	611.81
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1010S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1019.69	611.81
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1012S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1235.16	741.10
IPTUSQ1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1382.06	829.24
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1382.06	829.24
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2002.00	1201.20
IPTUSQ1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2148.90	1289.34
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2148.90	1289.34
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2578.39	1547.03
IPTUSQ1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2819.54	1691.72
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2819.54	1691.72
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19

12 Feet (3.657 meters)

7-1/2" x 7-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1208S-TCTB IPTUSQ1208S-TCTB-WRAP	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		839.96	503.98
	Split for Wrap	Split Shaft, Cap & Base		1054.46	632.68
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1208S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1054.46	632.68
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
9-1/2" x 9-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1210S-TCTB IPTUSQ1210S-TCTB-WRAP	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		1011.40	606.84
	Split for Wrap	Split Shaft, Cap & Base		1225.90	735.54
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1225.90	735.54
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1212S-TCTB IPTUSQ1212S-TCTB-WRAP	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1342.58	805.55
	Split for Wrap	Split Shaft, Cap & Base		1557.08	934.25
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1557.08	934.25
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1214S-TCTB IPTUSQ1214S-TCTB-WRAP	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2327.00	1396.20
	Split for Wrap	Split Shaft, Cap & Base		2541.50	1524.90
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2541.50	1524.90
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1216S-TCTB IPTUSQ1216S-TCTB-WRAP	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		3009.34	1805.60
	Split for Wrap	Split Shaft, Cap & Base		3318.09	1990.85
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3318.09	1990.85
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

14 Feet (4.267 meters)

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1414S-TCTB IPTUSQ1414S-TCTB-WRAP	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2653.30	1591.98
	Split for Wrap	Split Shaft, Cap & Base		2867.80	1720.68
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2867.80	1720.68
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1416S-TCTB IPTUSQ1416S-TCTB-WRAP	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		3440.29	2064.17
	Split for Wrap	Split Shaft, Cap & Base		3749.04	2249.42
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3749.04	2249.42
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19

16 Feet (4.876 meters)

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1614S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2978.95	1787.37
IPTUSQ1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3193.45	1916.07
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3193.45	1916.07
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1616S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		3871.24	2322.74
IPTUSQ1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4179.99	2507.99
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4179.99	2507.99
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1618S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		5876.49	3525.89
IPTUSQ1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6018.03	3610.82
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6018.03	3610.82
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1620S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		7698.93	4619.36
IPTUSQ1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7910.18	4746.11
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7910.18	4746.11
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1622S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		9277.19	5566.31
IPTUSQ1622S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9488.44	5693.06
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1622S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9488.44	5693.06
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

18 Feet (5.486 meters)

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		3305.25	1983.15
IPTUSQ1814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3519.75	2111.85
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3519.75	2111.85
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ1816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		4302.03	2581.22
IPTUSQ1816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4610.78	2766.47
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4610.78	2766.47
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1818S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		6621.06	3972.64
IPTUSQ1818S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6762.11	4057.27
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1818S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6762.11	4057.27
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1820S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		7912.61	4747.57
IPTUSQ1820S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8291.56	4974.94
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1820S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8291.56	4974.94
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19

18 Feet (5.486 meters) Continued...

Canada \$

21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ1822S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		9836.78	5902.07
IPTUSQ1822S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		10048.03	6028.82
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ1822S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		10048.03	6028.82
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97

20 Feet (6.096 meters)

Canada \$

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ2014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		3630.41	2178.25
IPTUSQ2014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3844.91	2306.95
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3844.91	2306.95
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST	
IPTUSQ2016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		4732.81	2839.69
IPTUSQ2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5041.56	3024.94
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5041.56	3024.94
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2018S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		7737.28	4642.37
IPTUSQ2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8046.03	4827.62
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8046.03	4827.62
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2020S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8262.48	4957.49
IPTUSQ2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8473.73	5084.24
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8473.73	5084.24
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2022S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		10347.03	6208.22
IPTUSQ2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		10553.40	6332.04
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		10553.40	6332.04
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97



Use for Load Bearing
or Decorative Post Wrap

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



JAN-19


22 Feet (6.705 meters)

17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2218S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		8667.43	5200.46
IPTUSQ2218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8808.48	5285.09
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8808.48	5285.09
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2220S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8431.80	5059.08
IPTUSQ2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8643.05	5185.83
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8643.05	5185.83
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2222S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		10970.86	6582.52
IPTUSQ2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		11182.11	6709.27
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		11182.11	6709.27
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97


24 Feet (7.315 meters)

17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2418S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		9411.68	5647.01
IPTUSQ2418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9552.73	5731.64
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9552.73	5731.64
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST	
IPTUSQ2420S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8431.80	5059.08
IPTUSQ2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8643.05	5185.83
	Split Kit	Reassembly Kit		119.76	71.86
IPTUSQ2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8643.05	5185.83
	Cut Shaft to Height	Specify Total Height		48.75	29.25
	Hurricane Bracket			73.29	43.97


call for larger sizes - custom quoted




Pilaster Cut



Engaged Cut



Outside Corner



Wall Wrap



Inside Corner

Jan-19

Martin Richards Design™
COLLECTION

Imperial PolyComp™ Columns Round / Square / Bungalow



Smooth, Fluted
Tapered &
Non-Tapered
with Capitals
& Bases



an FRP Material
Shafts, Caps & Bases meet
ASTM-E84 Fire Rating

Load Bearing

Interior / Exterior
70% Calcium Carbonate
5% Marble Chips
25% Polyester Resins

* Split Options

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved

Page 21



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



5 Feet (1.524 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0508S-TBTC	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/8" (15.5cm)		346.58	207.95
IPPC0508S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		406.38	243.83

6 Feet (1.828 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0608S-TBTC	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/8" (15.5cm)		373.06	223.84
IPPC0608S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		432.87	259.72

Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0610S-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		511.56	306.94
IPPC0610S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		540.27	324.16

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0612S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		625.86	375.52
IPPC0612S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		698.45	419.07

8 Feet (2.438 meters)

Diameter 6" Tapered			click for Drawing		
IPPC0806S-TBTC	Whole	Bottom Diameter 6" (15.2cm) Top Shaft 5-1/8" (13cm)		356.14	213.69
IPPC0806S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		429.35	257.61

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0808S-TBTC	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/8" (15.5cm)		399.55	239.73
IPPC0808S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		477.05	286.23

Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0808SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8" (19.3cm)		399.55	239.73
IPPC0808SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		477.05	286.23

Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0810S-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		495.26	297.16
IPPC0810S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		578.32	346.99

Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0810SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		495.26	297.16
IPPC0810SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		578.32	346.99

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0812S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		684.95	410.97
IPPC0812S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		775.24	465.14

Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0812SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		772.63	463.58
IPPC0812SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		881.63	528.98

Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0814S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 11-1/4" (28.5cm)		1525.96	915.58
IPPC0814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1625.65	975.39

Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0814SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		1525.96	915.58
IPPC0814SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1625.65	975.39

Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0816S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		1927.34	1156.41
IPPC0816S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2039.23	1223.54

Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0816SNT-TBTC	Whole	Diameter 15-3/4" (40cm)		1927.34	1156.41
IPPC0816SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1450.99	1088.24

Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0818S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		4069.06	2441.44
IPPC0818S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4196.84	2518.11

Diameter 17-5/8" Non-Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0818SNT-TBTC	Whole	Diameter 17-5/8" (47.7cm)		4069.06	2441.44
IPPC0818SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4196.84	2518.11



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



9 Feet (2.743 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0908S-TBTC	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/8" (15.5cm)		436.23	261.74
IPPC0908S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		523.31	313.99
Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0908SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8" (19.3cm)		436.23	261.74
IPPC0908SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		523.31	313.99
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0910S-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		548.25	328.95
IPPC0910S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		640.87	384.52
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0910SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		548.25	328.95
IPPC0910SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		640.87	384.52
Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0912S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		748.10	448.86
IPPC0912S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		829.19	497.51
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0912SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		748.16	448.89
IPPC0912SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		847.96	508.78
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0914SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		1587.08	952.25
IPPC0914SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1696.35	1017.81
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0916S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		2111.72	1267.03
IPPC0916S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2233.20	1339.92
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0916SNT-TBTC	Whole	Diameter 15-3/4" (40cm)		2111.72	1267.03
IPPC0916SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2233.20	1339.92
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0918S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		4193.50	2516.10
IPPC0918S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4330.86	2598.52
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0918SNT-TBTC	Whole	Top & Bottom Diameter 17-5/8" (47.7cm)		4193.50	2516.10
IPPC0918SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4330.86	2598.52
Diameter 19-7/8" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0920SNT-TBTC	Whole	Top & Bottom Diameter 19-7/8" (50.48cm)		4459.34	2675.60
IPPC0920SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4617.31	2770.39
Diameter 19-7/8" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC0924SNT-TBTC	Whole	Diameter 23-7/8" (60.64cm)		6014.58	3608.75
IPPC0924SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		6199.37	3719.62

10 Feet (3.048 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC1008S-TBTC	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/8" (15.5cm)		474.92	284.95
IPPC1008S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		574.54	344.72
Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC1008SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8" (19.3cm)		474.92	284.95
IPPC1008SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		574.54	344.72
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC1010S-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		597.14	358.28
IPPC1010S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		702.30	421.38
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC1010SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		597.14	358.28
IPPC1010SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		702.30	421.38



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



10 Feet (3.048 meters) continued...

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1012S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		813.29	487.97
IPPC1012S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		925.69	555.42
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1012SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		813.35	488.01
IPPC1012SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		925.69	555.42
Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1014S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)		1648.22	988.93
IPPC1014S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1770.01	1062.01
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1014SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		1648.22	988.93
IPPC1014SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1770.01	1062.01
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1016S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		2296.10	1377.66
IPPC1016S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2430.12	1458.07
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1018S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		4317.94	2590.76
IPPC1018S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4467.82	2680.69
Diameter 19-7/8" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1020SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		4861.86	2917.12
IPPC1020SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		5019.83	3011.90
Diameter 19-7/8" NonTapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1024SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		6464.99	3878.99
IPPC1024SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		6649.77	3989.86

12 Feet (3.657 meters)

Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC1210S-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		800.87	480.52
IPPC1210S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		934.04	560.42
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC1210SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		800.87	480.52
IPPC1210SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		934.04	560.42
Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1212S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		1053.71	632.22
IPPC1212S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1194.10	716.46
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1212SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1053.76	632.26
IPPC1212SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1194.10	716.46
Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1214S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)		1904.92	1142.95
IPPC1214S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2054.72	1232.83
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1214SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		1904.92	1142.95
IPPC1214SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2054.72	1232.83
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1216S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		2583.36	1550.01
IPPC1216S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2745.39	1647.23
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1218S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		4558.34	2735.00
IPPC1218S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4736.24	2841.75
Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1220S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		5667.02	3400.21
IPPC1220S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		5865.54	3519.32



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



14 Feet (4.267 meters)

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1412S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)	1621.08	972.65
IPPC1412S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1793.44	1076.06
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1412SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	1621.13	972.68
IPPC1412SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1194.10	716.46
Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1414S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)	2410.16	1446.10
IPPC1414S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2591.93	1555.16
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1414SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)	2410.16	1446.10
IPPC1414SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2551.21	1530.73
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1416S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)	3261.80	1957.08
IPPC1416S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3455.76	2073.45
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1418S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)	4713.18	2827.91
IPPC1418S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4923.02	2953.81
Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1420S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)	5816.41	3489.85
IPPC1420S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5957.44	3574.47
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1424S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)	7366.00	4419.60
IPPC1424S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	7623.28	4573.97

16 Feet (4.876 meters)

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1612S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)	2172.88	1303.73
IPPC1612S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2381.11	1428.67
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1612SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	2172.94	1303.76
IPPC1612SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2381.11	1428.67
Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1614S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)	2913.40	1748.04
IPPC1614S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3131.02	1878.61
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST	Your Price
IPPC1614SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)	2913.40	1748.04
IPPC1614SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3131.02	1878.61
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1616S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)	3826.14	2295.68
IPPC1616S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4055.97	2433.58
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1618S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)	4923.02	2953.81
IPPC1618S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5168.72	3101.23
Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1620S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)	6422.09	3853.25
IPPC1620S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	6688.41	4013.04
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST	Your Price
IPPC1624S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)	8445.80	5067.48
IPPC1624S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	8740.98	5244.59



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



18 Feet (5.486 meters)

Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1814S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)		3237.07	1942.24
IPPC1814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		3494.51	2096.70
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1816S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		4571.80	2743.08
IPPC1816S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4801.63	2880.98
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1818S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		5348.83	3209.30
IPPC1818S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		5634.35	3380.61
Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1820S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		6594.24	3956.54
IPPC1820S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		6900.37	4140.22
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1824S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		10152.68	6091.61
IPPC1824S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		10485.62	6291.37

20 Feet (6.096 meters)

Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2018S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		6110.78	3666.47
IPPC2018S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		6440.03	3864.02
Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2020S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		6871.32	4122.79
IPPC2020S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		7221.18	4332.71
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2024S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		10796.88	6478.13
IPPC2024S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		11173.55	6704.13

22 Feet (6.705 meters)

Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2220S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		7146.37	4287.82
IPPC2220S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		7543.91	4526.34
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2224S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		11850.16	7110.09
IPPC2224S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		12274.51	7364.70

24 Feet (7.315 meters)

Diameter 19-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2420S-TBTC	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)		7612.90	4567.74
IPPC2420S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		8062.04	4837.22
Diameter 23-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC2424S-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		12906.51	7743.30
IPPC2424S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		13381.45	8028.87





PolyComp™ Round Tuscan FLUTED Columns with Caps & Bases



8 Feet (2.438 meters)

Diameter 7-3/4" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0808F-TBTC	Whole	Bottom Diameter 7-3/4" (19.6cm) Top Shaft 6-1/4" (15.8cm)		525.86	315.52
IPPC0808F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		603.36	362.01
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0810F-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		650.10	390.06
IPPC0810F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		733.17	439.90
Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0812F-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		813.29	487.97
IPPC0812F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		903.58	542.15

9 Feet (2.743 meters)

Diameter 7-3/4" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC0908F-TBTC	Whole	Bottom Diameter 7-3/4" (19.6cm) Top Shaft 6-1/4" (15.8cm)		548.65	329.19
IPPC0908F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		635.73	381.44
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC0910F-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		711.32	426.79
IPPC0910F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		803.96	482.38
Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC0912F-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		860.06	516.03
IPPC0912F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		941.15	564.69

10 Feet (3.048 meters)

Diameter 7-3/4" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST	Your Price
IPPC1008F-TBTC	Whole	Bottom Diameter 7-3/4" (19.6cm) Top Shaft 6-1/4" (15.8cm)		601.23	360.74
IPPC1008F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		695.03	417.02
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.45 metric tons)		click for Drawing	LIST	Your Price
IPPC1010F-TBTC	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 8" (20.3cm)		778.46	467.08
IPPC1010F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		883.64	530.19
Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1012F-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		939.60	563.76
IPPC1012F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1029.89	617.93

12 Feet (3.657 meters)

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1212F-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		1196.32	717.79
IPPC1212F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1336.72	802.03





PolyComp Square Tuscan SMOOTH Columns with Caps & Bases



8 Feet (2.438 meters)

5-3/4" x 5-3/4" (14.4cm)		click for Drawing		
IPPCSQ0806S-TBTC	Whole	O/d 5-3/4" x 5-3/4" (14.4cm) I/d 4-3/4" x 4-3/4" (12cm)	495.09	297.05
IPPCSQ0806S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	568.32	340.99
7-15/16" x 7-15/16" (20.1cm)		click for Drawing		
IPPCSQ0808S-TBTC	Whole	O/d 7-15/16" x 7-15/16" (20.1cm) I/d 6-7/16" x 6-7/16" (16cm)	679.46	407.68
IPPCSQ0808S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	756.96	454.18
9-3/4" x 9-3/4" (24.7cm)		click for Drawing		
IPPCSQ0810S-TBTC	Whole	O/d 9-3/4" x 9-3/4" (24.7cm) I/d 8-11/16" x 8-11/16" (22cm)	871.99	523.20
IPPCSQ0810S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	954.90	572.94
11-3/4" x 11-3/4" (29.4cm)		click for Drawing		
IPPCSQ0812S-TBTC	Whole	O/d 11-3/4" x 11-3/4" (29.4cm) I/d 10-3/4" x 10-3/4" (27cm)	1100.12	660.07
IPPCSQ0812S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1196.65	717.99
13-7/8" x 13-7/8" (35cm)		click for Drawing		
IPPCSQ0814S-TBTC	Whole	O/d 13-7/8" x 13-7/8" (35cm) I/d 13-1/8" x 13-1/8" (33cm)	1651.62	990.97
IPPCSQ0814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1751.27	1050.76

9 Feet (2.743 meters)

5-3/4" x 5-3/4" (14.4cm)		click for Drawing		
IPPCSQ0906S-TBTC	Whole	O/d 5-3/4" x 5-3/4" (14.4cm) I/d 4-3/4" x 4-3/4" (12cm)	523.60	314.16
IPPCSQ0906S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	606.41	363.85
7-15/16" x 7-15/16" (20.1cm)		click for Drawing		
IPPCSQ0908S-TBTC	Whole	O/d 7-15/16" x 7-15/16" (20.1cm) I/d 6-7/16" x 6-7/16" (16cm)	730.38	438.23
IPPCSQ0908S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	817.46	490.48
9-3/4" x 9-3/4" (24.7cm)		click for Drawing		
IPPCSQ0910S-TBTC	Whole	O/d 9-3/4" x 9-3/4" (24.7cm) I/d 8-11/16" x 8-11/16" (22cm)	949.42	569.65
IPPCSQ0910S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1041.90	625.14
11-3/4" x 11-3/4" (29.4cm)		click for Drawing		
IPPCSQ0912S-TBTC	Whole	O/d 11-3/4" x 11-3/4" (29.4cm) I/d 10-3/4" x 10-3/4" (27cm)	1197.93	718.76
IPPCSQ0912S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1304.03	782.42
13-7/8" x 13-7/8" (35cm)		click for Drawing		
IPPCSQ0914S-TBTC	Whole	O/d 13-7/8" x 13-7/8" (35cm) I/d 13-1/8" x 13-1/8" (33cm)	1930.55	1098.33
IPPCSQ0914S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1939.80	1163.88

10 Feet (3.048 meters)

7-15/16" x 7-15/16" (20.1cm)		click for Drawing		
IPPCSQ1008S-TBTC	Whole	O/d 7-15/16" x 7-15/16" (20.1cm) I/d 6-7/16" x 6-7/16" (16cm)	781.34	468.80
IPPCSQ1008S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	880.94	528.56
9-3/4" x 9-3/4" (24.7cm)		click for Drawing		
IPPCSQ1010S-TBTC	Whole	O/d 9-3/4" x 9-3/4" (24.7cm) I/d 8-11/16" x 8-11/16" (22cm)	1024.79	614.87
IPPCSQ1010S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1068.37	641.02
11-3/4" x 11-3/4" (29.4cm)		click for Drawing		
IPPCSQ1012S-TBTC	Whole	O/d 11-3/4" x 11-3/4" (29.4cm) I/d 10-3/4" x 10-3/4" (27cm)	1295.71	777.42
IPPCSQ1012S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1414.35	848.61
13-7/8" x 13-7/8" (35cm)		click for Drawing		
IPPCSQ1014S-TBTC	Whole	O/d 13-7/8" x 13-7/8" (35cm) I/d 13-1/8" x 13-1/8" (33cm)	2031.85	1219.11
IPPCSQ1014S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2153.62	1292.17

12 Feet (3.657 meters)

11-3/4" x 11-3/4" (29.4cm)		click for Drawing		
IPPCSQ1212S-TBTC	Whole	O/d 11-3/4" x 11-3/4" (29.4cm) I/d 10-3/4" x 10-3/4" (27cm)	1475.00	885.00
IPPCSQ1212S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1621.64	972.98
13-7/8" x 13-7/8" (35cm)		click for Drawing		
IPPCSQ1214S-TBTC	Whole	O/d 13-7/8" x 13-7/8" (35cm) I/d 13-1/8" x 13-1/8" (33cm)	2258.33	1355.00
IPPCSQ1214S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2345.74	1407.45



PolyComp Square Raised Panel Columns with Caps & Bases



List

Set

8 Feet (2.438 meters)

Top 7-1/2", Bottom 8"	Top 19cm, Bottom 20.3cm	click for Drawing		
IPPCSQ0808R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4" (17cm)	913.76	548.25
Top 11-1/4", Bottom 11-3/4"		click for Drawing		
IPPCSQ0810R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8" (21.9 x 21.9cm)	679.46	407.68

9 Feet (2.74 meters)

List

Set

Top 7-1/2", Bottom 8"	Top 19cm, Bottom 20.3cm	Load 12,000 lbs	click for Drawing	
IPPCSQ0908R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4" (17cm)	985.38	591.23
Top 9-3/8", Bottom 9-7/8"	Top 23.8cm Bottom 25cm	Load 12,000 lbs	click for Drawing	
IPPCSQ0910R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8" (21.9 x 21.9cm)	1253.34	752.01
Top 11-1/4", Bottom 11-3/4"	Top 28.5cm, Bottom 29.8cm	Load 14,000 lbs	click for Drawing	
IPPCSQ0912R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2" (26.6cm)	1582.27	949.36

10 Feet (3.048 meters)

List

Set

Top 7-1/2", Bottom 8"	Top 19cm, Bottom 20.3cm	Load 12,000 lbs	click for Drawing	
IPPCSQ1008R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4" (17cm)	1055.56	633.34
Top 9-3/8", Bottom 9-7/8"	Top 23.8cm Bottom 25cm	Load 12,000 lbs	click for Drawing	
IPPCSQ1010R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8" (21.9 x 21.9cm)	1379.37	827.62
Top 11-1/4", Bottom 11-3/4"	Top 28.5cm, Bottom 29.8cm	Load 14,000 lbs	click for Drawing	
IPPCSQ1012R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2" (26.6cm)	1740.26	1044.16

12 Feet (3.657 meters)

List

Set

Top 11-1/4", Bottom 11-3/4"	Top 28.5cm, Bottom 29.8cm	Load 14,000 lbs	click for Drawing	
IPPCSQ1212R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2" (26.6cm)	1996.96	1198.18

PolyComp Bungalow Smooth Columns

5 Feet (1.52 meters) Load 8,000lbs

List

Each

Top 5-1/4" Bottom 8-9/16"	Top 13.3cm, Bottom 21.7cm	coming soon		
IPPCB508S	Whole		592.87	355.72
Top 8-7/16", Bottom 11"	Top 21.4cm, Bottom 27.9cm	coming soon		
IPPCB511S	Whole		756.35	453.81
Top 8-9/16", Bottom 16-3/16"	Top 21.7cm, Bottom 41.1cm	coming soon		
IPPCB516S	Whole		956.10	573.66
Top 12-3/4" Bottom 16"	Top 32.3cm, Bottom 40.6cm	coming soon		
IPPCB517S	Whole		954.73	572.84



6 Feet (1.82 meters) Load 8,000lbs

List

Each

Top 5-1/4" Bottom 8-9/16"	Top 13.3cm, Bottom 21.7cm	coming soon		
IPPCB609S	Whole		620.43	372.26
Top 8-1/2", Bottom 12"	Top 21.5cm, Bottom 30.48cm	coming soon		
IPPCB612S	Whole		802.71	481.62



8 Feet (2.43 meters) Load 8,000lbs

List

Each

Top 9", Bottom 12"	Top 22.86cm, Bottom 30.48cm	coming soon		
IPPCB812S	Whole		879.01	527.40

**PolyComp Bungalow Raised Panel Columns****5 Feet (1.52 meters) Load 8,000lbs**

				List	Each
Top 5-1/4" Bottom 8-9/16"	Top 13.3cm, Bottom 21.7cm		coming soon		
IPPCB508P	Whole			658.76	395.25
Top 8-7/16", Bottom 11"	Top 21.4cm, Bottom 27.9cm		coming soon		
IPPCB511P	Whole			745.80	447.48
Top 8-9/16", Bottom 16-3/16"	Top 21.7cm, Bottom 41.1cm		coming soon		
IPPCB516P	Whole			1203.64	722.19

6 Feet (1.82 meters) Load 8,000lbs

				List	Each
Top 5-1/4" Bottom 8-9/16"	Top 13.3cm, Bottom 21.7cm		coming soon		
IPPCB609P	Whole			689.37	413.62
Top 8-1/2", Bottom 12"	Top 21.5cm, Bottom 30.48cm		coming soon		
IPPCB612S	Whole			802.71	481.62

8 Feet (2.43 meters) Load 8,000lbs

				List	Each
Top 9", Bottom 12"	Top 22.86cm, Bottom 30.48cm		coming soon		
IPPCB812P	Whole			981.81	589.09

CALL FOR TRIM KIT







Imperial Productions®

Martin Richards Design™
COLLECTION

*Specialists in Standard Architectural Products
& Custom Historic Restoration Elements*



Product Tear Sheets:

@ www.architectural-source.com

For Pricing Information:

email: sales@imperialproductions.com

1-800-399-7585 New York , Toronto



Imperial Productions & Distribution Inc.

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved