



Imperial Productions®




Roman Corinthian Columns

Load Bearing and Decorative



Roman Corinthian is a classical style
Denoted by Acanthus Leaves. They are
thought to be derived by the proportions of
a person carrying a basket of acanthus leaves
Shafts can be smooth or Fluted
The appropriate base is the Attic Style



SPLIT OPTIONS

ImperialProductions®




IPPC1210S-ABRC	Load Bearing 12FT 6"			
	FRP-PolyComp™	List	Each	50 +
Whole	1332.89	999.67	799.74	
Split for Post Wrap	1477.78	1108.34	886.67	
Whole Painted White	1803.80	1352.85	1082.28	
Split Painted White	1948.67	1461.50	1169.20	
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"				

ITEM 12-1



Total Height 150" (381cm)
 Load Bearing to 14,000 lbs (6.35 mtons)
 Top of Shaft O/D 8" (20.3cm) I/D 7-1/4" (18.4 cm)
 Bottom of Shaft O/D 9-5/8" (24.4 cm)
 Attic Base - Hollow Height 5-5/8" (14.28cm)



Brochure/Order Form

Custom RomanCorinthian




IPPC1212S-ABRC	Load Bearing 12FT 7"			
	FRP-PolyComp™	List	Each	6 +
Whole	1746.23	1309.67	1047.74	
Split for Post Wrap	1893.91	1420.44	1136.35	
Whole Painted White	2318.32	1738.74	1390.99	
Split Painted White	2465.98	1849.49	1479.59	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

ITEM 12-2



Total Height 151" (383cm)
 Load Bearing to 18,000 lbs (8.16 mtons)
 Top of Shaft O/D 9-5/8" (24.4cm) I/D 8-7/8" (22.5cm)
 Bottom of Shaft O/D 11-5/8" (29.5cm)
 Attic Base - Hollow Height 6-3/8" (16.1cm)



Brochure/Order Form

Custom RomanCorinthian




IPPC1214S-ABRC	Load Bearing 12FT 9"			
	FRP-PolyComp™	List	Each	6 +
Whole	2775.70	2081.77	1665.42	
Split for Post Wrap	2926.73	2195.04	1756.04	
Whole Painted White	3420.41	2565.30	2052.24	
Split Painted White	3571.46	2678.59	2142.87	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

ITEM 12-3



Total Height 153-3/8" (389cm)
 Load Bearing to 20,000 lbs (9.07 mtons)
 Top of Shaft O/D 12" (30.48cm) I/D 11-1/4" (28.57cm)
 Bottom of Shaft O/D 13-7/8" (35.24cm)
 Attic Base - Hollow Height 8-3/8" (21.27cm)



Brochure/Order Form

Custom RomanCorinthian




IPPC1216S-ABRC	Load Bearing 12FT 8-1/4"			
	FRP-PolyComp™	List	Each	6 +
Whole	3256.55	2442.41	1953.93	
Split for Post Wrap	4260.08	3195.06	2556.05	
Whole Painted White	4664.59	3498.45	2798.76	
Split Painted White	5008.12	3756.09	3004.87	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

ITEM 12-4



Total Height 152-1/4" (386cm)
 Load Bearing to 20,000lbs (9.017mtons)
 Top of Shaft O/D 13-3/4" (34.9cm) I/D 12-3/4" (32.38cm)
 Bottom of Shaft O/D 15-3/4" (40cm)
 Attic Base - Hollow Height 8-3/4" (22.2cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC1218S-ABRC	Load Bearing 12FT 8"			ITEM 12-5
FRP-PolyComp™	List	Each	6 +	
Whole	5942.90	4457.18	3565.74	
Split for Post Wrap	6362.11	4771.59	3817.27	
Whole Painted White	6796.15	5097.11	4077.69	
Split Painted White	7215.36	5411.52	4329.22	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1218S-ABRC
152"
387cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



IPPC1412S-ABRC	Load Bearing 14FT 7"			ITEM 14-1
FRP-PolyComp™	List	Each	6 +	
Whole	2186.60	1639.95	1311.96	
Split for Post Wrap	2359.92	1769.94	1415.95	
Whole Painted White	2854.02	2140.51	1712.41	
Split Painted White	3027.33	2270.50	1816.40	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1412S-ABRC
175" (444.5cm)
Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-5/8" (24.4cm)
I/D 8-7/8" (22.5cm)

Bottom of Shaft
O/D 11-5/8" (29.5cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



IPPC1414S-ABRC	Load Bearing 14FT 9-3/8"			ITEM 14-2
FRP-PolyComp™	List	Each	6 +	
Whole	3167.23	2375.42	1900.34	
Split for Post Wrap	3346.00	2509.50	2007.60	
Whole Painted White	3896.38	2922.28	2337.83	
Split Painted White	4073.85	3055.39	2444.31	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1414S-ABRC
177-3/8" (450cm)
Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



IPPC1416S-ABRC	Load Bearing 14 Feet 8-1/4"			ITEM 14-3
FRP-PolyComp™	List	Each	6 +	
Whole	3784.07	2838.05	2270.44	
Split for Post Wrap	5137.40	3853.05	3082.44	
Whole Painted White	5288.51	3966.39	3173.11	
Split Painted White	5981.84	4486.38	3589.11	
Split Wraps 6x6PT, Steel Post Sq 6x6"				

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1416S-ABRC
176-1/4" (447cm)
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)





IPPC1418S-ABRC	Load Bearing 14FT 8-3/4"		
FRP-PolyComp™	List	Each	6 +
Whole	6063.31	4547.48	3637.99
Split for Post Wrap	6507.34	4880.50	3904.40
Whole Painted White	7134.56	5350.92	4280.73
Split Painted White	6901.42	5176.07	4140.85
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 14-4





Total Height IPPC1418S-ABRC
176-3/4"
449cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1612S-ABRC	Load Bearing 16FT 7"		
FRP-PolyComp™	List	Each	6 +
Whole	1961.73	1639.95	1311.96
Split for Post Wrap	2359.92	1769.94	1415.95
Whole Painted White	2854.02	2140.51	1712.41
Split Painted White	3027.33	2270.50	1816.40
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 16-1





Total Height IPPC1612S-ABRC
199" (505.46cm)
Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-5/8" (24.4cm)
I/D 8-7/8" (22.5cm)

Bottom of Shaft
O/D 11-5/8" (29.5cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1614S-ABRC	Load Bearing 16 FT 9-3/8"		
FRP-PolyComp™	List	Each	6 +
Whole	3558.50	2668.88	2135.10
Split for Post Wrap	3763.85	2822.89	2258.31
Whole Painted White	4372.10	3279.08	2623.26
Split Painted White	4577.47	3433.11	2746.48
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 16-2





Total Height IPPC1614S-ABRC
201-3/8" (511cm)
Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1616S-ABRC	Load Bearing 16 Feet 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	4222.86	3167.14	2533.71
Split for Post Wrap	5279.12	3959.34	3167.47
Whole Painted White	5823.71	4367.78	3494.22
Split Painted White	6219.97	4664.98	3731.98
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 16-3





Total Height IPPC1616S-ABRC
16FT 8-1/4" (200-1/4")
508cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)



Brochure/Order Form

Custom RomanCorinthian





IPPC1618S-ABRC	Load Bearing 16FT 8-3/4"		
FRP-PolyComp™	List	Each	6 +
Whole	8094.37	6070.78	4856.62
Split for Post Wrap	8707.90	6530.92	5224.74
Whole Painted White	9485.30	7113.98	5691.18
Split Painted White	10098.86	7574.15	6059.32
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 16-4





Total Height IPCC1618S-ABRC
200-3/4"
509.9cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1814S-ABRC	Load Bearing 18FT-9"		
FRP-PolyComp™	List	Each	6 +
Whole	4953.26	3714.95	2971.96
Split for Post Wrap	5260.40	3945.30	3156.24
Whole Painted White	6120.69	4590.51	3672.41
Split Painted White	6427.88	4820.91	3856.73
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 18-1





Total Height IPCC1814S-ABRC
225" (572cm)
Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1816S-ABRC	Load Bearing 18 Feet 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	6000.48	4500.36	3600.29
Split for Post Wrap	7413.84	5560.38	4448.30
Whole Painted White	5346.91	4010.18	3208.15
Split Painted White	8762.27	6571.70	5257.36
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 18-2





Total Height IPCC1816S-ABRC
18FT 8-1/4" (224-1/4")
569cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)



Brochure/Order Form

Custom RomanCorinthian



IPPC1818S-ABRC	Load Bearing 18FT 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	8524.83	6393.62	5114.90
Split for Post Wrap	9178.60	6883.95	5507.16
Whole Painted White	10056.65	7542.48	6033.99
Split Painted White	10710.44	8032.83	6426.27
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 18-3





Total Height IPCC1818S-ABRC
224-3/4"
570.8cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



Brochure/Order Form

Custom RomanCorinthian



24 HARDWOODS (Hollow with Load Options)

Hardwoods are a Green Choice

Exterior Woods: Pine, Western Red Cedar, White Oak

Interior Woods:

Poplar, Bass, Red Oak, Maple, SapMaple, Ash
Cherry, African Mahogany, Walnut, Yellow Birch

Benefits

Total Customization to the Micro Inch
Solid Capitals and Bases



[Watch Youtube Video](#)

PolyComp & FiberComp™ (Load Bearing)

FiberComp™ is made from 75% calcium carbonate

25% Fiberglass Resins

Capitals & Bases EconPolymer™ - not primed

All Whole Columns are Load Bearing

Always consult with your structural engineer for application

Benefits

Insect, Rot and Water Resistant

Minimal Thermal Transfer to avoid spider cracks

Optional Split for Post Wrap, Cut to Height or Corner Cuts



[Watch Youtube Video](#)

ArchPolymer™ a Decorative Faux Wood

ArchPolymer™ is high density Polyurethane

Lite weight - easy to cut and install for post wrap

Perfect for Theatres, Store Fixtures, Gardens

Not Load Bearing

Benefits

Insect, Rot and Water Resistant

Minimal Thermal Transfer to avoid spider cracks



[Watch Youtube Video](#)

StoneMold™ & Zeament™ Décor Post Wrap

Architectural Artificial Stone Composite Interior Use only

made from Alpha Gypsum Cement with pigment

Not Load Bearing


Columns split with a reveal at the seam

SM: 12 Finishes

ZM: 11 Finishes



[Watch Youtube Video](#)



Post Wrap Chart

4 x 4 Square Wood Dressed

Dressed to 3-1/2" x 3-1/2" (8.8 x 8.8cm)

A) Inside Minimum Top of Shaft 5" (12.7cm)

6 x 6 Square Wood Dressed

Dressed 5-1/2" x 5-1/2" (13.9 x 13.9cm)

A) Minimum Inside Top of Shaft
7-3/4" (19.68cm)

4 x 4 Square Steel Post

A) Inside Minimum Top of Shaft
5-3/4" (14.6cm)

6 x 6 Square Steel Post

A) Inside Minimum Inside Top of Shaft
8-5/8" (21.9cm)

8 x 8 Square Wood Dressed

Dressed 7-1/2" x 7-1/2" (19 x 19cm)


A) Inside Minimum 11-1/2" (29.21cm)



Do not measure too tight as you need to take into account manufacturing tolerances that can be up to 1/4" (.63cm) minimum Dressed sizes as per AWC Properties of Structural Lumber S4S (www.AWC.org)

We Sell Steel Posts Galvanized or Primed

Specify Heights, Round or Square Top & Bottom Plates



Post Wrap:

- * Pressure Treated Wood Posts 4x4, 6x6
- * I-Beams
- * Round Metal
- * Square Metal

Design Tip:

Consider a post wrap. This gets the framing inspection complete then follow up with the decorative finished column cover once the inspector signs off.



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto / New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

FG-TUS-NTAP
JUL-2021



Imperial Productions® Request for Quote

Download, Fill-in & Email to sales@imperialproductions.com

Name / Company: _____

Phone _____ Email _____

Billing Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Ship to Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Product Code: _____

Quantity: _____

Notes: _____



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto / New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved