

Jan-19

Martin Richards Design™
COLLECTION

Imperial Tuscan Columns



Fiberglass
FiberComp™
PolyComp™

Round - Smooth & Fluted
Square - Smooth

- Fluted
- Raised Panel
- Recessed Panel

Bungalow Square

- Smooth
- Raised Panel
- Recessed Panel



Tapered & Non Tapered
Decorative
Load Bearing



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

copyright 2016 MRDCI All Rights Reserved

Table of Contents

1 - Title Page

2 - Table of Contents

Imperial PolyComp™

28 - PolyComp™ Title

Imperial Fiberglass / FiberComp™

a) Smooth Round Columns

3 - Sub Title Page

4 - Smooth 5 to 8 Feet

5 - Smooth 8 to 9 Feet

6 - Smooth 9 to 10 Feet

7 - Smooth 10 to 12 Feet

8 - Smooth 12 Feet

9 - Smooth 12 to 16 Feet

10 - Smooth 16 to 18 Feet

11 - Smooth 20 to 22 Feet

12 - Smooth 22, 24, 26 Feet

13 - Smooth 28, 30 Feet

14 - Custom Form Non Tapered

15 - Custom Form Tapered

a) Smooth Round Columns

29 - Smooth 5 to 8 Feet

30 - Smooth 9 to 10 Feet

31 - Smooth 10 to 12 Feet

32 - Smooth 14 to 16 Feet

33 - Smooth 18, 20, 22, 24 Feet

b) Fluted Round Columns

34 - Fluted 8, 9, 10, 12 Feet

c) Square Columns

35 - Smooth 8, 9, 10, 12 Feet

36 - Raised Panel 8, 9, 10, 12 Feet

37 - Bungalow Raised Panel

b) Fluted Round Columns

16 - Sub Title Page

17 - Fluted 5 to 8 Feet

18 - Fluted 8 to 9 Feet

19 - Fluted 9 to 10 Feet

20 - Fluted 12 to 14 Feet

c) Square Columns

21 - Sub Title Page

22 - Square 8 to 9 Feet

23 - Square 9 to 10 Feet

24 - Square 12 to 14 Feet

25 - Square 16 to 18 Feet

26 - Square 18 to 20 Feet

27 - Square 22 to 24 Feet



Jan-19

Martin Richards Design™

COLLECTION


Imperial Tuscan Smooth Round Columns



Fiberglass
FiberComp™

Round
Smooth (Plain)

Tapered or Non Tapered
Split or Whole



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

Page 3

copyright 2016 MRDCI All Rights Reserved



Round Tuscan SMOOTH Columns with Capitals & Bases

5 Feet FiberComp™

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0508S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	240.88	144.53
IPTUS0508S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	347.88	208.73
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0508S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	347.88	208.73
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0510S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	306.38	183.83
IPTUS0510S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	413.38	248.03
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0510S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	413.38	248.03
	Cut Shaft to Height	Specify Total Height	37.50	22.50

6 Feet FiberComp™

Diameter 7-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0608S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	268.50	161.10
IPTUS0608S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	375.50	225.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0608S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	375.50	225.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0610S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	332.25	199.35
IPTUS0610S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	439.25	263.55
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0610S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	439.25	263.55
	Cut Shaft to Height	Specify Total Height	37.50	22.50

8 Feet FiberComp™

Diameter 5-11/16" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0806S-TCTB	Whole	Bottom Diameter 5-11/16" Top Shaft 4"	265.00	159.00
IPTUS0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	372.00	223.20
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	372.00	223.20
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0808S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	289.13	173.48
IPTUS0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	396.13	237.68
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	396.13	237.68
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0808SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	344.38	206.63
IPTUS0808SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	451.38	270.83
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0808SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	451.38	270.83
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0810S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	361.50	216.90
IPTUS0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	468.50	281.10
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	468.50	281.10
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0810SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	433.50	260.10
IPTUS0810SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	540.50	324.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0810SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	540.50	324.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS0812S-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	499.25	299.55
IPTUS0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	605.00	363.00
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	605.00	363.00
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

8 Feet ... continued

Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000 lbs		click for Drawing	LIST	
IPTUS0812SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		542.38	325.43
IPTUS0812SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		649.38	389.63
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0812SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		649.38	389.63
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" Tapered	FiberComp Loads to 18,000 lbs		click for Drawing	LIST	
IPTUS0814S-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1084.38	650.63
IPTUS0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1191.38	714.83
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1191.38	714.83
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" NonTapered	Fiberglass Loads to 20,000 lbs		click for Drawing	LIST	
IPTUS0814SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8"		1312.88	787.73
IPTUS0814SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1342.88	805.73
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0814SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1342.88	805.73
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" Tapered	FiberComp Loads to 20,000 lbs		click for Drawing	LIST	
IPTUS0816S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1307.25	784.35
IPTUS0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1480.75	888.45
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1480.75	888.45
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" NonTapered	Fiberglass Loads to 20,000 lbs		click for Drawing	LIST	
IPTUS0816SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		1674.63	1004.78
IPTUS0816SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1771.13	1062.68
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0816SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1771.13	1062.68
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" NonTapered	FiberComp Loads to 20,000 lbs		click for Drawing	LIST	
IPTUS0818SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		2520.75	1512.45
IPTUS0818SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2617.25	1570.35
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0818SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2617.25	1570.35
	Cut Shaft to Height	Specify Total Height		37.50	22.50

9 Feet FiberComp™

Diameter 7-5/8" Tapered	Loads to 10,000lbs		click for Drawing	LIST	
IPTUS0908S-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"		320.13	192.08
IPTUS0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		427.13	256.28
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		427.13	256.28
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 7-5/8" Non-Tapered	Loads to 10,000lbs		click for Drawing	LIST	
IPTUS0908SNT-TCTB	Whole	Top & Bottom Diameter 7-5/8"		365.38	219.23
IPTUS0908SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		472.38	283.43
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0908SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		472.38	283.43
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000lbs		click for Drawing	LIST	
IPTUS0910S-TCTB	Whole	Bottom Diameter 9-5/8" Top 7-1/2"		399.38	239.63
IPTUS0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		506.38	303.83
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		506.38	303.83
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000lbs		click for Drawing	LIST	
IPTUS0910SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		475.50	285.30
IPTUS0910SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		582.50	349.50
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0910SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		582.50	349.50
	Cut Shaft to Height	Specify Total Height		37.50	22.50



Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

9 Feet Continued...

Diameter 12" Tapered		FiberComp Loads to 18,000lbs	click for Drawing	LIST	
IPTUS0912S-TCTB	Whole	Bottom Diameter 11-5/8" Top 9-1/4"		550.88	330.53
	Split for Wrap	Split Shaft, Cap & Base		657.88	394.73
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0912S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		657.88	394.73
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 11-3/4" NonTapered		FiberComp Loads to 18,000lbs	click for Drawing	LIST	
IPTUS0912SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		592.75	355.65
	Split for Wrap	Split Shaft, Cap & Base		699.75	419.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0912SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		699.75	419.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" Tapered		FiberComp Loads to 20,000lbs	click for Drawing	LIST	
IPTUS0914S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		1136.00	681.60
	Split for Wrap	Split Shaft, Cap & Base		1243.00	745.80
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0914S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1243.00	745.80
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" NonTapered		Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS0914SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1444.88	866.93
	Split for Wrap	Split Shaft, Cap & Base		1474.88	884.93
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0914SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1474.88	884.93
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" Tapered		FiberComp Loads to 20,000lbs	click for Drawing	LIST	
IPTUS0916S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1307.25	784.35
	Split for Wrap	Split Shaft, Cap & Base		1610.38	966.23
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0916S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1610.38	966.23
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" NonTapered		Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS0916SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		1843.75	1106.25
	Split for Wrap	Split Shaft, Cap & Base		1940.25	1164.15
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0916SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1940.25	1164.15
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" NonTapered		Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS0918SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		2783.63	1670.18
	Split for Wrap	Split Shaft, Cap & Base		2880.13	1728.08
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS0918SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2880.13	1728.08
	Cut Shaft to Height	Specify Total Height		37.50	22.50

10 Feet

Diameter 7-5/8" Tapered		FiberComp Loads to 10,000lbs	click for Drawing	LIST	
IPTUS1008S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		347.63	208.58
	Split for Wrap	Split Shaft, Cap & Base		454.63	272.78
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1008S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		454.63	272.78
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 7-3/4" NonTapered		FiberComp Loads to 10,000lbs	click for Drawing	LIST	
IPTUS1008SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		396.13	237.68
	Split for Wrap	Split Shaft, Cap & Base		503.13	301.88
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1008SNT-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		503.13	301.88
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 9-5/8" Tapered		FiberComp Loads to 14,000lbs	click for Drawing	LIST	
IPTUS1010S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		430.38	258.23
	Split for Wrap	Split Shaft, Cap & Base		537.38	322.43
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1010S-TCTB-WRAP	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		537.38	322.43
	Cut Shaft to Height	Specify Total Height		37.50	22.50



Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

10 Feet Continued

Diameter 9-3/4" NonTapered	FiberComp	Loads to 14,000lbs	click for Drawing	LIST	
IPTUS1010SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		517.50	310.50
IPTUS1010SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		624.50	374.70
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1010SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		624.50	374.70
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 11-5/8" Tapered	FiberComp	Loads to 18,000lbs	click for Drawing	LIST	
IPTUS1012S-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		613.63	368.18
IPTUS1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		720.63	432.38
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		720.63	432.38
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 11-3/4" NonTapered	FiberComp	Loads to 18,000lbs	click for Drawing	LIST	
IPTUS1012SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		613.63	368.18
IPTUS1012SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		720.63	432.38
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1012SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		720.63	432.38
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" Tapered	FiberComp	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1014S-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1187.63	712.58
IPTUS1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1294.63	776.78
	Split Kit	Reassembly Kit		73.70	44.22
IPTUS1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1294.63	776.78
	Cut Shaft to Height	Specify Total Height		30.00	18.00
Diameter 13-5/8" NonTapered	Fiberglass	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1014SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8"		1577.00	946.20
IPTUS1014SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1607.00	964.20
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1014SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1607.00	964.20
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" Tapered	FiberComp	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1016S-TCTB	Whole	Bottom Diameter 15-1/2" Top 13-7/8"		1566.38	939.83
IPTUS1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1739.88	1043.93
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1739.88	1043.93
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" NonTapered	Fiberglass	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1016SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		2012.88	1207.73
IPTUS1016SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2109.38	1265.63
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1016SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2109.38	1265.63
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" Tapered	Fiberglass	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1018S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"		3167.13	1900.28
IPTUB1018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3263.63	1958.18
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3263.63	1958.18
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" NonTapered	Fiberglass	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1018SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		3037.63	1822.58
IPTUB1018SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3134.13	1880.48
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1018SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3134.13	1880.48
	Cut Shaft to Height	Specify Total Height		37.50	22.50

12 Feet

Diameter 7-3/4" NonTapered	FiberComp	Loads to 10,000lbs	click for Drawing	LIST	
IPTUS1208SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		461.00	276.60
IPTUS1208SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		620.00	372.00
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1208SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		620.00	372.00
	Cut Shaft to Height	Specify Total Height		37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

12 Feet continued

Diameter 9-5/8" Tapered	FiberComp Loads to 14,000lbs		click for Drawing	LIST	
IPTUS1210S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		585.25	351.15
IPTUS1210S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		744.25	446.55
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		744.25	446.55
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 9-3/4" NonTapered	FiberComp Loads to 14,000lbs		click for Drawing	LIST	
IPTUS1210SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		601.50	360.90
IPTUS1210SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		760.50	456.30
	Split Kit	Reassembly Kit		34.13	18.68
IPTUS1210SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		760.50	456.30
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 11-5/8" Tapered	FiberComp Loads to 18,000lbs		click for Drawing	LIST	
IPTUS1212S-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		791.75	475.05
IPTUS1212S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		950.75	570.45
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		950.75	570.45
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000lbs		click for Drawing	LIST	
IPTUS1212SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		980.38	588.23
IPTUS1212SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1139.38	683.63
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1212SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1139.38	683.63
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 13-5/8" Tapered	FiberComp Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1214S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		1359.88	815.93
IPTUS1214S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1518.88	911.33
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1518.88	911.33
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" Tapered	FiberComp Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1216S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1814.25	1088.55
IPTUS1216S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2039.75	1223.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2039.75	1223.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 15-1/2" NonTapered	Fiberglass Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1216SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		2351.13	1410.68
IPTUS1216SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2447.63	1468.58
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1216SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2447.63	1468.58
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" Tapered	Fiberglass Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1218S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"		3442.50	2065.50
IPTUS1218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3539.00	2123.40
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3539.00	2123.40
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 17-1/2" NonTapered	Fiberglass Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1218SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		3554.38	2132.63
IPTUS1218SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3650.88	2190.53
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1218SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3650.88	2190.53
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 19-1/2" Tapered	Fiberglass Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1220S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		3650.25	2190.15
IPTUS1220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3800.75	2280.45
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3800.75	2280.45
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter, 21-1/2" Tapered	Fiberglass Loads to 20,000lbs		click for Drawing	LIST	
IPTUS1222S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		4446.63	2667.98
IPTUS1222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4597.13	2758.28
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS1222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4597.13	2758.28
	Cut Shaft to Height	Specify Total Height		37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

12 Feet Fiberglass Continued...

Diameter 23-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1224S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft	4867.50	2920.50
IPTUS1224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5048.00	3010.80
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5048.00	3010.80
	Cut Shaft to Height	Specify Total Height	37.50	22.50

14 Feet

Diameter 11-3/4" NonTapered	FiberComp Loads to 18,000lbs	click for Drawing	LIST	
IPTUS1412SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	1122.50	673.50
IPTUS1412SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1281.50	768.90
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1412SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1281.50	768.90
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1414S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"	1927.88	1156.73
IPTUS1414S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1957.88	1174.73
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1957.88	1174.73
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 15-1/2" Tapered	Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1416S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"	2290.75	1374.45
IPTUS1416S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2290.75	1374.45
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2290.75	1374.45
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 17-1/2" Tapered	Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1418S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"	3614.63	2168.78
IPTUS1418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3711.13	2226.68
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3711.13	2226.68
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 19-1/2" Tapered	Fiberglass Loads to 20,000lbs	click for Drawing	LIST	
IPTUS1420S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"	4095.88	2457.53
IPTUS1420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	4246.38	2547.83
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	4246.38	2547.83
	Cut Shaft to Height	Specify Total Height	37.50	22.50

16 Feet Fiberglass

Diameter 13-5/8" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1614S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"	2306.50	1383.90
IPTUS1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2336.50	1401.90
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2336.50	1401.90
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 15-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1616S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"	2926.13	1755.68
IPTUS1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3022.63	1813.58
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3022.63	1813.58
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 17-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1618S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"	3786.75	2272.05
IPTUS1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3883.25	2329.95
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3961.25	2376.75
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 19-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1620S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"	4541.38	2724.83
IPTUS1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	4691.88	2815.13
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	4691.88	2815.13
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

16 Feet Fiberglass continued...

Diameter 21-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1622S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"	5624.25	3314.55
IPTUS1622S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5674.75	3404.85
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1622S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5674.75	3404.85
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 23-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1624S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"	5680.13	3408.08
IPTUS1624S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5830.63	3498.38
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1624S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5830.63	3498.38
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 30" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1630S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"	9292.25	5575.35
IPTUS1630S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	9442.75	5665.65
	Split Kit	Reassembly Kit	73.70	44.22
IPTUS1630S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	9442.75	5665.65
	Cut Shaft to Height	Specify Total Height	30.00	18.00

18 Feet Fiberglass

Diameter 15-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1816S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-3/4"	3258.63	1955.18
IPTUS1816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3356.13	2013.08
	Split Kit	Reassembly Kit	73.70	44.22
IPTUS1816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3356.13	2013.08
	Cut Shaft to Height	Specify Total Height	30.00	18.00
Diameter 17-1/4" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1818S-TCTB	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	3864.75	2318.85
IPTUS1818S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3961.25	2376.75
	Split Kit	Reassembly Kit	73.70	44.22
IPTUS1818S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3961.25	2376.75
	Cut Shaft to Height	Specify Total Height	30.00	18.00
Diameter 19-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1820S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"	5060.00	3036.00
IPTUS1820S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5210.50	3126.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1820S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5210.50	3126.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 21-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1822S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"	5793.63	3476.18
IPTUS1822S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5944.13	3566.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1822S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5944.13	3566.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 23-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1824S-TCTB	Whole	Bottom Diameter 23-3/4" Top Shaft 19-3/4"	6368.63	3821.18
IPTUS1824S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	6519.13	3911.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1824S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	6519.13	3911.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 30" Tapered	Loads to 20,000lbs	click for Drawing	LIST	LIST
IPTUS1830S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"	10338.38	6203.03
IPTUS1830S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	10488.88	6293.33
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1830S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	10488.88	6293.33
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

20 Feet Fiberglass

Diameter 15-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2016S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-3/4"	3639.00	2183.40
IPTUS2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3735.50	2241.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3735.50	2241.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 17-1/4" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2018S-TCTB	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	4552.50	2731.50
IPTUS2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	4649.00	2789.40
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	4649.00	2789.40
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 19-3/4" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2020S-TCTB	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	5060.00	3036.00
IPTUS2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5210.50	3126.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5210.50	3126.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 21-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2022S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"	6177.63	3706.58
IPTUS2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	6328.13	3796.88
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	6328.13	3796.88
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 23-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2024S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"	7401.38	4440.83
IPTUS2024S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	7551.88	4531.13
	Split Kit	Reassembly Kit	73.70	44.22
IPTUS2024S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	7551.88	4531.13
	Cut Shaft to Height	Specify Total Height	30.00	18.00
Diameter 30" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2030S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"	11543.25	6925.95
IPTUS2030S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	11693.75	7016.25
	Split Kit	Reassembly Kit	73.70	44.22
IPTUS2030S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	11693.75	7016.25
	Cut Shaft to Height	Specify Total Height	30.00	18.00
Diameter 36" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2036S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"	13599.50	8159.70
IPTUS2036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	13750.00	8250.00
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	13750.00	8250.00
	Cut Shaft to Height	Specify Total Height	37.50	22.50

22 Feet Fiberglass

Diameter 19-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2220S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"	5164.25	3098.55
IPTUS2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5314.75	3188.85
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5314.75	3188.85
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 21-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2222S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"	6561.63	3936.98
IPTUS2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	6962.13	4177.28
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	6962.13	4177.28
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 23-1/2" Tapered	Loads to 20,000lbs	click for Drawing	LIST	
IPTUS2224S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"	8262.00	4957.20
IPTUS2224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	8412.50	5047.50
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS2224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	8412.50	5047.50
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

22 Feet Fiberglass continued...

Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2230S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		12231.75	7339.05
IPTUS2230S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12382.25	7429.35
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2230S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12382.25	7429.35
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2236S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		14693.00	8815.80
IPTUS2236S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		14843.50	8906.10
	Split Kit	Reassembly Kit		73.70	44.22
IPTUS2236S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		14843.50	8906.10
	Cut Shaft to Height	Specify Total Height		30.00	18.00

24 Feet Fiberglass

Diameter 19-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2420S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		5650.25	3300.15
IPTUS2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5650.75	3390.45
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5650.75	3390.45
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 21-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2422S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		7198.88	4319.33
IPTUS2422S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7349.38	4409.63
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2422S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7349.38	4409.63
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 23-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2424S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		8950.50	5370.30
IPTUS2424S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9101.00	5460.60
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2424S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9101.00	5460.60
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2430S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		12231.75	7339.05
IPTUS2430S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12382.25	7429.35
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2430S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12382.25	7429.35
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2436S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		15676.50	9285.90
IPTUS2436S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		15627.00	9376.20
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2436S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		15627.00	9376.20
	Cut Shaft to Height	Specify Total Height		37.50	22.50

26 Feet Fiberglass

Diameter 23-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2624S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		9294.75	5576.85
IPTUS2624S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9445.25	5667.15
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2624S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9445.25	5667.15
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2630S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		13060.50	7836.30
IPTUS2630S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		13211.00	7926.60
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2630S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		13211.00	7926.60
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS2636S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		16544.25	9926.55
IPTUS2636S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		16694.75	10016.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2636S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		16694.75	10016.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50



Round Tuscan SMOOTH Columns with Capitals & Bases

28 Feet Fiberglass

Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST	
IPTUS2830S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		13889.00	8333.40
IPTUS2830S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		14039.50	8423.70
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2830S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		14039.50	8423.70
	Cut Shaft to Height	Specify Total Height		37.50	22.50
Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST	
IPTUS2836S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		17611.63	10566.98
IPTUS2836S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		17762.13	10657.28
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS2836S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		17762.13	10657.28
	Cut Shaft to Height	Specify Total Height		37.50	22.50

30 Feet Fiberglass

Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST	LIST
IPTUS3036S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		18679.63	11207.78
IPTUS3036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		18830.13	11298.08
	Split Kit	Reassembly Kit		92.13	55.28
IPTUS3036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		18830.13	11298.08
	Cut Shaft to Height	Specify Total Height		37.50	22.50

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight





Tuscan Smooth Non Tapered Custom Size Form Fiberglass

Martin Richards Design
COLLECTION



<=
Astragal
Fit Here

Utilize Standard Capital



SHAFT NON-TAPERED
Top & Bottom Diameter

Astragal

Yes or No

Shaft Height:



Utilize Standard Base

made in 3 Parts

Total Height all Parts:_____

How many Whole Columns_____

Split for Inside Corner # _____

Split for Wall Wrap # _____

Split for Outside Corner #_____

Split for Engaged Pilaster
What Percentage Cut

in Half

or _____ %



Split for inside Corner



Split for Wall Wrap



Split for Wall Wrap



Engaged



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc New York


email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Nov 2018



Tuscan Smooth Tapered Custom Size Form Fiberglass

Martin Richards Design
COLLECTION



A)
Utilize Standard Capital



SHAFT
B= Top Diameter:

C = Astragal
Diameter:
Height:

Enthasis Tapered
Taper Stops 2/3rds down shaft
or Distance:

E) Shaft Height:

D = Bottom of Shaft
Diameter:



Utilize Standard Base

made in 3 Parts

Total Height all Parts:_____

How many Whole Columns_____

Split for Inside Corner # _____

Split for Wall Wrap # _____

Split for Outside Corner #_____

Split for Engaged Pilaster
What Percentage Cut

in Half

or _____ %



Split for inside Corner



Split for Wall Wrap



Split for Wall Wrap



Engaged



Imperial Productions® 1-800-399-7585

Imperial Productions & Distribution Inc New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Nov 2018

Jan-19

Martin Richards Design™
COLLECTION

Imperial Tuscan Fluted Round Columns Fiberglass, FiberComp™



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished

Columns
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application



Imperial Productions & Distribution Inc.
email sales@imperialproductions.com

800-399-7585

Page 16

copyright 2016 MRDCI All Rights Reserved



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

5 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	337.13	202.28
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	444.13	266.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	444.13	266.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	407.63	244.58
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	514.63	308.78
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	514.63	308.78
	Cut Shaft to Height	Specify Total Height	37.50	22.50

6 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	LIST
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	358.13	214.88
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	465.13	279.08
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	465.13	279.08
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	LIST
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	443.63	266.18
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	550.63	330.38
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	550.63	330.38
	Cut Shaft to Height	Specify Total Height	37.50	22.50

8 Feet

Diameter 5-11/16" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" Top Shaft 4"	358.00	214.80
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	465.00	279.00
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	465.00	279.00
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	382.00	229.20
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	489.00	293.40
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	489.00	293.40
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	458.13	274.88
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	565.13	339.08
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	565.13	339.08
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	572.80	343.68
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	679.80	407.88
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	679.80	407.88
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	572.80	343.68
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	679.80	407.88
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	679.80	407.88
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	692.13	355.28
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	699.13	419.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	699.13	419.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

8 Feet ... continued

Diameter 11-3/4" NonTapered	Loads to 18,000 lbs	click for Drawing	LIST	LIST
IPTUS0812FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	708.03	424.82
IPTUS0812FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	815.03	489.02
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0812FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	815.03	489.02
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	LIST
IPTUS0814F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1308.00	784.80
IPTUS0814F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1415.00	849.00
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0814F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1415.00	849.00
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 15-1/2" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	LIST
IPTUS0816F-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"	1569.88	941.93
IPTUS0816F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1743.38	1046.03
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0816F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1743.38	1046.03
	Cut Shaft to Height	Specify Total Height	37.50	22.50

9 Feet

Diameter 7-5/8" Tapered	Loads to 10,000lbs	click for Drawing	LIST	
IPTUS0908F-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"	406.13	243.68
IPTUS0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	513.13	307.88
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	513.13	307.88
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS0908FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	507.03	304.22
IPTUS0908FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	618.34	370.98
	Split Kit	Reassembly Kit	95.81	57.49
IPTUS0908FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	618.34	370.98
	Cut Shaft to Height	Specify Total Height	39.00	23.40
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0910F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	631.60	378.96
IPTUS0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	738.60	443.16
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	738.60	443.16
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS0910FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	631.60	378.96
IPTUS0910FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	738.60	443.16
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0910FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	738.60	443.16
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS0912F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	636.88	382.13
IPTUS0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	743.88	446.33
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	743.88	446.33
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS0912FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	778.55	467.13
IPTUS0912FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	885.55	531.33
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0912FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	885.55	531.33
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS0914F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1371.88	823.13
IPTUS0914F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1478.88	887.33
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0914F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1478.88	887.33
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

9 Feet Continued...

Diameter 15-1/2" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"	1731.88	1039.13
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1906.38	1143.23
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1906.38	1143.23
	Cut Shaft to Height	Specify Total Height	37.50	22.50

10 Feet

Diameter 7-5/8" Tapered	Loads to 10,000lbs	click for Drawing	LIST	
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"	444.00	266.40
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	551.00	330.60
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	551.00	330.60
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	530.58	318.35
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	637.58	382.55
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	637.58	382.55
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	690.40	414.24
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	797.40	478.44
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	797.40	478.44
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	690.40	414.24
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	797.40	478.44
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	797.40	478.44
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	688.50	413.10
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	795.50	477.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	795.50	477.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	1099.38	605.63
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1116.38	669.83
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1116.38	669.83
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1436.38	861.83
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1543.38	926.03
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1543.38	926.03
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1893.75	1136.25
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2067.25	1240.35
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2067.25	1240.35
	Cut Shaft to Height	Specify Total Height	37.50	22.50



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

12 Feet (3.657 meters)

Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST	
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	621.40	372.84
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	780.40	468.24
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	780.40	468.24
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	808.00	484.80
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	967.00	580.20
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	967.00	580.20
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST	
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	808.00	484.80
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	967.00	580.20
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	967.00	580.20
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	895.13	537.08
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1054.13	632.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1054.13	632.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	1321.23	792.74
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1480.23	888.14
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1480.23	888.14
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1651.50	990.90
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1810.50	1086.30
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1810.50	1086.30
	Cut Shaft to Height	Specify Total Height	37.50	22.50
Diameter 13-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	2203.63	1322.18
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2429.13	1457.48
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2429.13	1457.48
	Cut Shaft to Height	Specify Total Height	37.50	22.50

14 Feet

Diameter 11-3/4" NonTapered	Loads to 18,000 lbs	click for Drawing	LIST	
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"	1520.20	912.12
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1679.20	1007.52
	Split Kit	Reassembly Kit	92.13	55.28
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1679.20	1007.52
	Cut Shaft to Height	Specify Total Height	37.50	22.50

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight

Jan-19

Martin Richards Design™
COLLECTION


Imperial Tuscan Square Columns Fiberglass, Fiber-Comp™



* Photo Above of Custom Square Column

Smooth, Fluted
Tapered &
Non-Tapered
with Capitals
& Bases

Split Options



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585
email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

Page 21



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases

8 Feet

5-1/2" x 5-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0806S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2"		371.75	223.05
IPTUSQ0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		484.75	290.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		484.75	290.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
7-1/2" x 7-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0808S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2"		446.50	267.90
IPTUSQ0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		559.50	335.70
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		559.50	335.70
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
9-1/2" x 9-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0810S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2"		561.13	336.68
IPTUSQ0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		674.13	404.48
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		674.13	404.48
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
11-1/2" x 11-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0812S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2"		791.75	475.05
IPTUSQ0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		904.75	542.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		904.75	542.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		1289.25	773.55
IPTUSQ0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1402.25	841.35
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1402.25	841.35
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		1652.00	991.20
IPTUSQ0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1837.50	1102.50
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1837.50	1102.50
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83

9 Feet

5-1/2" x 5-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0906S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2"		409.63	245.78
IPTUSQ0906S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		522.63	313.58
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0906S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		522.63	313.58
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
7-1/2" x 7-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0908S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2"		493.13	295.88
IPTUSQ0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		606.13	363.68
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		606.13	363.68
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
9-1/2" x 9-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0910S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2"		616.25	369.75
IPTUSQ0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		729.25	437.55
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		729.25	437.55
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases

9 Feet continued...

11-1/2" x 11-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0912S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2"		870.88	522.53
IPTUSQ0912S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		983.88	590.33
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0912S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		983.88	590.33
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0914S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		1414.13	848.48
IPTUSQ0914S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1527.13	916.28
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0914S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1527.13	916.28
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ0916S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		1817.75	1090.65
IPTUSQ0916S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2003.25	1201.95
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ0916S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2003.25	1201.95
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83

10 Feet

5-1/2" x 5-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1006S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2"		440.63	264.38
IPTUSQ1006S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		553.63	332.18
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1006S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		553.63	332.18
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
7-1/2" x 7-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1008S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2"		540.13	324.08
IPTUSQ1008S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		653.13	391.88
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1008S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		653.13	391.88
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
9-1/2" x 9-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1010S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2"		671.38	402.83
IPTUSQ1010S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		784.38	470.63
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1010S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		784.38	470.63
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
11-1/2" x 11-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1012S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2"		950.13	570.08
IPTUSQ1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1063.13	637.88
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1063.13	637.88
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		1540.00	924.00
IPTUSQ1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1653.00	991.80
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1653.00	991.80
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		1983.38	1190.03
IPTUSQ1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2168.88	1301.33
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2168.88	1301.33
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases

12 Feet

7-1/2" x 7-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1208S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2"		646.43	387.68
IPTUSQ1208S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		814.43	486.68
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1208S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		814.43	486.68
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
9-1/2" x 9-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1210S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2"		778.00	466.80
IPTUSQ1210S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		943.00	565.80
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		943.00	565.80
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
11-1/2" x 11-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1212S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2"		1032.75	619.65
IPTUSQ1212S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1197.75	718.65
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1197.75	718.65
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1214S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		1790.00	1074.00
IPTUSQ1214S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1955.00	1173.00
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1955.00	1173.00
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1216S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		2314.88	1388.93
IPTUSQ1216S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2552.38	1531.43
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2552.38	1531.43
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83

14 Feet

13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	LIST
IPTUSQ1414S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		2044.00	1224.60
IPTUSQ1414S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2206.00	1323.60
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2206.00	1323.60
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	LIST
IPTUSQ1416S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		2646.38	1587.83
IPTUSQ1416S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2883.88	1730.33
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2883.88	1730.33
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases

16 Feet

13-1/2" x 13-1/2"	Loads to 10,000 lbs)		click for Drawing	LIST	
IPTUSQ1614S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		2291.50	1374.90
IPTUSQ1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2456.50	1473.90
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2456.50	1473.90
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1616S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		2977.88	1786.73
IPTUSQ1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3215.38	1929.23
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3215.38	1929.23
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
17-1/2" x 17-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ1618S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2"		4520.38	2712.23
IPTUSQ1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4629.25	2777.55
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4629.25	2777.55
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
19-1/2" x 19-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ1620S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		5922.25	3553.35
IPTUSQ1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6084.75	3650.85
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6084.75	3650.85
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
21-1/2" x 21-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ1622S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		7136.30	4281.78
IPTUSQ1622S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7298.80	4379.28
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1622S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7298.80	4379.28
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83

18 Feet

13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		2542.50	1525.50
IPTUSQ1814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2707.50	1624.50
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2707.50	1624.50
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	
IPTUSQ1816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		3309.25	1985.55
IPTUSQ1816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3546.75	2128.05
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3546.75	2128.05
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
17-1/2" x 17-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ1818S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2"		5093.13	3055.88
IPTUSQ1818S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5201.63	3120.98
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1818S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5201.63	3120.98
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
19-1/2" x 19-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ1820S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		6086.63	3651.98
IPTUSQ1820S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6378.13	3826.88
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1820S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6378.13	3826.88
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases

18 Feet Continued...

21-1/2" x 21-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	LIST
IPTUSQ1822S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		7566.75	4540.05
IPTUSQ1822S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7729.25	4637.55
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ1822S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7729.25	4637.55
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83

20 Feet

13-1/2" x 13-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	LIST
IPTUSQ2014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2"		2792.63	1675.58
IPTUSQ2014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2957.63	1774.58
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2957.63	1774.58
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
15-1/2" x 15-1/2"	Loads to 10,000 lbs		click for Drawing	LIST	LIST
IPTUSQ2016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2"		3640.63	2184.38
IPTUSQ2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3878.13	2326.88
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3878.13	2326.88
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
17-1/2" x 17-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	LIST
IPTUSQ2018S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2"		5951.75	3571.05
IPTUSQ2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6189.25	3713.55
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6189.25	3713.55
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
19-1/2" x 19-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	LIST
IPTUSQ2020S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		6355.75	3813.45
IPTUSQ2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6618.25	3910.95
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6618.25	3910.95
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
21-1/2" x 21-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	LIST
IPTUSQ2022S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		7959.25	4775.55
IPTUSQ2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8118.00	4870.80
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8118.00	4870.80
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83



Use for Load Bearing
or Decorative Post Wrap



Fiberglass Square Tuscan Smooth Columns with Capitals & Bases


22 Feet (6.705 meters)

17-1/2" x 17-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ2218S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2"		6667.25	4000.35
IPTUSQ2218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6775.75	4065.45
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6775.75	4065.45
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
19-1/2" x 19-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ2220S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		6486.00	3891.60
IPTUSQ2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6648.50	3989.10
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6648.50	3989.10
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
21-1/2" x 21-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ2222S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		8439.13	5063.48
IPTUSQ2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8601.63	5160.98
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8601.63	5160.98
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83


24 Feet

17-1/2" x 17-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ2418S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2"		7239.75	4343.85
IPTUSQ2418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7348.25	4408.95
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7348.25	4408.95
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83
19-1/2" x 19-1/2"	Loads to 20,000 lbs		click for Drawing	LIST	
IPTUSQ2420S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2"		6486.00	3891.60
IPTUSQ2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6648.50	3989.10
	Split Kit	Reassembly Kit		92.13	55.28
IPTUSQ2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6648.50	3989.10
	Cut Shaft to Height	Specify Total Height		37.50	22.50
	Hurricane Bracket			45.10	33.83


call for larger sizes - custom quoted




Pilaster Cut



Engaged Cut



Outside Corner



Wall Wrap



Inside Corner

Jan-19

Martin Richards Design™
COLLECTION

Imperial PolyComp™ Columns Round / Square / Bungalow



Smooth, Fluted
Tapered &
Non-Tapered
with Capitals
& Bases



an FRP Material
Shafts, Caps & Bases meet
ASTM-E84 Fire Rating

Load Bearing

Interior / Exterior
70% Calcium Carbonate
5% Marble Chips
25% Polyester Resins

* Split Options

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved

Page 21



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



5 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0508S-TBTC	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/8"	266.60	159.96
IPPC0508S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	312.60	187.56

6 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0608S-TBTC	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/8"	286.97	172.18
IPPC0608S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	332.98	199.79

Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC0610S-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"	393.54	236.10
IPPC0610S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	445.59	249.35

Diameter 11-1/2" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0612S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"	481.43	288.86
IPPC0612S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	537.27	322.36

8 Feet (2.438 meters)

Diameter 6" Tapered		click for Drawing		
IPPC0806S-TBTC	Whole	Bottom Diameter 6" Top Shaft 5-1/8"	273.96	164.37
IPPC0806S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	330.27	198.16

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0808S-TBTC	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/8"	307.34	184.41
IPPC0808S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	366.96	220.17

Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0808SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8"	307.34	184.41
IPPC0808SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	366.96	220.17

Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC0810S-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"	380.97	228.58
IPPC0810S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	444.86	266.92

Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC0810SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4"	380.97	228.58
IPPC0810SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	444.86	266.92

Diameter 11-1/2" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0812S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"	526.89	316.13
IPPC0812S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	596.34	357.80

Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0812SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4"	594.33	356.60
IPPC0812SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	678.48	406.91

Diameter 13-7/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0814S-TBTC	Whole	Bottom Diameter 13-7/8" Top Shaft 11-1/4"	1173.82	704.29
IPPC0814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1250.50	750.30

Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0814SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4"	1173.82	704.29
IPPC0814SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1250.50	750.30

Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0816S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"	1482.57	889.54
IPPC0816S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1668.63	941.18

Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0816SNT-TBTC	Whole	Diameter 15-3/4"	1482.57	889.54
IPPC0816SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1416.14	837.11

Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0818S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	3130.05	1878.03
IPPC0818S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3228.34	1937.00

Diameter 17-5/8" NonTapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0818SNT-TBTC	Whole	Diameter 17-5/8"	3130.05	1878.03
IPPC0818SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3228.34	1937.00



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



9 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0908S-TBTC	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/8"	335.56	201.34
IPPC0908S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	402.55	241.53
Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC0908SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8"	335.56	201.34
IPPC0908SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	402.55	241.53
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC0910S-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"	421.73	253.04
IPPC0910S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	492.98	295.79
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC0910SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4"	421.73	253.04
IPPC0910SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	492.98	295.79
Diameter 11-1/2" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0912S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"	575.46	345.28
IPPC0912S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	637.84	382.70
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0912SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4"	575.50	345.30
IPPC0912SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	652.28	391.37
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC0914SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4"	1220.83	732.50
IPPC0914SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1304.89	782.93
Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0916S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"	1624.40	974.64
IPPC0916S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1717.85	1030.71
Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0916SNT-TBTC	Whole	Diameter 15-3/4"	1624.40	974.64
IPPC0916SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1717.85	1030.71
Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0918S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	3225.77	1935.46
IPPC0918S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3331.43	1998.86
Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0918SNT-TBTC	Whole	Top & Bottom Diameter 17-5/8"	3225.77	1935.46
IPPC0918SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3331.43	1998.86
Diameter 19-7/8" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0920SNT-TBTC	Whole	Top & Bottom Diameter 19-7/8"	3430.26	2058.16
IPPC0920SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3551.78	2131.07
Diameter 19-7/8" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC0924SNT-TBTC	Whole	Diameter 23-7/8"	4626.60	2775.96
IPPC0924SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4768.74	2861.25

10 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC1008S-TBTC	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/8"	365.32	219.19
IPPC1008S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	441.95	265.17
Diameter 7-5/8" Non-Tapered	Loads to 10,000 lbs	click for Drawing	LIST	Your Price
IPPC1008SNT-TBTC	Whole	Top & Bottom Diameter 7-5/8"	365.32	219.19
IPPC1008SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	441.95	265.17
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC1010S-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"	459.34	275.60
IPPC1010S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	540.23	324.14
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs	click for Drawing	LIST	Your Price
IPPC1010SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4"	459.34	275.60
IPPC1010SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	540.23	324.14



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



10 Feet (3.048 meters) continued...

Diameter 11-1/2" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1012S-TBTC	Whole	Bottom Diameter 11-1/2" (29.2cm) Top Shaft 9-3/8" (23.8cm)		625.64	375.37
IPPC1012S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		742.07	427.24
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1012SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		625.65	375.39
IPPC1012SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		742.07	427.24
Diameter 13-7/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1014S-TBTC	Whole	Bottom Diameter 13-7/8" (35.2cm) Top Shaft 12" (30.48cm)		1267.86	760.72
IPPC1014S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1361.55	816.93
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST	Your Price
IPPC1014SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		1267.86	760.72
IPPC1014SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1361.55	816.93
Diameter 15-3/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1016S-TBTC	Whole	Bottom Diameter 15-3/4" (40cm) Top Shaft 13-3/4" (34.9cm)		1766.23	1059.74
IPPC1016S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1869.32	1121.59
Diameter 17-1/4" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1018S-TBTC	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		3321.49	1992.90
IPPC1018S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		3436.78	2062.07
Diameter 19-7/8" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1020SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		3739.89	2243.93
IPPC1020SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		3861.41	2316.84
Diameter 19-7/8" NonTapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST	Your Price
IPPC1024SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4" (34.9cm)		4973.07	2983.84
IPPC1024SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		5115.21	3069.13

12 Feet (3.657 meters)

Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST	Your Price
IPPC1210S-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"		646.05	369.63
IPPC1210S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		748.49	431.10
Diameter 9-3/4" Non-Tapered	Loads to 14,000 lbs		click for Drawing	LIST	Your Price
IPPC1210SNT-TBTC	Whole	Top & Bottom Diameter 9-3/4"		646.05	369.63
IPPC1210SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		748.49	431.10
Diameter 11-1/2" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1212S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"		840.54	486.33
IPPC1212S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		948.54	551.12
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1212SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4"		840.59	486.35
IPPC1212SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		948.54	551.12
Diameter 13-7/8" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1214S-TBTC	Whole	Bottom Diameter 13-7/8" Top Shaft 12"		1465.32	879.19
IPPC1214S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1580.55	948.33
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1214SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4"		1465.32	879.19
IPPC1214SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1580.55	948.33
Diameter 15-3/4" Tapered	Loads to 20,000 lbs		click for Drawing	LIST	Your Price
IPPC1216S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"		1987.20	1192.32
IPPC1216S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		2144.84	1267.10
Diameter 17-1/4" Tapered	Loads to 20,000 lbs		click for Drawing	LIST	Your Price
IPPC1218S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"		3506.44	2103.85
IPPC1218S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		3643.26	2185.96
Diameter 19-3/4" Tapered	Loads to 20,000 lbs		click for Drawing	LIST	Your Price
IPPC1220S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"		4359.24	2615.55
IPPC1220S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		4541.95	2707.17



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



14 Feet (4.267 meters)

Diameter 11-1/2" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1412S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"	1246.98	748.19
IPPC1412S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1379.57	827.74
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1412SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4"	1247.03	748.22
IPPC1412SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	918.54	551.12
Diameter 13-7/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1414S-TBTC	Whole	Bottom Diameter 13-7/8" Top Shaft 12"	1853.97	1112.38
IPPC1414S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1993.80	1196.28
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1414SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4"	1853.97	1112.38
IPPC1414SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1962.47	1177.48
Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1416S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"	2509.08	1505.45
IPPC1416S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2658.28	1594.97
Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1418S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	3625.52	2175.31
IPPC1418S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3786.94	2272.16
Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1420S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	4474.16	2684.50
IPPC1420S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4582.65	2749.59
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1424S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	5666.15	3399.69
IPPC1424S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5864.06	3518.44

16 Feet (4.876 meters)

Diameter 11-1/2" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1612S-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"	1671.44	1002.87
IPPC1612S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1831.62	1098.97
Diameter 11-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1612SNT-TBTC	Whole	Top & Bottom Diameter 11-3/4"	1671.49	1002.89
IPPC1612SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	1831.62	1098.97
Diameter 13-7/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1614S-TBTC	Whole	Bottom Diameter 13-7/8" Top Shaft 12"	2241.08	1344.65
IPPC1614S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2408.48	1445.09
Diameter 13-3/4" Non-Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1614SNT-TBTC	Whole	Top & Bottom Diameter 13-3/4"	2241.08	1344.65
IPPC1614SNT-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2408.48	1445.09
Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1616S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"	2943.18	1765.91
IPPC1616S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3119.97	1871.98
Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1618S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	3786.94	2272.16
IPPC1618S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3975.94	2385.56
Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1620S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	4940.07	2964.04
IPPC1620S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5144.93	3086.96
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1624S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	6496.77	3898.06
IPPC1624S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	6723.83	4034.30



PolyComp Round Tuscan SMOOTH Columns with Capitals & Bases



18 Feet

Diameter 13-7/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST	Your Price
IPPC1814S-TBTC	Whole	Bottom Diameter 13-7/8" Top Shaft 12"	2490.06	1494.03
IPPC1814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	2688.08	1612.85
Diameter 15-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1816S-TBTC	Whole	Bottom Diameter 15-3/4" Top Shaft 13-3/4"	3516.77	2110.06
IPPC1816S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	3693.56	2216.14
Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1818S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	4114.49	2468.69
IPPC1818S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4334.12	2600.47
Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1820S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	5072.49	3043.49
IPPC1820S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5307.98	3184.79
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC1824S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	7809.75	4685.85
IPPC1824S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	8065.86	4839.52

20 Feet (6.096 meters)

Diameter 17-1/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2018S-TBTC	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"	4700.60	2820.36
IPPC2018S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	4953.87	2972.32
Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2020S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	5285.63	3171.38
IPPC2020S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5554.75	3332.85
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2024S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	8305.29	4983.17
IPPC2024S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	8595.04	5157.02

22 Feet (6.705 meters)

Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2220S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	5497.21	3298.32
IPPC2220S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	5803.00	3481.80
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2224S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	9115.54	5469.30
IPPC2224S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	9441.93	5665.16

24 Feet (7.315 meters)

Diameter 19-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2420S-TBTC	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"	5856.08	3513.65
IPPC2420S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	6201.57	3720.94
Diameter 23-3/4" Tapered	Loads to 20,000 lbs	click for Drawing	LIST	Your Price
IPPC2424S-TBTC	Whole	Top & Bottom Diameter 13-3/4"	9927.34	5956.39
IPPC2424S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base	10293.42	6176.05





PolyComp™ Round Tuscan FLUTED Columns with Caps & Bases



8 Feet

Diameter 7-3/4" Tapered	Loads to 10,000 lbs		click for Drawing	LIST	Your Price
IPPC0808F-TBTC	Whole	Bottom Diameter 7-3/4" Top Shaft 6-1/4"		404.64	242.70
IPPC0808F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		464.12	278.47
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST	Your Price
IPPC0810F-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"		500.08	300.05
IPPC0810F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		563.97	338.38
Diameter 11-1/2" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC0812F-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"		625.64	375.37
IPPC0812F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		695.06	417.04

9 Feet

Diameter 7-3/4" Tapered	Loads to 10,000 lbs		click for Drawing	LIST	Your Price
IPPC0908F-TBTC	Whole	Bottom Diameter 7-3/4" Top Shaft 6-1/4"		422.04	253.22
IPPC0908F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		489.02	293.41
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST	Your Price
IPPC0910F-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"		547.17	328.30
IPPC0910F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		618.43	371.06
Diameter 11-1/2" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC0912F-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"		661.58	396.95
IPPC0912F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		723.96	434.38

10 Feet

Diameter 7-3/4" Tapered	Loads to 10,000 lbs		click for Drawing	LIST	Your Price
IPPC1008F-TBTC	Whole	Bottom Diameter 7-3/4" Top Shaft 6-1/4"		462.49	277.49
IPPC1008F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		534.64	320.79
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST	Your Price
IPPC1010F-TBTC	Whole	Bottom Diameter 9-5/8" Top Shaft 8"		598.82	359.29
IPPC1010F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		679.72	407.83
Diameter 11-1/2" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1012F-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"		722.77	433.66
IPPC1012F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		792.22	475.33

12 Feet

Diameter 11-1/2" Tapered	Loads to 18,000 lbs		click for Drawing	LIST	Your Price
IPPC1212F-TBTC	Whole	Bottom Diameter 11-1/2" Top Shaft 9-3/8"		920.25	552.15
IPPC1212F-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1028.24	616.95





PolyComp Square Tuscan SMOOTH Columns with Caps & Bases



8 Feet

5-3/4" x 5-3/4"			click for Drawing		
IPPCSQ0806S-TBTC	Whole	O/d 5-3/4" x 5-3/4" I/d 4-3/4" x 4-3/4"		380.84	228.50
IPPCSQ0806S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		437.17	262.30
7-15/16" x 7-15/16"			click for Drawing		
IPPCSQ0808S-TBTC	Whole	O/d 7-15/16" x 7-15/16" I/d 6-7/16" x 6-7/16"		522.67	313.60
IPPCSQ0808S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		582.28	349.37
9-3/4" x 9-3/4"			click for Drawing		
IPPCSQ0810S-TBTC	Whole	O/d 9-3/4" x 9-3/4" I/d 8-11/16" x 8-11/16"		670.76	402.46
IPPCSQ0810S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		734.54	440.72
11-3/4" x 11-3/4"			click for Drawing		
IPPCSQ0812S-TBTC	Whole	O/d 11-3/4" x 11-3/4" I/d 10-3/4" x 10-3/4"		846.25	507.75
IPPCSQ0812S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		920.50	552.30
13-7/8" x 13-7/8"			click for Drawing		
IPPCSQ0814S-TBTC	Whole	O/d 13-7/8" x 13-7/8" I/d 13-1/8" x 13-1/8"		1270.47	762.28
IPPCSQ0814S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1347.13	808.28

9 Feet

5-3/4" x 5-3/4"			click for Drawing		
IPPCSQ0906S-TBTC	Whole	O/d 5-3/4" x 5-3/4" I/d 4-3/4" x 4-3/4"		402.77	241.66
IPPCSQ0906S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		466.47	279.88
7-15/16" x 7-15/16"			click for Drawing		
IPPCSQ0908S-TBTC	Whole	O/d 7-15/16" x 7-15/16" I/d 6-7/16" x 6-7/16"		561.83	337.10
IPPCSQ0908S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		628.82	377.29
9-3/4" x 9-3/4"			click for Drawing		
IPPCSQ0910S-TBTC	Whole	O/d 9-3/4" x 9-3/4" I/d 8-11/16" x 8-11/16"		730.32	438.19
IPPCSQ0910S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		801.46	480.88
11-3/4" x 11-3/4"			click for Drawing		
IPPCSQ0912S-TBTC	Whole	O/d 11-3/4" x 11-3/4" I/d 10-3/4" x 10-3/4"		921.48	552.89
IPPCSQ0912S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1003.10	601.86
13-7/8" x 13-7/8"			click for Drawing		
IPPCSQ0914S-TBTC	Whole	O/d 13-7/8" x 13-7/8" I/d 13-1/8" x 13-1/8"		1408.11	844.87
IPPCSQ0914S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1492.16	895.29

10 Feet (3.048 meters)

7-15/16" x 7-15/16"			click for Drawing		
IPPCSQ1008S-TBTC	Whole	O/d 7-15/16" x 7-15/16" I/d 6-7/16" x 6-7/16"		601.03	360.62
IPPCSQ1008S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		677.64	406.59
9-3/4" x 9-3/4"			click for Drawing		
IPPCSQ1010S-TBTC	Whole	O/d 9-3/4" x 9-3/4" I/d 8-11/16" x 8-11/16"		788.30	472.98
IPPCSQ1010S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		821.82	493.09
11-3/4" x 11-3/4"			click for Drawing		
IPPCSQ1012S-TBTC	Whole	O/d 11-3/4" x 11-3/4" I/d 10-3/4" x 10-3/4"		996.70	598.02
IPPCSQ1012S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1087.96	652.78
13-7/8" x 13-7/8"			click for Drawing		
IPPCSQ1014S-TBTC	Whole	O/d 13-7/8" x 13-7/8" I/d 13-1/8" x 13-1/8"		1562.96	937.78
IPPCSQ1014S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1656.63	993.98

12 Feet (3.657 meters)

11-3/4" x 11-3/4"			click for Drawing		
IPPCSQ1212S-TBTC	Whole	O/d 11-3/4" x 11-3/4" I/d 10-3/4" x 10-3/4"		1134.62	680.77
IPPCSQ1212S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1247.41	748.45
13-7/8" x 13-7/8"			click for Drawing		
IPPCSQ1214S-TBTC	Whole	O/d 13-7/8" x 13-7/8" I/d 13-1/8" x 13-1/8"		1737.18	1042.31
IPPCSQ1214S-TBTC-SPLIT	Split for Wrap	Split Shaft, Cap & Base		1804.42	1082.65



PolyComp Square Raised Panel Columns with Caps & Bases



List

Each

8 Feet

Top 7-1/2", Bottom 8"			click for Drawing		
IPPCSQ0808R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4" (17cm)		702.89	421.73
Top 11-1/4", Bottom 11-3/4"			click for Drawing		
IPPCSQ0810R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8" (21.9 x 21.9cm)		522.67	313.60

9 Feet

Top 7-1/2", Bottom 8"		Load 12,000 lbs	click for Drawing		
IPPCSQ0908R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4"		757.99	454.79
Top 9-3/8", Bottom 9-7/8"		Load 12,000 lbs	click for Drawing		
IPPCSQ0910R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8"		964.11	578.47
Top 11-1/4", Bottom 11-3/4"		Load 14,000 lbs	click for Drawing		
IPPCSQ0912R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2"		1217.13	730.28

10 Feet

Top 7-1/2", Bottom 8"		Load 12,000 lbs	click for Drawing		
IPPCSQ1008R-TBTC	Whole	Inside Top 6-3/4" x 6-3/4"		811.97	487.18
Top 9-3/8", Bottom 9-7/8"		Load 12,000 lbs	click for Drawing		
IPPCSQ1010R-TBTC	Whole	Inside Top 8-5/8" x 8-5/8"		1061.05	636.63
Top 11-1/4", Bottom 11-3/4"		Load 14,000 lbs	click for Drawing		
IPPCSQ1012R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2"		1338.66	803.20

12 Feet

Top 11-1/4", Bottom 11-3/4"		Load 14,000 lbs	click for Drawing		
IPPCSQ1212R-TBTC	Whole	Inside Top 10-1/2" x 10-1/2"		1536.12	921.67

PolyComp Bungalow Smooth Columns

5 Feet (1.52 meters) Load 8,000lbs

Top 5-1/4" Bottom 8-9/16"			coming soon		
IPPCB508S	Whole			456.05	273.63
Top 8-7/16", Bottom 11"			coming soon		
IPPCB511S	Whole			581.80	349.08
Top 8-9/16", Bottom 16-3/16"			coming soon		
IPPCB516S	Whole			735.46	441.28
Top 12-3/4" Bottom 16"			coming soon		
IPPCB517S	Whole			734.41	440.64



6 Feet (1.82 meters) Load 8,000lbs

Top 5-1/4" Bottom 8-9/16"			coming soon		
IPPCB609S	Whole			477.26	286.35
Top 8-1/2", Bottom 12"			coming soon		
IPPCB612S	Whole			617.47	370.48



8 Feet (2.43 meters) Load 8,000lbs

Top 9", Bottom 12"			coming soon		
IPPCB812S	Whole			676.16	405.70



PolyComp Bungalow Raised Panel Columns

5 Feet Load 8,000lbs

				List	Each
Top 5-1/4" Bottom 8-9/16"				coming soon	
IPPCB508P	Whole			506.74	304.04
Top 8-7/16", Bottom 11"				coming soon	
IPPCB511P	Whole			573.69	344.21
Top 8-9/16", Bottom 16-3/16"				coming soon	
IPPCB516P	Whole			925.88	555.53



6 Feet Load 8,000lbs

				List	Each
Top 5-1/4" Bottom 8-9/16"				coming soon	
IPPCB609P	Whole			530.29	318.17
Top 8-1/2", Bottom 12"				coming soon	
IPPCB612S	Whole			617.47	370.48



8 Feet Load 8,000lbs

				List	Each
Top 9", Bottom 12"				coming soon	
IPPCB812P	Whole			755.24	453.14

CALL FOR TRIM KIT







Imperial Productions®

Martin Richards Design™
COLLECTION

*Specialists in Standard Architectural Products
& Custom Historic Restoration Elements*



Product Tear Sheets:

@ www.architectural-source.com

For Pricing Information:

email: sales@imperialproductions.com

1-800-399-7585 New York , Toronto



Imperial Productions & Distribution Inc.

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved