



Tuscan Smooth Fiberglass-FRP

Tapered




<= (D)
Top Shaft

<= (H)
Taper Ends

<= (i)
End Shaft

Non-Tapered



Total Height of all Parts: _____

D) Top of Shaft Diameter: _____

(i) Bottom of Shaft Diameter: _____

Taper: The entasis creates a visual distortion for perspective. The taper starts at the top of the shaft under the astragal 2/3rds down the shaft (H) bottom 1/3 straight

Load Bearing

Capacity increases with diameter

Check with your structural

engineer for requirements and local codes

Tuscan Capital - 1 Part

- (A) Square Abacus =>
- (A1) Bevel =>
- (B) Round Ovolo =>
- (D) Neck (D) =>
- (E) Astragal =>



A = Square Cap Width _____ Depth _____

Height _____ A1) Bevel Yes / No

B = Round Ovolo Diameter _____ Height _____

D = Top Shaft (Neck) Diameter _____

E = Astragal yes / no
(same as bottom of shaft)


Hole size is slightly larger than
Top of Shaft



Tuscan Base 1 Part Hollow

Fit around Shaft like a collar
not load bearing

- (i) Bottom Shaft =>
- (J) Round Torus =>
- (K) Square Plinth =>



i = Bottom of Shaft Diameter _____

J = Base Round Torus Height _____ Diameter _____

K = Square Plinth

Height _____ Width _____ Depth _____

Hole size is slightly larger than bottom of shaft

General Details

Whole: Qty _____ Split for Pilaster/Engaged Qty: _____

Wrap: 4x4 6x6 i-Beam other: _____ Qty: _____



Engaged



Outside
Corner



Wall
Wrap



Inside
Corner



Imperial Productions & Distribution Inc.

1-800-399-7585 Email: sales@imperialproductions.com

copyright 2019 MartinRichardsDesign&Contracting Inc. All Rights Reserved



For a quote email to sales@imperialproductions.com



COMPANY _____

CONTACT: _____

ADDRESS _____

PHONE _____

EMAIL _____

