



Imperial Productions®




Roman Corinthian Columns

Load Bearing and Decorative



Roman Corinthian is a classical style
Denoted by Acanthus Leaves. They are
thought to be derived by the proportions of
a person carrying a basket of acanthus leaves
Shafts can be smooth or Fluted
The appropriate base is the Attic Style



SPLIT OPTIONS

ImperialProductions®



IPPC1210S-ABRC	Load Bearing 12FT 6"		
FRP-PolyComp™	List	Each	50 +
Whole	1732.76	1299.57	1039.66
Split for Post Wrap	1921.12	1440.84	1152.67
Whole Painted White	2344.94	1758.71	1406.97
Split Painted White	2533.27	1899.96	1519.96
Split Wraps 4x4PT, Round Steel Post 4 to 5-1/2"			

ITEM 12-1

Brochure/Order Form

Custom RomanCorinthian



IPPC1210S-ABRC



Total Height
150" (381cm)

Load Bearing to
14,000 lbs (6.35 mtons)

Top of Shaft
O/D 8" (20.3cm)
I/D 7-1/4" (18.4 cm)

Bottom of Shaft
O/D 9-5/8" (24.4 cm)

Attic Base - Hollow
Height 5-5/8" (14.28cm)



IPPC1212S-ABRC	Load Bearing 12FT 7"		
FRP-PolyComp™	List	Each	6 +
Whole	2270.10	1702.57	1362.06
Split for Post Wrap	2462.09	1846.57	1477.25
Whole Painted White	3013.81	2260.36	1808.29
Split Painted White	3205.77	2404.33	1923.46
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 12-2

Brochure/Order Form

Custom RomanCorinthian



IPPC1212S-ABRC



Total Height
151" (383cm)

Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-5/8" (24.4cm)
I/D 8-7/8" (22.5cm)

Bottom of Shaft
O/D 11-5/8" (29.5cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



IPPC1214S-ABRC	Load Bearing 12FT 9"		
FRP-PolyComp™	List	Each	6 +
Whole	3608.40	2706.30	2165.04
Split for Post Wrap	3804.74	2853.56	2282.85
Whole Painted White	4446.53	3334.90	2667.92
Split Painted White	4642.90	3482.17	2785.74
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 12-3

Brochure/Order Form

Custom RomanCorinthian



IPPC1214S-ABRC



Total Height
153-3/8" (389cm)

Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



IPPC1216S-ABRC	Load Bearing 12FT 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	4233.52	3175.14	2540.11
Split for Post Wrap	5538.10	4153.58	3322.86
Whole Painted White	6063.97	4547.98	3638.38
Split Painted White	6510.56	4882.92	3906.34
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 12-4

Brochure/Order Form

Custom RomanCorinthian



IPPC1216S-ABRC



Total Height
152-1/4" (386cm)

Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)





IPPC1218S-ABRC	Load Bearing 12FT 8"		
FRP-PolyComp™	List	Each	6 +
Whole	7725.78	5794.33	4635.47
Split for Post Wrap	8270.75	6203.06	4962.45
Whole Painted White	8835.00	6626.25	5301.00
Split Painted White	9379.97	7034.98	5627.98
Split Wraps 6x6PT, Steel Post Sq 6x6"			

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1218S-ABRC
152"
387cm
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 15-3/8" (39cm)
I/D 14-3/8" (36.5cm)

Bottom of Shaft
O/D 17-1/4" (43.8cm)

Attic Base - Hollow
Height 10-1/4" (26cm)



IPPC1412S-ABRC	Load Bearing 14FT 7"		
FRP-PolyComp™	List	Each	6 +
Whole	2842.58	2131.94	1705.55
Split for Post Wrap	3067.89	2300.92	1840.74
Whole Painted White	3710.22	2782.67	2226.13
Split Painted White	3935.53	2951.65	2361.32
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1412S-ABRC
175" (444.5cm)
Load Bearing to
18,000 lbs (8.16 mtons)

Top of Shaft
O/D 9-5/8" (24.4cm)
I/D 8-7/8" (22.5cm)

Bottom of Shaft
O/D 11-5/8" (29.5cm)

Attic Base - Hollow
Height 6-3/8" (16.1cm)



IPPC1414S-ABRC	Load Bearing 14FT 9-3/8"		
FRP-PolyComp™	List	Each	6 +
Whole	4117.40	3088.05	2470.44
Split for Post Wrap	4349.80	3262.35	2609.88
Whole Painted White	5065.29	3798.97	3039.17
Split Painted White	5296.01	3972.00	3177.60
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1414S-ABRC
177-3/8" (450cm)
Load Bearing to
20,000 lbs (9.07 mtons)

Top of Shaft
O/D 12" (30.48cm)
I/D 11-1/4" (28.57cm)

Bottom of Shaft
O/D 13-7/8" (35.24cm)

Attic Base - Hollow
Height 8-3/8" (21.27cm)



IPPC1416S-ABRC	Load Bearing 14 Feet 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	4919.29	3689.46	2951.57
Split for Post Wrap	6678.61	5008.96	4007.17
Whole Painted White	6875.07	5156.30	4125.04
Split Painted White	7776.40	5832.30	4665.84
Split Wraps 6x6PT, Steel Post Sq 6x6"			

Brochure/Order Form

Custom RomanCorinthian





Total Height IPPC1416S-ABRC
176-1/4" (447cm)
Load Bearing to
20,000lbs (9.017mtons)

Top of Shaft
O/D 13-3/4" (34.9cm)
I/D 12-3/4" (32.38cm)

Bottom of Shaft
O/D 15-3/4" (40cm)

Attic Base - Hollow
Height 8-3/4" (22.2cm)







IPPC1418S-ABRC	Load Bearing 14FT 8-3/4"		
FRP-PolyComp™	List	Each	6 +
Whole	7882.30	5911.73	4729.38
Split for Post Wrap	8459.54	6344.65	5075.72
Whole Painted White	9274.92	6956.19	5564.95
Split Painted White	8971.85	6728.89	5383.11
Split Wraps 6x6PT, Steel Post Sq 6x6"			

Brochure/Order Form




Custom RomanCorinthian



IPPC1612S-ABRC	Load Bearing 16FT 7"		
FRP-PolyComp™	List	Each	6 +
Whole	3400.34	2131.94	1705.55
Split for Post Wrap	3067.89	2300.92	1840.74
Whole Painted White	3710.22	2782.67	2226.13
Split Painted White	3935.53	2951.65	2361.32
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

Brochure/Order Form



Custom RomanCorinthian



IPPC1614S-ABRC		Load Bearing 16 FT 9-3/8"		
FRP-PolyComp™	List	Each	6 +	
Whole	4626.05	3469.54	2775.63	
Split for Post Wrap	4893.00	3669.75	2935.80	
Whole Painted White	5683.74	4262.80	3410.24	
Split Painted White	5950.72	4463.04	3570.43	
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"				

Brochure/Order Form




Custom RomanCorinthian



IPPC1616S-ABRC	Load Bearing 16 Feet 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	5489.71	4117.28	3293.83
Split for Post Wrap	6862.86	5147.14	4117.71
Whole Painted White	7570.82	5678.12	4542.49
Split Painted White	8085.96	6064.47	4851.58
Split Wraps 6x6PT, Steel Post Sq 6x6"			

Brochure/Order Form

Custom RomanCorinthian







IPPC1618S-ABRC	Load Bearing 16FT 8-3/4"		
FRP-PolyComp™	List	Each	6 +
Whole	8094.37	6070.78	4856.62
Split for Post Wrap	8707.90	6530.92	5224.74
Whole Painted White	9485.30	7113.98	5691.18
Split Painted White	10098.86	7574.15	6059.32
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 16-4

Brochure/Order Form

Custom RomanCorinthian





IPPC1814S-ABRC	Load Bearing 18FT-9"		
FRP-PolyComp™	List	Each	6 +
Whole	4953.26	3714.95	2971.96
Split for Post Wrap	5260.40	3945.30	3156.24
Whole Painted White	6120.69	4590.51	3672.41
Split Painted White	6427.88	4820.91	3856.73
Split Wraps 4x4PT, Round Steel Post 4 to 6-1/2"			

ITEM 18-1

Brochure/Order Form

Custom RomanCorinthian





IPPC1816S-ABRC	Load Bearing 18 Feet 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	6000.48	4500.36	3600.29
Split for Post Wrap	7413.84	5560.38	4448.30
Whole Painted White	5346.91	4010.18	3208.15
Split Painted White	8762.27	6571.70	5257.36
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 18-2

Brochure/Order Form

Custom RomanCorinthian





IPPC1818S-ABRC	Load Bearing 18FT 8-1/4"		
FRP-PolyComp™	List	Each	6 +
Whole	8524.83	6393.62	5114.90
Split for Post Wrap	9178.60	6883.95	5507.16
Whole Painted White	10056.65	7542.48	6033.99
Split Painted White	10710.44	8032.83	6426.27
Split Wraps 6x6PT, Steel Post Sq 6x6"			

ITEM 18-3

Brochure/Order Form

Custom RomanCorinthian



24 HARDWOODS (Hollow with Load Options)

Hardwoods are a Green Choice

Exterior Woods: Pine, Western Red Cedar, White Oak

Interior Woods:

Poplar, Bass, Red Oak, Maple, SapMaple, Ash
Cherry, African Mahogany, Walnut, Yellow Birch

Benefits

Total Customization to the Micro Inch
Solid Capitals and Bases



[Watch Youtube Video](#)

PolyComp & FiberComp™ (Load Bearing)

FiberComp™ is made from 75% calcium carbonate
25% Fiberglass Resins
Capitals & Bases EconPolymer™ - not primed
All Whole Columns are Load Bearing
Always consult with your structural engineer for application

Benefits

Insect, Rot and Water Resistant
Minimal Thermal Transfer to avoid spider cracks
Optional Split for Post Wrap, Cut to Height or Corner Cuts



[Watch Youtube Video](#)

ArchPolymer™ a Decorative Faux Wood

ArchPolymer™ is high density Polyurethane
Lite weight - easy to cut and install for post wrap
Perfect for Theatres, Store Fixtures, Gardens
Not Load Bearing

Benefits

Insect, Rot and Water Resistant
Minimal Thermal Transfer to avoid spider cracks




[Watch Youtube Video](#)

StoneMold™ & Zeament™ Décor Post Wrap

Architectural Artificial Stone Composite Interior Use only
made from Alpha Gypsum Cement with pigment
Not Load Bearing
Columns split with a reveal at the seam
SM: 12 Finishes ZM: 11 Finishes



[Watch Youtube Video](#)



Post Wrap Chart

4 x 4 Square Wood Dressed

Dressed to 3-1/2" x 3-1/2" (8.8 x 8.8cm)

A) Inside Minimum Top of Shaft 5" (12.7cm)

6 x 6 Square Wood Dressed

Dressed 5-1/2" x 5-1/2" (13.9 x 13.9cm)

A) Minimum Inside Top of Shaft

7-3/4" (19.68cm)

4 x 4 Square Steel Post

A) Inside Minimum Top of Shaft

5-3/4" (14.6cm)

6 x 6 Square Steel Post

A) Inside Minimum Inside Top of Shaft

8-5/8" (21.9cm)

8 x 8 Square Wood Dressed

Dressed 7-1/2" x 7-1/2" (19 x 19cm)


A) Inside Minimum 11-1/2" (29.21cm)



Do not measure too tight as you need to take into account manufacturing tolerances that can be up to 1/4" (.63cm) minimum Dressed sizes as per AWC Properties of Structural Lumber S4S (www.AWC.org)

We Sell Steel Posts Galvanized or Primed

Specify Heights, Round or Square Top & Bottom Plates



Post Wrap:

- * Pressure Treated Wood Posts 4x4, 6x6
- * I-Beams
- * Round Metal
- * Square Metal

Design Tip:

Consider a post wrap. This gets the framing inspection complete then follow up with the decorative finished column cover once the inspector signs off.



Imperial Productions®

Imperial Productions & Distribution Inc

email sales@imperialproductions.com

1-800-399-7585

Toronto / New York

copyright 2016 MRDCI All Rights Reserved

FG-TUS-NTAP

JUL-2021



Imperial Productions® Request for Quote

Download, Fill-in & Email to sales@imperialproductions.com

Name / Company: _____

Phone _____ Email _____

Billing Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Ship to Address: _____

City: _____ Prov / State _____

PC / Zip Code _____

Product Code: _____

Quantity: _____

Notes: _____



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc Toronto / New York

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved