


## Aluminum Round Tuscan FLUTED Columns with Capitals & Bases




Dec 18



Standard Colors

- <= Beige
- <= Gloss White
- <= Taupe



Upcharge Colors add 5%

- <= Linen
- <= Slate
- <= Black Matt
- <= Brown Matt

Load Note: All Loads are to be centered

### 8 Feet (2.438 meters)

Diameter 6" Non Tapered	Loads up to 21,000 lbs (9.52mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0806F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		219.53
Load Bearing Plate				29.25
IPAL0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		238.12
IPAL0806F-TCTB-PIL	Split for 1/2 Column			331.24
Diameter 8" Non Tapered	Loads up to 21,000 lbs (9.52mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0808F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		295.07
Load Bearing Plate				29.25
IPAL0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		313.66
IPAL0808F-TCTB-PIL	Split for 1/2 Column			406.95
Diameter 10" Non Tapered	Loads up to 26,000 lbs (11.79mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0810F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		405.09
Load Bearing Plate				29.25
IPAL0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		461.03
IPAL0810F-TCTB-PIL	Split for 1/2 Column			516.80
Diameter 12" Non Tapered	Loads up to 26,000 lbs (11.79mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0812F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		682.93
Load Bearing Plate				29.25
IPAL0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		738.87
IPAL0812F-TCTB-PIL	Split for 1/2 Column			397.32

### 9 Feet (2.743 meters)

Diameter 6" Non Tapered	Loads up to 21,000 lbs (9.52mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0906F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		247.42
Load Bearing Plate				29.25
IPAL0906F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		266.01
IPAL0906F-TCTB-PIL	Split for 1/2 Column			358.96
Diameter 8" Non Tapered	Loads up to 21,000 lbs (9.52mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0908F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		328.54
Load Bearing Plate				29.25
IPAL0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		347.13
IPAL0908F-TCTB-PIL	Split for 1/2 Column			440.41
Diameter 10" Non Tapered	Loads up to 26,000 lbs (11.79mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0910F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		440.08
Load Bearing Plate				29.25
IPAL0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		496.02
IPAL0910F-TCTB-PIL	Split for 1/2 Column			551.95
Diameter 12" Non Tapered	Loads up to 30,000 lbs (9.52mtons)		<a href="#">click for Drawing</a>	LIST
IPAL0912F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		745.80
Load Bearing Plate				29.25
IPAL0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		801.74
IPAL0912F-TCTB-PIL	Split for 1/2 Column			857.51

**Aluminum Round Tuscan FLUTED Columns with Capitals & Bases**



NOV-18

**10 Feet (3.048 meters)**

Diameter 6" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1006F-TCTB	Whole	Top & Bottom Diameter 6" (15.24cm), Inside 4-1/2" (11.4cm)		450.22
Load Bearing Plate				29.25
IPAL1006F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		467.12
IPAL1006F-TCTB-PIL	Split for 1/2 Column			551.62
Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1008F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		352.87
Load Bearing Plate				29.25
IPAL1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		371.46
IPAL1008F-TCTB-PIL	Split for 1/2 Column			464.75
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1010F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		483.68
Load Bearing Plate				29.25
IPAL1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		539.62
IPAL1010F-TCTB-PIL	Split for 1/2 Column			595.56
Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1012F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		814.24
Load Bearing Plate				29.25
IPAL1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		870.18
IPAL1012F-TCTB-PIL	Split for 1/2 Column			926.12

**12 Feet (3.657 meters)**

Diameter 8" Non Tapered		Loads up to 21,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1208F-TCTB	Whole	Top & Bottom Diameter 8" (20.32cm), Inside 6-1/2" (16.5cm)		419.80
Load Bearing Plate				29.25
IPAL1208F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		438.39
IPAL1208F-TCTB-PIL	Split for 1/2 Column			531.67
Diameter 10" Non Tapered		Loads up to 26,000 lbs (11.79mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1210F-TCTB	Whole	Top & Bottom Diameter 10" (25.4cm), Inside 8-1/2" (21.5cm)		562.26
Load Bearing Plate				29.25
IPAL1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		618.20
IPAL1210F-TCTB-PIL	Split for 1/2 Column			673.97
Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1212F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		944.03
Load Bearing Plate				29.25
IPAL1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		999.97
IPAL1212F-TCTB-PIL	Split for 1/2 Column			1055.91
Diameter 15" Non Tapered		Loads up to 33,000 lbs (14.96mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1215F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1358.76
Load Bearing Plate				29.25
IPAL1215F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1470.64
IPAL1215F-TCTB-PIL	Split for 1/2 Column			1603.47

**16 Feet (4.876 meters)**

Diameter 12" Non Tapered		Loads up to 30,000 lbs (9.52mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1612F-TCTB	Whole	Top & Bottom Diameter 12" (20.3cm), Inside 10-1/2" (26.6cm)		1210.21
Load Bearing Plate				29.25
IPAL1612F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1266.15
IPAL1612F-TCTB-PIL	Split for 1/2 Column			1321.92
Diameter 15" Non Tapered		Loads up to 33,000 lbs (14.96mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1615F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1667.19
Load Bearing Plate				29.25
IPAL1615F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1779.06
IPAL1615F-TCTB-PIL	Split for 1/2 Column			1906.66
Diameter 18" Non Tapered		Loads up to 38,000 lbs (17.23mtons)	<a href="#">click for Drawing</a>	LIST
IPAL1618F-TCTB	Whole	Top & Bottom Diameter 18" (45.72cm), Inside 16-1/2" (41.9cm)		2548.35
Load Bearing Plate				29.25
IPAL1618F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2660.23
IPAL1618F-TCTB-PIL	Split for 1/2 Column			2883.82

**Aluminum Round Tuscan FLUTED Columns with Capitals & Bases**



NOV-18

**18 Feet (5.486 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST
IPAL1815F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		1852.58
Load Bearing Plate				29.25
IPAL1815F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1964.46
IPAL1815F-TCTB-PIL	Split for 1/2 Column			2314.29
Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL1818F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		2747.43
Load Bearing Plate				29.25
IPAL1818F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2859.14
IPAL1818F-TCTB-PIL	Split for 1/2 Column			3368.51
Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL1824F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		5143.01
Load Bearing Plate				29.25
IPAL1824F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5366.60
IPAL1824F-TCTB-PIL	Split for 1/2 Column			5590.18

**20 Feet (6.096 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2015F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		2073.63
Load Bearing Plate				29.25
IPAL2015F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2185.34
IPAL2015F-TCTB-PIL	Split for 1/2 Column			2553.93
Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2018F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		3145.43
Load Bearing Plate				29.25
IPAL2018F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3257.14
IPAL2018F-TCTB-PIL	Split for 1/2 Column			3806.56
Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2024F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		5266.04
Load Bearing Plate				29.25
IPAL2024F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5489.63
IPAL2024F-TCTB-PIL	Split for 1/2 Column			5713.21

**24 Feet (7.315 meters)**

Diameter 15" Non Tapered	Loads up to 33,000 lbs (14.96mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2415F-TCTB	Whole	Top & Bottom Diameter 15" (38.1cm), Inside 13-1/2" (34.2cm)		2335.24
Load Bearing Plate				29.25
IPAL2415F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2446.95
IPAL2415F-TCTB-PIL	Split for 1/2 Column			2843.26
Diameter 18" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2418F-TCTB	Whole	Top & Bottom Diameter 18" (45.7cm), Inside 16-1/2" (41.9cm)		3503.71
Load Bearing Plate				29.25
IPAL2418F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3615.42
IPAL2418F-TCTB-PIL	Split for 1/2 Column			4200.66
Diameter 24" Non Tapered	Loads up to 38,000 lbs (17.23mtons)		<a href="#">click for Drawing</a>	LIST
IPAL2424F-TCTB	Whole	Top & Bottom Diameter 24" (60.96cm), Inside 22-1/2" (57.1cm)		5782.84
Load Bearing Plate				29.25
IPAL2424F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6006.43
IPAL2424F-TCTB-PIL	Split for 1/2 Column			6230.02

## Aluminum Square Tuscan Smooth Columns with Capitals & Bases



NOV-18



Standard Colors



<= Beige




<= Gloss White



<= Taupe



Upcharge Colors add 5%



<= Linen



<= Slate



<= Black Matt



<= Brown Matt

### 8 Feet (2.438 meters)

5-1/2" x 5-1/2" (13.9cm)	Loads up to 10,000lbs (4.5 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0806S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		388.70
Load Bearing Plate				31.10
IPTSQ0806S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		405.60
IPTSQ0806S-AL-PIL	Split for 1/2 Column			245.05
7-1/2" x 7-1/2" (19cm)	Loads up to 20,000lbs (9.07 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0808S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		526.27
Load Bearing Plate				40.73
IPTSQ0808S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		543.17
IPTSQ0808S-AL-PIL	Split for 1/2 Column			313.83
9" x 9" (18.4cm)	Loads up to 15,000lbs (6.8 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0809S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		625.64
Load Bearing Plate				43.94
IPTSQ0809S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		642.54
IPTSQ0809S-AL-PIL	Split for 1/2 Column			363.52

### 9 Feet (2.743 meters)

5-1/2" x 5-1/2" (13.9cm)	Loads up to 10,000lbs (4.5 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0906S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		419.46
Load Bearing Plate				31.10
IPTSQ0806S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		436.36
IPTSQ0806S-AL-PIL	Split for 1/2 Column			260.43
7-1/2" x 7-1/2" (19cm)	Loads up to 20,000lbs (9.07 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0908S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		569.19
Load Bearing Plate				40.73
IPTSQ0908S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		586.09
IPTSQ0908S-AL-PIL	Split for 1/2 Column			335.30
9" x 9" (18.4cm)	Loads up to 15,000lbs (6.8 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ0909S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		678.37
Load Bearing Plate				43.94
IPTSQ0909S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		695.27
IPTSQ0909S-AL-PIL	Split for 1/2 Column			389.88

### 10 Feet (3.657 meters)


5-1/2" x 5-1/2" (13.9cm)	Loads up to 10,000lbs (4.5 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ1006S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		450.22
Load Bearing Plate				31.10
IPTSQ1006S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		467.12
IPTSQ1006S-AL-PIL	Split for 1/2 Column	Each Half		275.81
7-1/2" x 7-1/2" (19cm)	Loads up to 20,000lbs (9.07 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ1008S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		611.95
Load Bearing Plate				40.73
IPTSQ1008S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		628.85
IPTSQ1008S-AL-PIL	Split for 1/2 Column	Each Half		356.76
9" x 9" (18.4cm)	Loads up to 15,000lbs (6.8 metric tons)		<a href="#">click for Drawing</a>	LIST
IPTSQ1009S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		730.93
Load Bearing Plate				43.94
IPTSQ1009S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		747.83
IPTSQ1009S-AL-PIL	Split for 1/2 Column	Each Half		416.25



### 12 Feet (3.657 meters)


5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1206S-AL	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		528.97
Load Bearing Plate				31.10
IPTSQ1206S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		545.87
IPTSQ1206S-AL-PIL	Split for 1/2 Column			315.19
7-1/2" x 7-1/2" (19cm)		Loads up to 20,000lbs (9.07 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1208S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		692.90
Load Bearing Plate				40.73
IPTSQ1208S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		709.80
IPTSQ1208S-AL-PIL	Split for 1/2 Column			397.15
9" x 9" (18.4cm)		Loads up to 15,000lbs (6.8 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1209S-AL	Whole	Top & Bottom 9" x 9" (18.4cm)		834.18
Load Bearing Plate				43.94
IPTSQ1209S-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		860.55
IPTSQ1209S-AL-PIL	Split for 1/2 Column			481.48

### Aluminum Square Tuscan Fluted Columns with Capitals & Bases Canada \$ NOV-18



Standard Colors

- <= Beige
- <= Gloss White
- <= Taupe



Upcharge Colors add 5%

- <= Linen
- <= Black Matt
- <= Slate
- <= Brown Matt

### 8 Feet (2.438 meters)

3" x 3" (7.62 x 7.62c)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0803F-AL	Whole	Top & Bottom Cap / Base call		102.41
Load Bearing Plate				31.10
4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0804F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		200.10
Load Bearing Plate				40.73
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0806F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		272.60
Load Bearing Plate				43.94
IPTSQ0806F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		291.19
IPTSQ0806F-AL-PIL	Split for 1/2 Column			192.15
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0808F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		384.64
Load Bearing Plate				43.94
IPTSQ0808F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		403.23
IPTSQ0808F-AL-PIL	Split for 1/2 Column			248.26
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0810F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		605.70
Load Bearing Plate				43.94
IPTSQ0810F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		661.64
IPTSQ0810F-AL-PIL	Split for 1/2 Column			358.79
11-15/16" x 11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ0812F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		950.63
Load Bearing Plate				43.94
IPTSQ0812F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1006.56
IPTSQ0812F-AL-PIL	Split for 1/2 Column			531.17



### 9 Feet (2.73 meters)

3" x 3" (7.62 x 7.62cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0903F-AL	Whole	Top & Bottom Cap / Base call		126.75
Load Bearing Plate				31.10
4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0904F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		222.24
Load Bearing Plate				43.94
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0906F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		317.21
Load Bearing Plate				43.94
IPTSQ0906F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		337.49
IPTSQ0906F-AL-PIL	Split for 1/2 Column			214.46
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0908F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		433.15
Load Bearing Plate				43.94
IPTSQ0908F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		451.74
IPTSQ0908F-AL-PIL	Split for 1/2 Column			272.43
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0910F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		721.29
Load Bearing Plate				43.94
IPTSQ0910F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		777.06
IPTSQ0910F-AL-PIL	Split for 1/2 Column			416.59
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ0912F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1046.45
Load Bearing Plate				43.94
IPTSQ0912F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1102.39
IPTSQ0912F-AL-PIL	Split for 1/2 Column			579.16

### 10 Feet (3.048 meters)

4" x 4" (10 x 10cm)		Center Load up to 8,000lbs (3.62 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ1004F-AL	Whole	Top & Bottom Cap/Base 5-5/8" x 5-5/8" (14.28 x 14.28cm)		243.87
Load Bearing Plate				43.94
5-1/2" x 5-1/2" (13.9cm)		Loads up to 10,000lbs (4.5 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ1006F-AL	Whole	Top & Bottom Cap/Base 8-1/2" x 8-1/2" (21.5 x 21.5cm)		344.25
Load Bearing Plate				43.94
IPTSQ1006F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		362.84
IPTSQ1006F-AL-PIL	Split for 1/2 Column			227.98
7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ1008F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		480.64
Load Bearing Plate				43.94
IPTSQ1008F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		499.23
IPTSQ1008F-AL-PIL	Split for 1/2 Column			296.26
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ1010F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		754.59
Load Bearing Plate				43.94
IPTSQ1010F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		810.36
IPTSQ1010F-AL-PIL	Split for 1/2 Column			433.15
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	<b>LIST</b>
IPTSQ1012F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1141.76
Load Bearing Plate				43.94
IPTSQ1012F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1197.70
IPTSQ1012F-AL-PIL	Split for 1/2 Column			626.82



### 12 Feet (3.657 meters)

7-1/2" x 7-1/2" (19cm)		Loads up to 24,000lbs (10.8 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1208F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		605.70
Load Bearing Plate				43.94
IPTSQ1208F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		661.64
IPTSQ1208F-AL-PIL	Split for 1/2 Column			358.79
10" x 10" (25.4 x 25.4cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1210F-AL	Whole	Top & Bottom Cap/Base 10-1/2" x 10-1/2" (26.6 x 26.6cm)		877.11
Load Bearing Plate				43.94
IPTSQ1210F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		933.05
IPTSQ1210F-AL-PIL	Split for 1/2 Column			443.79
11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1212F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1355.21
Load Bearing Plate				43.94
IPTSQ1212F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1411.15
IPTSQ1212F-AL-PIL	Split for 1/2 Column			733.46

### 16 Feet (4.876 meters)

11-15/16"x11-15/16" (30.3cm)		Loads up to 26,000lbs (11.79 metric tons)	<a href="#">click for Drawing</a>	LIST
IPTSQ1612F-AL	Whole	Top & Bottom Cap/Base 15-1/8" x 15-1/8" (38.4 x 38.4cm)		1767.91
Load Bearing Plate				43.94
IPTSQ1612F-AL-WRAP	Split for Wrap	Split Shaft, Cap & Base		1823.85
IPTSQ1612F-AL-PIL	Split for 1/2 Column			939.81