

Canada \$ Dec 18

Martin Richards Design™
COLLECTION

Imperial Round Columns Fluted Fiberglass (FRP-Comp™)



Columns
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application

Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585 416-264-6096

1220 Ellesmere Rd #10 Toronto M1P 2X5 email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



DEC-18

5 Feet (1.524 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		455.79
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		600.46
	Split Kit	Reassembly Kit		124.55
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		600.46
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		551.11
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		695.77
	Split Kit	Reassembly Kit		124.55
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		695.77
	Cut Shaft to Height	Specify Total Height		50.70

6 Feet (1.828 meters)

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		484.19
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		628.85
	Split Kit	Reassembly Kit		124.55
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		628.85
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		599.78
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		744.45
	Split Kit	Reassembly Kit		124.55
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		744.45
	Cut Shaft to Height	Specify Total Height		50.70

8 Feet (2.438 meters)

Diameter 5-11/16" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" (14.6cm) Top Shaft 4" (10cm)		484.02
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		628.68
	Split Kit	Reassembly Kit		124.55
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		628.68
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		516.46
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		661.13
	Split Kit	Reassembly Kit		124.55
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		661.13
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		619.39
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		764.05
	Split Kit	Reassembly Kit		124.55
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		764.05
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		774.43
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		919.09
	Split Kit	Reassembly Kit		124.55
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		919.09
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		774.43
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		919.09
	Split Kit	Reassembly Kit		124.55
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		919.09
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		800.55
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		945.22
	Split Kit	Reassembly Kit		124.55
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		945.22
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



DEC-18

8 Feet (2.438 meters) ... continued

Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0812FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		957.25
IPTUS0812FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1101.91
	Split Kit	Reassembly Kit		124.55
IPTUS0812FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1101.91
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0814F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1768.42
IPTUS0814F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1913.08
	Split Kit	Reassembly Kit		124.55
IPTUS0814F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1913.08
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered		Loads to 20,000 lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0816F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2122.47
IPTUS0816F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2357.04
	Split Kit	Reassembly Kit		124.55
IPTUS0816F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2357.04
	Cut Shaft to Height	Specify Total Height		50.70

9 Feet (2.743 meters)

Diameter 7-5/8" Tapered		Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST
IPTUS0908F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		549.08
IPTUS0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		693.75
	Split Kit	Reassembly Kit		124.55
IPTUS0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		693.75
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUS0908FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		659.13
IPTUS0908FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		803.80
	Split Kit	Reassembly Kit		124.55
IPTUS0908FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		803.80
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0910F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		853.92
IPTUS0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		998.59
	Split Kit	Reassembly Kit		124.55
IPTUS0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		998.59
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0910FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		853.92
IPTUS0910FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		998.59
	Split Kit	Reassembly Kit		124.55
IPTUS0910FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		998.59
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered		Loads to 18,000 lbs (metric tons)	click for Drawing	LIST
IPTUS0912F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		861.06
IPTUS0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.72
	Split Kit	Reassembly Kit		124.55
IPTUS0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.72
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0912FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1052.60
IPTUS0912FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1197.26
	Split Kit	Reassembly Kit		124.55
IPTUS0912FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1197.26
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0914F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1854.78
IPTUS0914F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1999.44
	Split Kit	Reassembly Kit		124.55
IPTUS0914F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1999.44
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



DEC-18

9 Feet (2.743 meters) Continued...

Diameter 15-1/2" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2341.50
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2576.07
	Split Kit	Reassembly Kit		124.55
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2576.07
	Cut Shaft to Height	Specify Total Height		50.70

10 Feet (3.048 meters)

Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)		click for Drawing	LIST
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		600.29
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		744.95
	Split Kit	Reassembly Kit		124.55
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		744.95
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		717.34
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		862.00
	Split Kit	Reassembly Kit		124.55
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		862.00
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		933.42
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1078.08
	Split Kit	Reassembly Kit		124.55
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1078.08
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		933.42
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1078.08
	Split Kit	Reassembly Kit		124.55
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1078.08
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		930.85
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1075.52
	Split Kit	Reassembly Kit		124.55
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1075.52
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1364.68
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1509.34
	Split Kit	Reassembly Kit		124.55
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1509.34
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1941.98
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2086.64
	Split Kit	Reassembly Kit		124.55
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2086.64
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		2560.35
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2794.92
	Split Kit	Reassembly Kit		124.55
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2794.92
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases



DEC-18

12 Feet (3.657 meters)			Canada \$
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)	LIST 840.13
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1055.10
	Split Kit	Reassembly Kit	124.55
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1055.10
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)	1092.42
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1307.38
	Split Kit	Reassembly Kit	124.55
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1307.38
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)	1092.42
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1307.38
	Split Kit	Reassembly Kit	124.55
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1307.38
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 11-5/8" Tapered		Loads to 18,000 lbs (metric tons)	click for Drawing
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)	1210.21
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1425.18
	Split Kit	Reassembly Kit	124.55
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	1425.18
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	1786.30
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2001.26
	Split Kit	Reassembly Kit	124.55
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2001.26
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	2232.83
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2447.80
	Split Kit	Reassembly Kit	124.55
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2447.80
	Cut Shaft to Height	Specify Total Height	50.70
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	2979.30
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	3284.18
	Split Kit	Reassembly Kit	124.55
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	3284.18
	Cut Shaft to Height	Specify Total Height	50.70

14 Feet (4.267 meters)			Canada \$
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	LIST 2055.31
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2270.28
	Split Kit	Reassembly Kit	124.55
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	2270.28
	Cut Shaft to Height	Specify Total Height	50.70

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight