

Canada \$

Nov 18

Martin Richards Design™
COLLECTION

Imperial Round Columns Fiberglass (FRP-Comp™)



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished

Tapered &
Non-Tapered
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application



Imperial Productions & Distribution Inc.

1220 Ellesmere Rd #10 Toronto M1P 2X5 email sales@imperialproductions.com

800-399-7585 416-264-6096

copyright 2016 MRDCI All Rights Reserved

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

5 Feet (1.524 meters)

Canada \$

Diameter 7-5/8" Tapered		Loads to 10,000 lbs (4.5 metric tons)	click for Drawing	LIST
IPTUS0508S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		325.66
IPTUS0508S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		470.33
	Split Kit	Reassembly Kit		124.55
IPTUS0508S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		470.33
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0510S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		414.22
IPTUS0510S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		558.88
	Split Kit	Reassembly Kit		124.55
IPTUS0510S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		558.88
	Cut Shaft to Height	Specify Total Height		50.70

6 Feet (1.828 meters)

Canada \$

Diameter 7-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0608S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		363.01
IPTUS0608S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		507.68
	Split Kit	Reassembly Kit		124.55
IPTUS0608S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		507.68
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0610S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		449.20
IPTUS0610S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		593.87
	Split Kit	Reassembly Kit		124.55
IPTUS0610S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		593.87
	Cut Shaft to Height	Specify Total Height		50.70

8 Feet (2.438 meters)

Canada \$

Diameter 5-11/16" Tapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUS0806S-TCTB	Whole	Bottom Diameter 5-11/16" (14.6cm) Top Shaft 4" (10cm)		358.28
IPTUS0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		502.94
	Split Kit	Reassembly Kit		124.55
IPTUS0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		502.94
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" Tapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUS0808S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		390.90
IPTUS0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		535.56
	Split Kit	Reassembly Kit		124.55
IPTUS0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		535.56
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUS0808SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		465.60
IPTUS0808SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		610.26
	Split Kit	Reassembly Kit		124.55
IPTUS0808SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		610.26
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0810S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		488.75
IPTUS0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		633.41
	Split Kit	Reassembly Kit		124.55
IPTUS0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		633.41
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0810SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		586.09
IPTUS0810SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		730.76
	Split Kit	Reassembly Kit		124.55
IPTUS0810SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		730.76
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered		Loads to 18,000 lbs (metric tons)	click for Drawing	LIST
IPTUS0812S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		674.99
IPTUS0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		817.96
	Split Kit	Reassembly Kit		124.55
IPTUS0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		817.96
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

8 Feet (2.438 meters) ... continued

Canada \$

Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0812SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		733.29
IPTUS0812SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		877.96
	Split Kit	Reassembly Kit		124.55
IPTUS0812SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		877.96
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0814S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1466.08
IPTUS0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1610.74
	Split Kit	Reassembly Kit		124.55
IPTUS0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1610.74
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" NonTapered		Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST
IPTUS0814SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8" (34.6cm)		1775.01
IPTUS0814SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1815.57
	Split Kit	Reassembly Kit		124.55
IPTUS0814SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1815.57
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered		Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST
IPTUS0816S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		1767.40
IPTUS0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2001.97
	Split Kit	Reassembly Kit		124.55
IPTUS0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2001.97
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" NonTapered		Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST
IPTUS0816SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)		2264.09
IPTUS0816SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2394.56
	Split Kit	Reassembly Kit		124.55
IPTUS0816SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2394.56
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" NonTapered		Loads to 20,000 lbs (9.07metric tons)	click for Drawing	LIST
IPTUS0818SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		3408.05
IPTUS0818SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3538.52
	Split Kit	Reassembly Kit		124.55
IPTUS0818SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3538.52
	Cut Shaft to Height	Specify Total Height		50.70

9 Feet (2.743 meters)

Canada \$

Diameter 7-5/8" Tapered		Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST
IPTUS0908S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		432.81
IPTUS0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		577.47
	Split Kit	Reassembly Kit		124.55
IPTUS0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		577.47
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-5/8" Non-Tapered		Loads to 10,000lbs (4.53metric tons)	click for Drawing	LIST
IPTUS0908SNT-TCTB	Whole	Top & Bottom Diameter 7-5/8" (19.3cm)		493.99
IPTUS0908SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		638.65
	Split Kit	Reassembly Kit		124.55
IPTUS0908SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		638.65
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0910S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top 7-1/2" (19cm)		539.96
IPTUS0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		684.62
	Split Kit	Reassembly Kit		124.55
IPTUS0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		684.62
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS0910SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		642.88
IPTUS0910SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		787.54
	Split Kit	Reassembly Kit		124.55
IPTUS0910SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		787.54
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases NOV-18

9 Feet (2.743 meters) Continued... Canada \$

Diameter 12" Tapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0912S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top 9-1/4" (23.4cm)		744.78
IPTUS0912S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		889.45
	Split Kit	Reassembly Kit		124.55
IPTUS0912S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		889.45
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-3/4" NonTapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS0912SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		801.40
IPTUS0912SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		946.06
	Split Kit	Reassembly Kit		124.55
IPTUS0912SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		946.06
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0914S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		1535.87
IPTUS0914S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1680.54
	Split Kit	Reassembly Kit		124.55
IPTUS0914S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1680.54
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0914SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1953.47
IPTUS0914SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1994.03
	Split Kit	Reassembly Kit		124.55
IPTUS0914SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1994.03
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0916S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		1767.40
IPTUS0916S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2177.23
	Split Kit	Reassembly Kit		124.55
IPTUS0916S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2177.23
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0916SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)		2492.75
IPTUS0916SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2623.22
	Split Kit	Reassembly Kit		124.55
IPTUS0916SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2623.22
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS0918SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		3763.46
IPTUS0918SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3893.93
	Split Kit	Reassembly Kit		124.55
IPTUS0918SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3893.93
	Cut Shaft to Height	Specify Total Height		50.70

10 Feet (3.048 meters) Canada \$

Diameter 7-5/8" Tapered		Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST
IPTUS1008S-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		469.99
IPTUS1008S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		614.65
	Split Kit	Reassembly Kit		124.55
IPTUS1008S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		614.65
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 7-3/4" NonTapered		Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST
IPTUS1008SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		535.56
IPTUS1008SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		680.23
	Split Kit	Reassembly Kit		124.55
IPTUS1008SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		680.23
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-5/8" Tapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS1010S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm), Top Shaft 7-1/2" (19cm)		581.87
IPTUS1010S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		726.53
	Split Kit	Reassembly Kit		124.55
IPTUS1010S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		726.53
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

10 Feet (3.048 meters) Continued

Canada \$

Diameter 9-3/4" NonTapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS1010SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		699.66
IPTUS1010SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		844.32
	Split Kit	Reassembly Kit		124.55
IPTUS1010SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		844.32
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS1012S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		829.62
IPTUS1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		974.29
	Split Kit	Reassembly Kit		124.55
IPTUS1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		974.29
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-3/4" NonTapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS1012SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		829.62
IPTUS1012SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		974.29
	Split Kit	Reassembly Kit		124.55
IPTUS1012SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		974.29
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1014S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1605.67
IPTUS1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1750.33
	Split Kit	Reassembly Kit		95.81
IPTUS1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1750.33
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1014SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8" (34.6cm)		2132.10
IPTUS1014SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2172.66
	Split Kit	Reassembly Kit		124.55
IPTUS1014SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2172.66
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1016S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top 13-7/8" (35.2cm)		2117.74
IPTUS1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2352.31
	Split Kit	Reassembly Kit		124.55
IPTUS1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2352.31
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1016SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39cm)		2721.41
IPTUS1016SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2851.88
	Split Kit	Reassembly Kit		124.55
IPTUS1016SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2851.88
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1018S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4281.95
IPTUB1018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4412.42
	Split Kit	Reassembly Kit		124.55
IPTUS1018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4412.42
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1018SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		4106.87
IPTUB1018SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4237.34
	Split Kit	Reassembly Kit		124.55
IPTUS1018SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4237.34
	Cut Shaft to Height	Specify Total Height		50.70

12 Feet (3.657 meters)

Canada \$

Diameter 7-3/4" NonTapered		Loads to 10,000lbs (4.53 metric tons)	click for Drawing	LIST
IPTUS1208SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		623.27
IPTUS1208SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		838.24
	Split Kit	Reassembly Kit		124.55
IPTUS1208SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		838.24
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

12 Feet (3.657 meters) continued

Canada \$

Diameter 9-5/8" Tapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS1210S-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		791.26
IPTUS1210S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1006.23
	Split Kit	Reassembly Kit		124.55
IPTUS1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1006.23
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 9-3/4" NonTapered		Loads to 14,000lbs (6.35 metric tons)	click for Drawing	LIST
IPTUS1210SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		813.23
IPTUS1210SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1028.20
	Split Kit	Reassembly Kit		42.08
IPTUS1210SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1028.20
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-5/8" Tapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS1212S-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		1070.45
IPTUS1212S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1285.41
	Split Kit	Reassembly Kit		124.55
IPTUS1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1285.41
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 11-3/4" NonTapered		Loads to 18,000lbs (8.16 metric tons)	click for Drawing	LIST
IPTUS1212SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1325.47
IPTUS1212SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1540.44
	Split Kit	Reassembly Kit		124.55
IPTUS1212SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1540.44
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1214S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		1838.55
IPTUS1214S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2053.52
	Split Kit	Reassembly Kit		124.55
IPTUS1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2053.52
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1216S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		2452.87
IPTUS1216S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2757.74
	Split Kit	Reassembly Kit		124.55
IPTUS1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2757.74
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1216SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2" (39.3cm)		3178.72
IPTUS1216SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3309.19
	Split Kit	Reassembly Kit		124.55
IPTUS1216SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3309.19
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1218S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4654.26
IPTUS1218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4784.73
	Split Kit	Reassembly Kit		124.55
IPTUS1218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4784.73
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" NonTapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1218SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2" (44.4cm)		4805.52
IPTUS1218SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4935.98
	Split Kit	Reassembly Kit		124.55
IPTUS1218SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4935.98
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 19-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1220S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		4935.14
IPTUS1220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5138.61
	Split Kit	Reassembly Kit		124.55
IPTUS1220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5138.61
	Cut Shaft to Height	Specify Total Height		50.70
Diameter, 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1222S-TCTB	Whole	Bottom Diameter 21-1/2" (54.4cm) Top Shaft 18-1/2" (46.9cm)		6011.84
IPTUS1222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6215.31
	Split Kit	Reassembly Kit		124.55
IPTUS1222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6215.31
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

12 Feet (3.657 meters) Continued...

Canada \$

Diameter 23-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1224S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 50.8cm)		6580.86
IPTUS1224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6784.34
	Split Kit	Reassembly Kit		124.55
IPTUS1224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6784.34
	Cut Shaft to Height	Specify Total Height		50.70

14 Feet (4.267 meters)

Canada \$

Diameter 11-3/4" NonTapered	Loads to 18,000lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1412SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1517.62
IPTUS1412SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1732.59
	Split Kit	Reassembly Kit		124.55
IPTUS1412SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1732.59
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 13-5/8" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1414S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		2606.49
IPTUS1414S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2647.05
	Split Kit	Reassembly Kit		124.55
IPTUS1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2647.05
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1416S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		3097.09
IPTUS1416S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3097.09
	Split Kit	Reassembly Kit		124.55
IPTUS1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3097.09
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1418S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		4886.97
IPTUS1418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5017.44
	Split Kit	Reassembly Kit		124.55
IPTUS1418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5017.44
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1420S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		5537.62
IPTUS1420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5741.10
	Split Kit	Reassembly Kit		124.55
IPTUS1420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5741.10
	Cut Shaft to Height	Specify Total Height		50.70

16 Feet (4.876 meters)

Canada \$

Diameter 13-5/8" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1614S-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top Shaft 11-1/2" (29.2cm)		3118.39
IPTUS1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3158.95
	Split Kit	Reassembly Kit		124.55
IPTUS1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3158.95
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 15-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1616S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-7/8" (35.2cm)		3956.12
IPTUS1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4086.59
	Split Kit	Reassembly Kit		124.55
IPTUS1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4086.59
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 17-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1618S-TCTB	Whole	Bottom Diameter 17-1/2" (44.4cm) Top Shaft 15-3/4" (40cm)		5119.69
IPTUS1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5250.15
	Split Kit	Reassembly Kit		124.55
IPTUS1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5355.61
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 19-1/2" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS1620S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		6139.94
IPTUS1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6343.42
	Split Kit	Reassembly Kit		124.55
IPTUS1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6343.42
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

NOV-18

16 Feet (4.876 meters) continued...

Canada \$

Diameter 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1622S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		7468.79
IPTUS1622S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		7672.26 124.55
IPTUS1622S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		7672.26 50.70
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1624S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		7679.53
IPTUS1624S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		7883.01 124.55
IPTUS1624S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		7883.01 50.70
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1630S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		12563.12
IPTUS1630S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		12766.60 95.81
IPTUS1630S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		12766.60 39.00

18 Feet (5.486 meters)

Canada \$

Diameter 15-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1816S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-3/4" (34.9cm)		4405.66
IPTUS1816S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4536.13 95.81
IPTUS1816S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4536.13 39.00
Diameter 17-1/4" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1818S-TCTB	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)		5225.14
IPTUS1818S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		5355.61 95.81
IPTUS1818S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		5355.61 39.00
Diameter 19-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1820S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.18cm)		6841.12
IPTUS1820S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		7044.60 124.55
IPTUS1820S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		7044.60 50.70
Diameter 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1822S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		7832.98
IPTUS1822S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		8036.46 124.55
IPTUS1822S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		8036.46 50.70
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1824S-TCTB	Whole	Bottom Diameter 23-3/4" (60.3cm) Top Shaft 19-3/4" (50cm)		8610.38
IPTUS1824S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		8813.86 124.55
IPTUS1824S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		8813.86 50.70
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS1830S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		13977.48
IPTUS1830S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		14180.96 124.55
IPTUS1830S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		14180.96 50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases NOV-18

20 Feet (6.096 meters)			Canada \$	
Diameter 15-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2016S-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm), Top Shaft 13-3/4" (34.9cm)	4919.93	
IPTUS2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	5050.40	
	Split Kit	Reassembly Kit	124.55	
IPTUS2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	5050.40	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 17-1/4" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2018S-TCTB	Whole	Bottom Diameter 17-1/4" (43.8cm) Top Shaft 15-3/8" (39cm)	6154.98	
IPTUS2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	6285.45	
	Split Kit	Reassembly Kit	124.55	
IPTUS2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	6285.45	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 19-3/4" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2020S-TCTB	Whole	Bottom Diameter 19-3/4" (50cm) Top Shaft 16-3/8" (41.5cm)	6841.12	
IPTUS2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	7044.60	
	Split Kit	Reassembly Kit	124.55	
IPTUS2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	7044.60	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2022S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)	8352.15	
IPTUS2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	8555.63	
	Split Kit	Reassembly Kit	124.55	
IPTUS2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	8555.63	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2024S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)	10006.66	
IPTUS2024S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	10210.14	
	Split Kit	Reassembly Kit	95.81	
IPTUS2024S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	10210.14	
	Cut Shaft to Height	Specify Total Height	39.00	
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2030S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)	15606.47	
IPTUS2030S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	15809.95	
	Split Kit	Reassembly Kit	95.81	
IPTUS2030S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	15809.95	
	Cut Shaft to Height	Specify Total Height	39.00	
Diameter 36" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2036S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)	18386.52	
IPTUS2036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	18590.00	
	Split Kit	Reassembly Kit	124.55	
IPTUS2036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	18590.00	
	Cut Shaft to Height	Specify Total Height	50.70	

22 Feet (6.705 meters)			Canada \$	
Diameter 19-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2220S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.1cm)	6982.07	
IPTUS2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	7185.54	
	Split Kit	Reassembly Kit	124.55	
IPTUS2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	7185.54	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2222S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)	8871.32	
IPTUS2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	9412.79	
	Split Kit	Reassembly Kit	124.55	
IPTUS2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	9412.79	
	Cut Shaft to Height	Specify Total Height	50.70	
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2224S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)	11170.22	
IPTUS2224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	11373.70	
	Split Kit	Reassembly Kit	124.55	
IPTUS2224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	11373.70	
	Cut Shaft to Height	Specify Total Height	50.70	

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases NOV-18

22 Feet (6.705 meters) continued...			Canada \$	
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2230S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		16537.33
IPTUS2230S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		16740.80
	Split Kit	Reassembly Kit		124.55
IPTUS2230S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		16740.80
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 36" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2236S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		19864.94
IPTUS2236S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		20068.41
	Split Kit	Reassembly Kit		95.81
IPTUS2236S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		20068.41
	Cut Shaft to Height	Specify Total Height		39.00

24 Feet (7.315 meters)			Canada \$	
Diameter 19-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2420S-TCTB	Whole	Bottom Diameter 19-1/2" (49.5cm) Top Shaft 17" (43.1cm)		7436.34
IPTUS2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7639.81
	Split Kit	Reassembly Kit		124.55
IPTUS2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7639.81
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 21-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2422S-TCTB	Whole	Bottom Diameter 21-1/2" (54.6cm) Top Shaft 18-1/2" (46.9cm)		9732.88
IPTUS2422S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9936.36
	Split Kit	Reassembly Kit		124.55
IPTUS2422S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9936.36
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2424S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		12101.08
IPTUS2424S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12304.55
	Split Kit	Reassembly Kit		124.55
IPTUS2424S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12304.55
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2430S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		16537.33
IPTUS2430S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		16740.80
	Split Kit	Reassembly Kit		124.55
IPTUS2430S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		16740.80
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 36" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2436S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		20924.23
IPTUS2436S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		21127.70
	Split Kit	Reassembly Kit		124.55
IPTUS2436S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		21127.70
	Cut Shaft to Height	Specify Total Height		50.70

26 Feet (7.924 meters)			Canada \$	
Diameter 23-1/2" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2624S-TCTB	Whole	Bottom Diameter 23-1/2" (59.6cm) Top Shaft 20" (50.8cm)		12566.50
IPTUS2624S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12769.98
	Split Kit	Reassembly Kit		124.55
IPTUS2624S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12769.98
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 30" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2630S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		17657.80
IPTUS2630S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		17861.27
	Split Kit	Reassembly Kit		124.55
IPTUS2630S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		17861.27
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 36" Tapered		Loads to 20,000lbs (9.07 metric tons)	click for Drawing	LIST
IPTUS2636S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		22367.83
IPTUS2636S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		22571.30
	Split Kit	Reassembly Kit		124.55
IPTUS2636S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		22571.30
	Cut Shaft to Height	Specify Total Height		50.70

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases NOV-18

28 Feet (8.534 meters)			Canada \$	
Diameter 30" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS2830S-TCTB	Whole	Bottom Diameter 30" (76.2cm) Top Shaft 27" (68.5cm)		18777.93
IPTUS2830S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		18981.40
	Split Kit	Reassembly Kit		124.55
IPTUS2830S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		18981.40
	Cut Shaft to Height	Specify Total Height		50.70
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS2836S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		23810.92
IPTUS2836S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		24014.39
	Split Kit	Reassembly Kit		124.55
IPTUS2836S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		24014.39
	Cut Shaft to Height	Specify Total Height		50.70

30 Feet (9.144 meters)			Canada \$	
Diameter 36" Tapered	Loads to 20,000lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS3036S-TCTB	Whole	Bottom Diameter 36" (91.4cm) Top Shaft 30" (76.2cm)		25254.85
IPTUS3036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		25458.33
	Split Kit	Reassembly Kit		124.55
IPTUS3036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		25458.33
	Cut Shaft to Height	Specify Total Height		50.70

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

NOV-18

5 Feet (1.524 meters)

Canada \$

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		455.79
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		600.46
	Split Kit	Reassembly Kit		95.81
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		600.46
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		551.11
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		695.77
	Split Kit	Reassembly Kit		95.81
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		695.77
	Cut Shaft to Height	Specify Total Height		39.00

6 Feet (1.828 meters)

Canada \$

Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.5 metric tons)		click for Drawing	LIST
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		484.19
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		628.85
	Split Kit	Reassembly Kit		95.81
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		628.85
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		599.78
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		744.45
	Split Kit	Reassembly Kit		95.81
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		744.45
	Cut Shaft to Height	Specify Total Height		39.00

8 Feet (2.438 meters)

Canada \$

Diameter 5-11/16" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" (14.6cm) Top Shaft 4" (10cm)		484.02
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		628.68
	Split Kit	Reassembly Kit		95.81
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		628.68
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" Tapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top Shaft 6-1/4" (15.8cm)		516.46
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		661.13
	Split Kit	Reassembly Kit		95.81
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		661.13
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		619.39
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		764.05
	Split Kit	Reassembly Kit		95.81
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		764.05
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		774.43
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		919.09
	Split Kit	Reassembly Kit		95.81
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		919.09
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		774.43
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		919.09
	Split Kit	Reassembly Kit		95.81
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		919.09
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		800.55
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		945.22
	Split Kit	Reassembly Kit		95.81
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		945.22
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

NOV-18

8 Feet (2.438 meters) ... continued

Canada \$

Diameter	Loads		click for Drawing	LIST
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	
IPTUS0812FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		957.25
IPTUS0812FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1101.91
	Split Kit	Reassembly Kit		95.81
IPTUS0812FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1101.91
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	
IPTUS0814F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1768.42
IPTUS0814F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1913.08
	Split Kit	Reassembly Kit		95.81
IPTUS0814F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1913.08
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 15-1/2" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	
IPTUS0816F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2122.47
IPTUS0816F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2357.04
	Split Kit	Reassembly Kit		95.81
IPTUS0816F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2357.04
	Cut Shaft to Height	Specify Total Height		39.00

9 Feet (2.743 meters)

Canada \$

Diameter	Loads		click for Drawing	LIST
Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)		click for Drawing	
IPTUS0908F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		549.08
IPTUS0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		693.75
	Split Kit	Reassembly Kit		95.81
IPTUS0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		693.75
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	
IPTUS0908FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		659.13
IPTUS0908FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		803.80
	Split Kit	Reassembly Kit		95.81
IPTUS0908FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		803.80
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	
IPTUS0910F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		853.92
IPTUS0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		998.59
	Split Kit	Reassembly Kit		95.81
IPTUS0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		998.59
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	
IPTUS0910FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		853.92
IPTUS0910FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		998.59
	Split Kit	Reassembly Kit		95.81
IPTUS0910FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		998.59
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	
IPTUS0912F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		861.06
IPTUS0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.72
	Split Kit	Reassembly Kit		95.81
IPTUS0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.72
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	
IPTUS0912FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1052.60
IPTUS0912FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1197.26
	Split Kit	Reassembly Kit		95.81
IPTUS0912FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1197.26
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	
IPTUS0914F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1854.78
IPTUS0914F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1999.44
	Split Kit	Reassembly Kit		95.81
IPTUS0914F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1999.44
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

NOV-18

9 Feet (2.743 meters) Continued...

Canada \$

Diameter 15-1/2" Tapered	Loads to 20,000 lbs (9.07 metric tons)		click for Drawing	LIST
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" (39.3cm) Top Shaft 13-7/8" (35.2cm)		2341.50
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2576.07
	Split Kit	Reassembly Kit		95.81
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2576.07
	Cut Shaft to Height	Specify Total Height		39.00

10 Feet (3.048 meters)

Canada \$

Diameter 7-5/8" Tapered	Loads to 10,000lbs (4.53 metric tons)		click for Drawing	LIST
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" (19.3cm) Top 6-1/4" (15.8cm)		600.29
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		744.95
	Split Kit	Reassembly Kit		95.81
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		744.95
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)		717.34
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		862.00
	Split Kit	Reassembly Kit		95.81
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		862.00
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)		933.42
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1078.08
	Split Kit	Reassembly Kit		95.81
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1078.08
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs (6.35 metric tons)		click for Drawing	LIST
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)		933.42
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1078.08
	Split Kit	Reassembly Kit		95.81
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1078.08
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs (metric tons)		click for Drawing	LIST
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)		930.85
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1075.52
	Split Kit	Reassembly Kit		95.81
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1075.52
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)		1364.68
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1509.34
	Split Kit	Reassembly Kit		95.81
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1509.34
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		1941.98
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2086.64
	Split Kit	Reassembly Kit		95.81
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2086.64
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs (8.16 metric tons)		click for Drawing	LIST
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		2560.35
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2794.92
	Split Kit	Reassembly Kit		95.81
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2794.92
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases **NOV-18**

12 Feet (3.657 meters)			Canada \$
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4" (19.6cm)	LIST
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	840.13
	Split Kit	Reassembly Kit	1055.10
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	1055.10
			39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" (24.4cm) Top Shaft 7-1/2" (19cm)	LIST
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1092.42
	Split Kit	Reassembly Kit	1307.38
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	1307.38
			39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs (6.35 metric tons)	click for Drawing
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4" (27.7cm)	LIST
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1092.42
	Split Kit	Reassembly Kit	1307.38
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	1307.38
			39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs (metric tons)	click for Drawing
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" (29.5cm) Top Shaft 9-1/4" (23.4cm)	LIST
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1210.21
	Split Kit	Reassembly Kit	1425.18
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	1425.18
			39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	LIST
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	1786.30
	Split Kit	Reassembly Kit	2001.26
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	2001.26
			39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	LIST
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2232.83
	Split Kit	Reassembly Kit	2447.80
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	2447.80
			39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)	LIST
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2979.30
	Split Kit	Reassembly Kit	3284.18
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	3284.18
			39.00

14 Feet (4.267 meters)			Canada \$
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs (8.16 metric tons)	click for Drawing
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4" (29.8cm)	LIST
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	2055.31
	Split Kit	Reassembly Kit	2270.28
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	95.81
	Cut Shaft to Height	Specify Total Height	2270.28
			39.00

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight