


Imperial Square Columns Fiberglass (FRP-Comp™)



* Photo Above of Custom Square Column

Smooth, Fluted
Tapered &
Non-Tapered
with Capitals
& Bases

Split Options



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished



Imperial Productions & Distribution Inc.

1220 Ellesmere Rd #10 Toronto M1P 2X5 email sales@imperialproductions.com

800-399-7585 416-264-6096

copyright 2016 MRDCI All Rights Reserved

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



DEC-18

8 Feet (2.438 meters)

5-1/2" x 5-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0806S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		502.61
IPTUSQ0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		655.38
	Split Kit	Reassembly Kit		124.55
IPTUSQ0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		655.38
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
7-1/2" x 7-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0808S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		603.67
IPTUSQ0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		756.44
	Split Kit	Reassembly Kit		124.55
IPTUSQ0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		756.44
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
9-1/2" x 9-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0810S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		758.64
IPTUSQ0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		911.42
	Split Kit	Reassembly Kit		124.55
IPTUSQ0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		911.42
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
11-1/2" x 11-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0812S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1070.45
IPTUSQ0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1223.22
	Split Kit	Reassembly Kit		124.55
IPTUSQ0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1223.22
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
13-1/2" x 13-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		1743.07
IPTUSQ0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1895.84
	Split Kit	Reassembly Kit		124.55
IPTUSQ0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1895.84
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2233.50
IPTUSQ0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2484.30
	Split Kit	Reassembly Kit		124.55
IPTUSQ0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2484.30
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

9 Feet (2.743 meters)

5-1/2" x 5-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0906S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		553.81
IPTUSQ0906S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		706.59
	Split Kit	Reassembly Kit		124.55
IPTUSQ0906S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		706.59
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
7-1/2" x 7-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0908S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		666.71
IPTUSQ0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		819.48
	Split Kit	Reassembly Kit		124.55
IPTUSQ0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		819.48
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
9-1/2" x 9-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ0910S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		833.17
IPTUSQ0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		985.95
	Split Kit	Reassembly Kit		124.55
IPTUSQ0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		985.95
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



DEC-18

9 Feet (2.743 meters) continued...

11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ0912S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1177.42
IPTUSQ0912S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1330.20
	Split Kit	Reassembly Kit		124.55
IPTUSQ0912S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1330.20
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ0914S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		1911.90
IPTUSQ0914S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2064.67
	Split Kit	Reassembly Kit		124.55
IPTUSQ0914S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2064.67
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ0916S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2457.60
IPTUSQ0916S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2708.39
	Split Kit	Reassembly Kit		124.55
IPTUSQ0916S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2708.39
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

10 Feet (3.048 meters)

5-1/2" x 5-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1006S-TCTB	Whole	Top & Bottom 5-1/2" x 5-1/2" (13.9cm)		595.73
IPTUSQ1006S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		748.50
	Split Kit	Reassembly Kit		124.55
IPTUSQ1006S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		748.50
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
7-1/2" x 7-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1008S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		730.25
IPTUSQ1008S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		883.03
	Split Kit	Reassembly Kit		124.55
IPTUSQ1008S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		883.03
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
9-1/2" x 9-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1010S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		907.70
IPTUSQ1010S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1060.48
	Split Kit	Reassembly Kit		124.55
IPTUSQ1010S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1060.48
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
11-1/2" x 11-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1012S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1284.57
IPTUSQ1012S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1437.35
	Split Kit	Reassembly Kit		124.55
IPTUSQ1012S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1437.35
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2082.08
IPTUSQ1014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2234.86
	Split Kit	Reassembly Kit		124.55
IPTUSQ1014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2234.86
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		2681.52
IPTUSQ1016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2932.32
	Split Kit	Reassembly Kit		124.55
IPTUSQ1016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2932.32
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



DEC-18

12 Feet (3.657 meters)

7-1/2" x 7-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1208S-TCTB	Whole	Top & Bottom 7-1/2" x 7-1/2" (19cm)		873.56
IPTUSQ1208S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1096.64
	Split Kit	Reassembly Kit		124.55
IPTUSQ1208S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1096.64
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
9-1/2" x 9-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1210S-TCTB	Whole	Top & Bottom 9-1/2" x 9-1/2" (24cm)		1051.86
IPTUSQ1210S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1274.94
	Split Kit	Reassembly Kit		124.55
IPTUSQ1210S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1274.94
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
11-1/2" x 11-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1212S-TCTB	Whole	Top & Bottom 11-1/2" x 11-1/2" (29.2cm)		1396.28
IPTUSQ1212S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1619.36
	Split Kit	Reassembly Kit		124.55
IPTUSQ1212S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1619.36
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
13-1/2" x 13-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1214S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2420.08
IPTUSQ1214S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2643.16
	Split Kit	Reassembly Kit		124.55
IPTUSQ1214S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2643.16
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1216S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		3129.71
IPTUSQ1216S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3450.81
	Split Kit	Reassembly Kit		124.55
IPTUSQ1216S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3450.81
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

14 Feet (4.267 meters)

13-1/2" x 13-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1414S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		2759.43
IPTUSQ1414S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2982.51
	Split Kit	Reassembly Kit		124.55
IPTUSQ1414S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2982.51
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"		Loads to 10,000 lbs (4.54 metric tons)	click for Drawing	LIST
IPTUSQ1416S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		3577.90
IPTUSQ1416S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3899.00
	Split Kit	Reassembly Kit		124.55
IPTUSQ1416S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3899.00
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



DEC-18

16 Feet (4.876 meters)

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1614S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		3098.11
IPTUSQ1614S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3321.19
	Split Kit	Reassembly Kit		124.55
IPTUSQ1614S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3321.19
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1616S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		4026.09
IPTUSQ1616S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4347.19
	Split Kit	Reassembly Kit		124.55
IPTUSQ1616S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4347.19
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1618S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		6111.55
IPTUSQ1618S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6258.75
	Split Kit	Reassembly Kit		124.55
IPTUSQ1618S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6258.75
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1620S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8006.88
IPTUSQ1620S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8226.58
	Split Kit	Reassembly Kit		124.55
IPTUSQ1620S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8226.58
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1622S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		9648.28
IPTUSQ1622S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9867.98
	Split Kit	Reassembly Kit		124.55
IPTUSQ1622S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9867.98
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

18 Feet (5.486 meters)

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1814S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		3437.46
IPTUSQ1814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3660.54
	Split Kit	Reassembly Kit		124.55
IPTUSQ1814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3660.54
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ1816S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		4474.11
IPTUSQ1816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4795.21
	Split Kit	Reassembly Kit		124.55
IPTUSQ1816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4795.21
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1818S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		6885.91
IPTUSQ1818S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7032.60
	Split Kit	Reassembly Kit		124.55
IPTUSQ1818S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7032.60
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1820S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8229.12
IPTUSQ1820S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8623.23
	Split Kit	Reassembly Kit		124.55
IPTUSQ1820S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8623.23
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases



DEC-18

18 Feet (5.486 meters) Continued...

Canada \$

21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ1822S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		10230.25
IPTUSQ1822S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		10449.95
	Split Kit	Reassembly Kit		124.55
IPTUSQ1822S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		10449.95
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

20 Feet (6.096 meters)

Canada \$

13-1/2" x 13-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ2014S-TCTB	Whole	Top & Bottom 13-1/2" x 13-1/2" (34.2cm)		3775.63
IPTUSQ2014S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3998.71
	Split Kit	Reassembly Kit		124.55
IPTUSQ2014S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3998.71
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
15-1/2" x 15-1/2"	Loads to 10,000 lbs (4.54 metric tons)		click for Drawing	LIST
IPTUSQ2016S-TCTB	Whole	Top & Bottom 15-1/2" x 15-1/2" (39.3cm)		4922.13
IPTUSQ2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5243.23
	Split Kit	Reassembly Kit		124.55
IPTUSQ2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5243.23
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2018S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		8046.77
IPTUSQ2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8367.87
	Split Kit	Reassembly Kit		124.55
IPTUSQ2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8367.87
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2020S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8592.97
IPTUSQ2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8812.67
	Split Kit	Reassembly Kit		124.55
IPTUSQ2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8812.67
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2022S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		10760.91
IPTUSQ2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		10975.54
	Split Kit	Reassembly Kit		124.55
IPTUSQ2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		10975.54
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22



Use for Load Bearing
or Decorative Post Wrap

Fiberglass Square Tuscan Smooth Columns with Capitals & Bases




DEC-18


22 Feet (6.705 meters)			Canada \$	
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2218S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		9014.12
IPTUSQ2218S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9160.81
	Split Kit	Reassembly Kit		124.55
IPTUSQ2218S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9160.81
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2220S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8769.07
IPTUSQ2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8988.77
	Split Kit	Reassembly Kit		124.55
IPTUSQ2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8988.77
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
21-1/2" x 21-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2222S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		11409.70
IPTUSQ2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		11629.40
	Split Kit	Reassembly Kit		124.55
IPTUSQ2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		11629.40
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22

24 Feet (7.315 meters)			Canada \$	
17-1/2" x 17-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2418S-TCTB	Whole	Top & Bottom 17-1/2" x 17-1/2" (44.45cm)		9788.14
IPTUSQ2418S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		9934.83
	Split Kit	Reassembly Kit		124.55
IPTUSQ2418S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		9934.83
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22
19-1/2" x 19-1/2"	Loads to 20,000 lbs (9.97 metric tons)		click for Drawing	LIST
IPTUSQ2420S-TCTB	Whole	Top & Bottom 19-1/2" x 19-1/2" (44.45cm)		8769.07
IPTUSQ2420S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8988.77
	Split Kit	Reassembly Kit		124.55
IPTUSQ2420S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8988.77
	Cut Shaft to Height	Specify Total Height		50.70
	Hurricane Bracket			76.22


call for larger sizes - custom quoted




Pilaster Cut



Engaged Cut



Outside Corner



Wall Wrap



Inside Corner