

US \$ Dec 18

Martin Richards Design™
COLLECTION

Imperial Round Columns Fluted Fiberglass (FRP-Comp™)



Columns
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application

Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished



Imperial Productions & Distribution Inc. 800-399-7585

555 Riverwalk Parkway Tonawanda New York

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

5 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	350.61
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	461.89
	Split Kit	Reassembly Kit	95.81
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	461.89
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	423.93
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	535.21
	Split Kit	Reassembly Kit	95.81
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	535.21
	Cut Shaft to Height	Specify Total Height	39.00

6 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	372.45
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	483.73
	Split Kit	Reassembly Kit	95.81
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	483.73
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	461.37
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	572.65
	Split Kit	Reassembly Kit	95.81
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	572.65
	Cut Shaft to Height	Specify Total Height	39.00

8 Feet

Diameter 5-11/16" Tapered	Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" Top Shaft 4"	372.32
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	483.60
	Split Kit	Reassembly Kit	95.81
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	483.60
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 7-5/8" Tapered	Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"	397.28
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	508.56
	Split Kit	Reassembly Kit	95.81
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	508.56
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"	476.45
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	587.73
	Split Kit	Reassembly Kit	95.81
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	587.73
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	595.71
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	706.99
	Split Kit	Reassembly Kit	95.81
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	706.99
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"	595.71
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	706.99
	Split Kit	Reassembly Kit	95.81
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	706.99
	Cut Shaft to Height	Specify Total Height	39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	615.81
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base	727.09
	Split Kit	Reassembly Kit	95.81
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices	727.09
	Cut Shaft to Height	Specify Total Height	39.00



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

8 Feet ... continued

Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0812FNT-TCTB		Whole	Top & Bottom Diameter 11-3/4"	736.35
IPTUS0812FNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	847.63 95.81
IPTUS0812FNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	847.63 39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0814F-TCTB		Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1360.32
IPTUS0814F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1471.60 95.81
IPTUS0814F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1471.60 39.00
Diameter 15-1/2" Tapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0816F-TCTB		Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"	1632.67
IPTUS0816F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1813.11 95.81
IPTUS0816F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1813.11 39.00

9 Feet

Diameter 7-5/8" Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS0908F-TCTB		Whole	Bottom Diameter 7-5/8" Top 6-1/4"	422.37
IPTUS0908F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	533.65 95.81
IPTUS0908F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	533.65 39.00
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs	click for Drawing	LIST
IPTUS0908FNT-TCTB		Whole	Top & Bottom Diameter 7-3/4"	507.03
IPTUS0908FNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	618.31 95.81
IPTUS0908FNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	618.31 39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0910F-TCTB		Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"	656.86
IPTUS0910F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	768.14 95.81
IPTUS0910F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	768.14 39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS0910FNT-TCTB		Whole	Top & Bottom Diameter 9-3/4"	656.86
IPTUS0910FNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	768.14 95.81
IPTUS0910FNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	768.14 39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0912F-TCTB		Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	662.35
IPTUS0912F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	773.63 95.81
IPTUS0912F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	773.63 39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0912FNT-TCTB		Whole	Top & Bottom Diameter 11-3/4"	809.69
IPTUS0912FNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	920.97 95.81
IPTUS0912FNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	920.97 39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0914F-TCTB		Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1426.75
IPTUS0914F-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1538.03 95.81
IPTUS0914F-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1538.03 39.00



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

9 Feet Continued...

Diameter 15-1/2" Tapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1801.15
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1981.59
	Split Kit	Reassembly Kit		95.81
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1981.59
	Cut Shaft to Height	Specify Total Height		39.00

10 Feet

Diameter 7-5/8" Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"		461.76
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		573.04
	Split Kit	Reassembly Kit		95.81
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		573.04
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs	click for Drawing	LIST
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		551.80
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		663.08
	Split Kit	Reassembly Kit		95.81
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		663.08
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		718.02
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		829.30
	Split Kit	Reassembly Kit		95.81
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		829.30
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		718.02
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		829.30
	Split Kit	Reassembly Kit		95.81
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		829.30
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		716.04
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		827.32
	Split Kit	Reassembly Kit		95.81
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		827.32
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1049.75
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1161.03
	Split Kit	Reassembly Kit		95.81
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1161.03
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1493.83
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1605.11
	Split Kit	Reassembly Kit		95.81
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1605.11
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1969.50
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2149.94
	Split Kit	Reassembly Kit		95.81
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2149.94
	Cut Shaft to Height	Specify Total Height		39.00



Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

12 Feet (3.657 meters)

Diameter 7-5/8" NonTapered		Loads to 10,000 lbs	click for Drawing	LIST
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		646.26
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		811.62
	Split Kit	Reassembly Kit		95.81
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		811.62
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		840.32
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.68
	Split Kit	Reassembly Kit		95.81
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.68
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		840.32
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.68
	Split Kit	Reassembly Kit		95.81
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.68
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		930.93
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1096.29
	Split Kit	Reassembly Kit		95.81
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1096.29
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1374.07
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1539.43
	Split Kit	Reassembly Kit		95.81
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1539.43
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1717.56
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1882.92
	Split Kit	Reassembly Kit		95.81
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1882.92
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		2291.77
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2526.29
	Split Kit	Reassembly Kit		95.81
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2526.29
	Cut Shaft to Height	Specify Total Height		39.00

14 Feet

Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1581.01
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1746.37
	Split Kit	Reassembly Kit		95.81
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1746.37
	Cut Shaft to Height	Specify Total Height		39.00

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight