

US \$ Nov 18

Martin Richards Design™
COLLECTION

Imperial Round Columns Fiberglass (FRP-Comp™)



Shafts meet ASTM-E84 Fire Rating
Load Bearing or Split Decorative
Optional cut to height

Note: Sold Unfinished

Tapered &
Non-Tapered
with Capitals
& Bases

Split Options



Inside Corner



Wall Wrap or
3/4" engaged



Wedged for
Outside Corner



Split in Half for
Post Wrap or
Pilaster Application



Imperial Productions & Distribution Inc. 800-399-7585

555 Riverwalk Parkway Tonawanda New York

email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

5 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0508S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		250.51
IPTUS0508S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		361.79
	Split Kit	Reassembly Kit		95.81
IPTUS0508S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		361.79
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0510S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		318.63
IPTUS0510S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		429.91
	Split Kit	Reassembly Kit		95.81
IPTUS0510S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		429.91
	Cut Shaft to Height	Specify Total Height		39.00

6 Feet

Diameter 7-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0608S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		279.24
IPTUS0608S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		390.52
	Split Kit	Reassembly Kit		95.81
IPTUS0608S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		390.52
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0610S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		345.54
IPTUS0610S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		456.82
	Split Kit	Reassembly Kit		95.81
IPTUS0610S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		456.82
	Cut Shaft to Height	Specify Total Height		39.00

8 Feet

Diameter 5-11/16" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0806S-TCTB	Whole	Bottom Diameter 5-11/16" Top Shaft 4"		275.60
IPTUS0806S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		386.88
	Split Kit	Reassembly Kit		95.81
IPTUS0806S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		386.88
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0808S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		300.69
IPTUS0808S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		411.97
	Split Kit	Reassembly Kit		95.81
IPTUS0808S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		411.97
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0808SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		358.15
IPTUS0808SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		469.43
	Split Kit	Reassembly Kit		95.81
IPTUS0808SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		469.43
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0810S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		375.96
IPTUS0810S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		487.24
	Split Kit	Reassembly Kit		95.81
IPTUS0810S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		487.24
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0810SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		450.84
IPTUS0810SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		562.12
	Split Kit	Reassembly Kit		95.81
IPTUS0810SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		562.12
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs		click for Drawing	LIST
IPTUS0812S-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		519.22
IPTUS0812S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		629.20
	Split Kit	Reassembly Kit		95.81
IPTUS0812S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		629.20
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

8 Feet ... continued

Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0812SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		564.07
IPTUS0812SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		675.35
	Split Kit	Reassembly Kit		95.81
IPTUS0812SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		675.35
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS0814S-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1127.75
IPTUS0814S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1239.03
	Split Kit	Reassembly Kit		95.81
IPTUS0814S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1239.03
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" NonTapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0814SNT-TCTB	Whole	Top & Bottom Diameter 13-5/8"		1365.39
IPTUS0814SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1396.59
	Split Kit	Reassembly Kit		95.81
IPTUS0814SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1396.59
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 15-1/2" Tapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0816S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1359.54
IPTUS0816S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1539.98
	Split Kit	Reassembly Kit		95.81
IPTUS0816S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1539.98
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 15-1/2" NonTapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0816SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		1741.61
IPTUS0816SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1841.97
	Split Kit	Reassembly Kit		95.81
IPTUS0816SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1841.97
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 17-1/2" NonTapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0818SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		2621.58
IPTUS0818SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2721.94
	Split Kit	Reassembly Kit		95.81
IPTUS0818SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2721.94
	Cut Shaft to Height	Specify Total Height		39.00

9 Feet

Diameter 7-5/8" Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS0908S-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"		332.93
IPTUS0908S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		444.21
	Split Kit	Reassembly Kit		95.81
IPTUS0908S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		444.21
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" Non-Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS0908SNT-TCTB	Whole	Top & Bottom Diameter 7-5/8"		379.99
IPTUS0908SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		491.27
	Split Kit	Reassembly Kit		95.81
IPTUS0908SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		491.27
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS0910S-TCTB	Whole	Bottom Diameter 9-5/8" Top 7-1/2"		415.35
IPTUS0910S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		526.63
	Split Kit	Reassembly Kit		95.81
IPTUS0910S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		526.63
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS0910SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		494.52
IPTUS0910SNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		605.80
	Split Kit	Reassembly Kit		95.81
IPTUS0910SNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		605.80
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

9 Feet Continued...

Diameter 12" Tapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS0912S-TCTB	Whole	Bottom Diameter 11-5/8" Top 9-1/4"		572.91
IPTUS0912S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		684.19 95.81
IPTUS0912S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		684.19 39.00
Diameter 11-3/4" NonTapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS0912SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		616.46
IPTUS0912SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		727.74 95.81
IPTUS0912SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		727.74 39.00
Diameter 13-5/8" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS0914S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		1181.44
IPTUS0914S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1292.72 95.81
IPTUS0914S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1292.72 39.00
Diameter 13-5/8" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS0914SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1502.67
IPTUS0914SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1533.87 95.81
IPTUS0914SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1533.87 39.00
Diameter 15-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS0916S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1359.54
IPTUS0916S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1674.79 95.81
IPTUS0916S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1674.79 39.00
Diameter 15-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS0916SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		1917.50
IPTUS0916SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2017.86 95.81
IPTUS0916SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2017.86 39.00
Diameter 17-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS0918SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		2894.97
IPTUS0918SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2995.33 95.81
IPTUS0918SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2995.33 39.00

10 Feet

Diameter 7-5/8" Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS1008S-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		361.53
IPTUS1008S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		472.81 95.81
IPTUS1008S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		472.81 39.00
Diameter 7-3/4" NonTapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS1008SNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		411.97
IPTUS1008SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		523.25 95.81
IPTUS1008SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		523.25 39.00
Diameter 9-5/8" Tapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS1010S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		447.59
IPTUS1010S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		558.87 95.81
IPTUS1010S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		558.87 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

10 Feet Continued

Diameter 9-3/4" NonTapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS1010SNT-TCTB		Whole	Top & Bottom Diameter 9-3/4"	538.20
IPTUS1010SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	649.48 95.81
IPTUS1010SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	649.48 39.00
Diameter 11-5/8" Tapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS1012S-TCTB		Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"	638.17
IPTUS1012S-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	749.45 95.81
IPTUS1012S-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	749.45 39.00
Diameter 11-3/4" NonTapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS1012SNT-TCTB		Whole	Top & Bottom Diameter 11-3/4"	638.17
IPTUS1012SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	749.45 95.81
IPTUS1012SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	749.45 39.00
Diameter 13-5/8" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1014S-TCTB		Whole	Bottom Diameter 13-5/8" Top 11-1/2"	1235.13
IPTUS1014S-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1346.41 73.70
IPTUS1014S-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1346.41 30.00
Diameter 13-5/8" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1014SNT-TCTB		Whole	Top & Bottom Diameter 13-5/8"	1640.08
IPTUS1014SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1671.28 95.81
IPTUS1014SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1671.28 39.00
Diameter 15-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1016S-TCTB		Whole	Bottom Diameter 15-1/2" Top 13-7/8"	1629.03
IPTUS1016S-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	1809.47 95.81
IPTUS1016S-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	1809.47 39.00
Diameter 15-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1016SNT-TCTB		Whole	Top & Bottom Diameter 15-1/2"	2093.39
IPTUS1016SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	2193.75 95.81
IPTUS1016SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	2193.75 39.00
Diameter 17-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1018S-TCTB		Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"	3293.81
IPTUB1018S-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	3394.17 95.81
IPTUS1018S-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	3394.17 39.00
Diameter 17-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1018SNT-TCTB		Whole	Top & Bottom Diameter 17-1/2"	3159.13
IPTUB1018SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	3259.49 95.81
IPTUS1018SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	3259.49 39.00

12 Feet

Diameter 7-3/4" NonTapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS1208SNT-TCTB		Whole	Top & Bottom Diameter 7-3/4"	479.44
IPTUS1208SNT-TCTB-WRAP		Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit	644.80 95.81
IPTUS1208SNT-TCTB-PIL		Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height	644.80 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

12 Feet continued

Diameter 9-5/8" Tapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS1210S-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		608.66
IPTUS1210S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		774.02 95.81
IPTUS1210S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		774.02 39.00
Diameter 9-3/4" NonTapered		Loads to 14,000lbs	click for Drawing	LIST
IPTUS1210SNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		625.56
IPTUS1210SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		790.92 32.37
IPTUS1210SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		790.92 39.00
Diameter 11-5/8" Tapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS1212S-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		823.42
IPTUS1212S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		988.78 95.81
IPTUS1212S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		988.78 39.00
Diameter 11-3/4" NonTapered		Loads to 18,000lbs	click for Drawing	LIST
IPTUS1212SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1019.59
IPTUS1212SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1184.95 95.81
IPTUS1212SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1184.95 39.00
Diameter 13-5/8" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1214S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		1414.27
IPTUS1214S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1579.63 95.81
IPTUS1214S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1579.63 39.00
Diameter 15-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1216S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1886.82
IPTUS1216S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2121.34 95.81
IPTUS1216S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2121.34 39.00
Diameter 15-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1216SNT-TCTB	Whole	Top & Bottom Diameter 15-1/2"		2445.17
IPTUS1216SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2545.53 95.81
IPTUS1216SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2545.53 39.00
Diameter 17-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1218S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"		3580.20
IPTUS1218S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3680.56 95.81
IPTUS1218S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3680.56 39.00
Diameter 17-1/2" NonTapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1218SNT-TCTB	Whole	Top & Bottom Diameter 17-1/2"		3696.55
IPTUS1218SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3796.91 95.81
IPTUS1218SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3796.91 39.00
Diameter 19-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1220S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		3796.26
IPTUS1220S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3952.78 95.81
IPTUS1220S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3952.78 39.00
Diameter, 21-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS1222S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		4624.49
IPTUS1222S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4781.01 95.81
IPTUS1222S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4781.01 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

12 Feet Continued...

Diameter 23-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1224S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft		6580.86
IPTUS1224S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		6784.34 124.55
IPTUS1224S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		6784.34 50.70

14 Feet

Diameter 11-3/4" NonTapered	Loads to 18,000lbs		click for Drawing	LIST
IPTUS1412SNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1167.40
IPTUS1412SNT-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		1332.76 95.81
IPTUS1412SNT-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		1332.76 39.00
Diameter 13-5/8" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1414S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		2004.99
IPTUS1414S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2036.19 95.81
IPTUS1414S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2036.19 39.00
Diameter 15-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1416S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		2382.38
IPTUS1416S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2382.38 95.81
IPTUS1416S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2382.38 39.00
Diameter 17-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1418S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"		3759.21
IPTUS1418S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3859.57 95.81
IPTUS1418S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3859.57 39.00
Diameter 19-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1420S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		4259.71
IPTUS1420S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4416.23 95.81
IPTUS1420S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4416.23 39.00

16 Feet

Diameter 13-5/8" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1614S-TCTB	Whole	Bottom Diameter 13-5/8" Top Shaft 11-1/2"		2398.76
IPTUS1614S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		2429.96 95.81
IPTUS1614S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		2429.96 39.00
Diameter 15-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1616S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		3043.17
IPTUS1616S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3143.53 95.81
IPTUS1616S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3143.53 39.00
Diameter 17-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1618S-TCTB	Whole	Bottom Diameter 17-1/2" Top Shaft 15-3/4"		3938.22
IPTUS1618S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4038.58 95.81
IPTUS1618S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4119.70 39.00
Diameter 19-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1620S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		4723.03
IPTUS1620S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4879.55 95.81
IPTUS1620S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4879.55 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

16 Feet continued...

Diameter	Loads		click for Drawing	LIST
Diameter 21-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1622S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		5745.22
IPTUS1622S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		5901.74 95.81
IPTUS1622S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		5901.74 39.00
Diameter 23-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1624S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		5907.33
IPTUS1624S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		6063.85 95.81
IPTUS1624S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		6063.85 39.00
Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1630S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		9663.94
IPTUS1630S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		9820.46 73.70
IPTUS1630S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		9820.46 30.00

18 Feet

Diameter	Loads		click for Drawing	LIST
Diameter 15-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1816S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-3/4"		3388.97
IPTUS1816S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		3489.33 73.70
IPTUS1816S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		3489.33 30.00
Diameter 17-1/4" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1818S-TCTB	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"		4019.34
IPTUS1818S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		4119.70 73.70
IPTUS1818S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		4119.70 30.00
Diameter 19-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1820S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		5262.40
IPTUS1820S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		5418.92 95.81
IPTUS1820S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		5418.92 39.00
Diameter 21-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1822S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		6025.37
IPTUS1822S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		6181.89 95.81
IPTUS1822S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		6181.89 39.00
Diameter 23-1/2" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1824S-TCTB	Whole	Bottom Diameter 23-3/4" Top Shaft 19-3/4"		6623.37
IPTUS1824S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		6779.89 95.81
IPTUS1824S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		6779.89 39.00
Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS1830S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		10751.91
IPTUS1830S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		10908.43 95.81
IPTUS1830S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		10908.43 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

20 Feet

Diameter 15-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2016S-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-3/4"		3784.56
IPTUS2016S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		3884.92
	Split Kit	Reassembly Kit		95.81
IPTUS2016S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		3884.92
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 17-1/4" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2018S-TCTB	Whole	Bottom Diameter 17-1/4" Top Shaft 15-3/8"		4734.60
IPTUS2018S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		4834.96
	Split Kit	Reassembly Kit		95.81
IPTUS2018S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		4834.96
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 19-3/4" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2020S-TCTB	Whole	Bottom Diameter 19-3/4" Top Shaft 16-3/8"		5262.40
IPTUS2020S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5418.92
	Split Kit	Reassembly Kit		95.81
IPTUS2020S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5418.92
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 21-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2022S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		6424.73
IPTUS2022S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		6581.25
	Split Kit	Reassembly Kit		95.81
IPTUS2022S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		6581.25
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 23-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2024S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		7697.43
IPTUS2024S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7853.95
	Split Kit	Reassembly Kit		73.70
IPTUS2024S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7853.95
	Cut Shaft to Height	Specify Total Height		30.00
Diameter 30" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2030S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		12004.98
IPTUS2030S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		12161.50
	Split Kit	Reassembly Kit		73.70
IPTUS2030S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		12161.50
	Cut Shaft to Height	Specify Total Height		30.00
Diameter 36" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2036S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		14143.48
IPTUS2036S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		14300.00
	Split Kit	Reassembly Kit		95.81
IPTUS2036S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		14300.00
	Cut Shaft to Height	Specify Total Height		39.00

22 Feet

Diameter 19-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2220S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		5370.82
IPTUS2220S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		5527.34
	Split Kit	Reassembly Kit		95.81
IPTUS2220S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		5527.34
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 21-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2222S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		6824.09
IPTUS2222S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		7240.61
	Split Kit	Reassembly Kit		95.81
IPTUS2222S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		7240.61
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 23-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2224S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		8592.48
IPTUS2224S-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		8749.00
	Split Kit	Reassembly Kit		95.81
IPTUS2224S-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		8749.00
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

22 Feet continued...

Diameter 30" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2230S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		12721.02
IPTUS2230S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		12877.54 95.81
IPTUS2230S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		12877.54 39.00
Diameter 36" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2236S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		15280.72
IPTUS2236S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		15437.24 73.70
IPTUS2236S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		15437.24 30.00

24 Feet

Diameter 19-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2420S-TCTB	Whole	Bottom Diameter 19-1/2" Top Shaft 17"		5720.26
IPTUS2420S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		5876.78 95.81
IPTUS2420S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		5876.78 39.00
Diameter 21-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2422S-TCTB	Whole	Bottom Diameter 21-1/2" Top Shaft 18-1/2"		7486.83
IPTUS2422S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		7643.35 95.81
IPTUS2422S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		7643.35 39.00
Diameter 23-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2424S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		9308.52
IPTUS2424S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		9465.04 95.81
IPTUS2424S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		9465.04 39.00
Diameter 30" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2430S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		12721.02
IPTUS2430S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		12877.54 95.81
IPTUS2430S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		12877.54 39.00
Diameter 36" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2436S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		16095.56
IPTUS2436S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		16252.08 95.81
IPTUS2436S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		16252.08 39.00

26 Feet

Diameter 23-1/2" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2624S-TCTB	Whole	Bottom Diameter 23-1/2" Top Shaft 20"		9666.54
IPTUS2624S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		9823.06 95.81
IPTUS2624S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		9823.06 39.00
Diameter 30" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2630S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		13582.92
IPTUS2630S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		13739.44 95.81
IPTUS2630S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		13739.44 39.00
Diameter 36" Tapered		Loads to 20,000lbs	click for Drawing	LIST
IPTUS2636S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		17206.02
IPTUS2636S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		17362.54 95.81
IPTUS2636S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		17362.54 39.00

Fiberglass Round Tuscan SMOOTH Columns with Capitals & Bases

28 Feet

Diameter 30" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS2830S-TCTB	Whole	Bottom Diameter 30" Top Shaft 27"		14444.56
IPTUS2830S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		14601.08 95.81
IPTUS2830S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		14601.08 39.00
Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS2836S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		18316.09
IPTUS2836S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		18472.61 95.81
IPTUS2836S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		18472.61 39.00

30 Feet

Diameter 36" Tapered	Loads to 20,000lbs		click for Drawing	LIST
IPTUS3036S-TCTB	Whole	Bottom Diameter 36" Top Shaft 30"		19426.81
IPTUS3036S-TCTB-WRAP	Split for Wrap Split Kit	Split Shaft, Cap & Base Reassembly Kit		19583.33 95.81
IPTUS3036S-TCTB-PIL	Split for 1/2 Column Cut Shaft to Height	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices Specify Total Height		19583.33 39.00

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

5 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0508F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		350.61
IPTUS0508F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		461.89
	Split Kit	Reassembly Kit		95.81
IPTUS0508F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		461.89
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0510F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		423.93
IPTUS0510F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		535.21
	Split Kit	Reassembly Kit		95.81
IPTUS0510F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		535.21
	Cut Shaft to Height	Specify Total Height		39.00

6 Feet

Diameter 7-5/8" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0608F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		372.45
IPTUS0608F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		483.73
	Split Kit	Reassembly Kit		95.81
IPTUS0608F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		483.73
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0610F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		461.37
IPTUS0610F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		572.65
	Split Kit	Reassembly Kit		95.81
IPTUS0610F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		572.65
	Cut Shaft to Height	Specify Total Height		39.00

8 Feet

Diameter 5-11/16" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0806F-TCTB	Whole	Bottom Diameter 5-11/16" Top Shaft 4"		372.32
IPTUS0806F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		483.60
	Split Kit	Reassembly Kit		95.81
IPTUS0806F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		483.60
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" Tapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0808F-TCTB	Whole	Bottom Diameter 7-5/8" Top Shaft 6-1/4"		397.28
IPTUS0808F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		508.56
	Split Kit	Reassembly Kit		95.81
IPTUS0808F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		508.56
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs		click for Drawing	LIST
IPTUS0808FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		476.45
IPTUS0808FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		587.73
	Split Kit	Reassembly Kit		95.81
IPTUS0808FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		587.73
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0810F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		595.71
IPTUS0810F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		706.99
	Split Kit	Reassembly Kit		95.81
IPTUS0810F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		706.99
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs		click for Drawing	LIST
IPTUS0810FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		595.71
IPTUS0810FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		706.99
	Split Kit	Reassembly Kit		95.81
IPTUS0810FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		706.99
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs		click for Drawing	LIST
IPTUS0812F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		615.81
IPTUS0812F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		727.09
	Split Kit	Reassembly Kit		95.81
IPTUS0812F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		727.09
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

8 Feet ... continued

Diameter	Loads		click for Drawing	LIST
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs		click for Drawing	
IPTUS0812FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		736.35
IPTUS0812FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		847.63
	Split Kit	Reassembly Kit		95.81
IPTUS0812FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		847.63
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs		click for Drawing	
IPTUS0814F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1360.32
IPTUS0814F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1471.60
	Split Kit	Reassembly Kit		95.81
IPTUS0814F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1471.60
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 15-1/2" Tapered	Loads to 20,000 lbs		click for Drawing	
IPTUS0816F-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1632.67
IPTUS0816F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1813.11
	Split Kit	Reassembly Kit		95.81
IPTUS0816F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1813.11
	Cut Shaft to Height	Specify Total Height		39.00

9 Feet

Diameter	Loads		click for Drawing	LIST
Diameter 7-5/8" Tapered	Loads to 10,000lbs		click for Drawing	
IPTUS0908F-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"		422.37
IPTUS0908F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		533.65
	Split Kit	Reassembly Kit		95.81
IPTUS0908F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		533.65
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered	Loads to 10,000 lbs		click for Drawing	
IPTUS0908FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		507.03
IPTUS0908FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		618.31
	Split Kit	Reassembly Kit		95.81
IPTUS0908FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		618.31
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered	Loads to 14,000 lbs		click for Drawing	
IPTUS0910F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		656.86
IPTUS0910F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		768.14
	Split Kit	Reassembly Kit		95.81
IPTUS0910F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		768.14
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered	Loads to 14,000 lbs		click for Drawing	
IPTUS0910FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		656.86
IPTUS0910FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		768.14
	Split Kit	Reassembly Kit		95.81
IPTUS0910FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		768.14
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered	Loads to 18,000 lbs		click for Drawing	
IPTUS0912F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		662.35
IPTUS0912F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		773.63
	Split Kit	Reassembly Kit		95.81
IPTUS0912F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		773.63
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered	Loads to 18,000 lbs		click for Drawing	
IPTUS0912FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		809.69
IPTUS0912FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		920.97
	Split Kit	Reassembly Kit		95.81
IPTUS0912FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		920.97
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered	Loads to 18,000 lbs		click for Drawing	
IPTUS0914F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1426.75
IPTUS0914F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1538.03
	Split Kit	Reassembly Kit		95.81
IPTUS0914F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1538.03
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

9 Feet Continued...

Diameter 15-1/2" Tapered		Loads to 20,000 lbs	click for Drawing	LIST
IPTUS0916F-TCTB	Whole	Bottom Diameter 15-1/2" Top Shaft 13-7/8"		1801.15
IPTUS0916F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1981.59
	Split Kit	Reassembly Kit		95.81
IPTUS0916F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1981.59
	Cut Shaft to Height	Specify Total Height		39.00

10 Feet

Diameter 7-5/8" Tapered		Loads to 10,000lbs	click for Drawing	LIST
IPTUS1008F-TCTB	Whole	Bottom Diameter 7-5/8" Top 6-1/4"		461.76
IPTUS1008F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		573.04
	Split Kit	Reassembly Kit		95.81
IPTUS1008F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		573.04
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs	click for Drawing	LIST
IPTUS1008FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		551.80
IPTUS1008FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		663.08
	Split Kit	Reassembly Kit		95.81
IPTUS1008FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		663.08
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1010F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		718.02
IPTUS1010F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		829.30
	Split Kit	Reassembly Kit		95.81
IPTUS1010F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		829.30
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1010FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		718.02
IPTUS1010FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		829.30
	Split Kit	Reassembly Kit		95.81
IPTUS1010FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		829.30
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1012F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		716.04
IPTUS1012F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		827.32
	Split Kit	Reassembly Kit		95.81
IPTUS1012F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		827.32
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1012FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1049.75
IPTUS1012FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1161.03
	Split Kit	Reassembly Kit		95.81
IPTUS1012FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1161.03
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1014F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1493.83
IPTUS1014F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1605.11
	Split Kit	Reassembly Kit		95.81
IPTUS1014F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1605.11
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1016F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1969.50
IPTUS1016F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2149.94
	Split Kit	Reassembly Kit		95.81
IPTUS1016F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2149.94
	Cut Shaft to Height	Specify Total Height		39.00

Fiberglass Round Tuscan FLUTED Columns with Capitals & Bases

12 Feet (3.657 meters)			Canada \$	
Diameter 7-5/8" NonTapered		Loads to 10,000 lbs	click for Drawing	LIST
IPTUS1208FNT-TCTB	Whole	Top & Bottom Diameter 7-3/4"		646.26
IPTUS1208FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		811.62
	Split Kit	Reassembly Kit		95.81
IPTUS1208FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		811.62
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-5/8" Tapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1210F-TCTB	Whole	Bottom Diameter 9-5/8" Top Shaft 7-1/2"		840.32
IPTUS1210F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.68
	Split Kit	Reassembly Kit		95.81
IPTUS1210F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.68
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 9-3/4" NonTapered		Loads to 14,000 lbs	click for Drawing	LIST
IPTUS1210FNT-TCTB	Whole	Top & Bottom Diameter 9-3/4"		840.32
IPTUS1210FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1005.68
	Split Kit	Reassembly Kit		95.81
IPTUS1210FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1005.68
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1212F-TCTB	Whole	Bottom Diameter 11-5/8" Top Shaft 9-1/4"		930.93
IPTUS1212F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1096.29
	Split Kit	Reassembly Kit		95.81
IPTUS1212F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1096.29
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1212FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1374.07
IPTUS1212FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1539.43
	Split Kit	Reassembly Kit		95.81
IPTUS1212FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1539.43
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1214F-TCTB	Whole	Bottom Diameter 13-5/8" Top 11-1/2"		1717.56
IPTUS1214F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1882.92
	Split Kit	Reassembly Kit		95.81
IPTUS1214F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1882.92
	Cut Shaft to Height	Specify Total Height		39.00
Diameter 13-5/8" Tapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1216F-TCTB	Whole	Bottom Diameter 13-5/8" (34.6cm) Top 11-1/2" (29.2cm)		2291.77
IPTUS1216F-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		2526.29
	Split Kit	Reassembly Kit		95.81
IPTUS1216F-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		2526.29
	Cut Shaft to Height	Specify Total Height		39.00

14 Feet				
Diameter 11-3/4" NonTapered		Loads to 18,000 lbs	click for Drawing	LIST
IPTUS1412FNT-TCTB	Whole	Top & Bottom Diameter 11-3/4"		1581.01
IPTUS1412FNT-TCTB-WRAP	Split for Wrap	Split Shaft, Cap & Base		1746.37
	Split Kit	Reassembly Kit		95.81
IPTUS1412FNT-TCTB-PIL	Split for 1/2 Column	for Wedged, Wall Wrap, Inside Corner & Engaged call for prices		1746.37
	Cut Shaft to Height	Specify Total Height		39.00

Email us for Larger Sizes or Custom Sizes

Email us for a Quote including Freight